



AN ROINN SLÁINTE

---

TUARASCÁIL

AN

ÁRD-CHLÁRAITHEORA

1950

---

COMPILED BY THE CENTRAL STATISTICS OFFICE  
FROM DATA SUPPLIED BY AN T-ÁRD CHLÁRAITHEOIR

PUBLISHED BY THE STATIONERY OFFICE.

---

To be purchased directly through the  
GOVERNMENT PUBLICATIONS SALE OFFICE, G.P.O. ARCADE, DUBLIN,  
or through any Bookseller.

---

1953

*Price : Ten Shillings.*





# CONTENTS

## PART I—TEXT AND DIAGRAMS

Page

### GENERAL SUMMARY :

Marriages, Births, Deaths and Population	vi
--	----

### MARRIAGES :

Number and rate	viii
Mode of celebration	ix
Rates for counties	x
Age at marriage	xi

### BIRTHS :

Number and rate	xi
Fertility	xiii
Rates by counties, etc.	xiv
Illegitimate births	xvi
Sex ratio at birth	xvii
Multiple births	xvii

### DEATHS :

Number and rate	xviii
Deaths by age	xix
Deaths by quarters	xxii
Deaths by counties	xxiii
Causes of death :	
General observations	xxvii
Principal causes	xxviii
Infective diseases	xxix
Tuberculosis	xxix
Cancer	xxxvi
Heart diseases	xlii
Respiratory diseases	xlii
Pregnancy, childbirth and the puerperium	xlii
Accidents, poisonings and violence	xliv

### Infant mortality :

Number and rate	xlvi
Rate by counties, etc.	l
Causes of death by age	liv
Causes of death by area	lvi
Rate for illegitimate infants	lvii

Deaths in institutions	lvii
Uncertified deaths	lix
Inquests and post mortems	lxii
Interval between death and registration	lxii

Diagram	I. Birth, Death and Marriage rates, 1938-1950	vii
„	II. Standardised death rate from all causes, 1950, by counties	xxiv
„	III. Tuberculosis and Cancer mortality, 1938-1950	xxx
„	IV. Standardised death rate from Tuberculosis, 1948-50, by counties	xxxiv
„	V. Percentage decline in Tuberculosis mortality rates between 1925-27 and 1948-50, by counties	xxxv
„	VI. Infant and neo-natal mortality, 1938-1950	xlvi
„	VII. Percentage decline in Infant mortality between 1925-27 and 1948-50, by counties	li
„	VIII. Infant mortality—deaths of infants under 1 year of age per 1,000 births, 1950, by counties	lii



## PART II—TABLES.

Contents	Area	Title	Page
Population ...	State ...	Table 1. Estimated population in thousands at the middle of each year, 1851 to 1950 ... ..	2
Population by age	State ...	Table 2. Total population by sex and age in 1946 ... ..	3
Population ...	Counties	Table 3. Population by sex of each County and County Borough in 1946 ... ..	4
Marriages, Births, Deaths, 1864-1950	State ...	Table 4. Marriages, Births and Deaths registered and Natural Increase (excess of births over deaths) 1864-1950 ...	5
Marriage, Birth, Death rates, 1864-1950	State ...	Table 5. Marriage, Birth, Death and Infant mortality rates and rate of Natural Increase, 1864-1950 ...	6
Marriages, Births, Deaths, 1940-50	State ...	Table 6. Marriages, Births and Deaths registered during each of the years 1940-50, with the average annual rates for the ten years 1940-1949 and the rates for 1950 per 1,000 of the population ... ..	7
Deaths by cause, 1921-50	State ...	Table 7. *Annual average number of deaths from Principal Causes, 1921-1950 ... ..	8
Deaths by principal causes, 1950, with rates	State and Six Counties	Table 8. Deaths from principal causes in Ireland and the Six Counties, 1950, with rates per 100,000 population ... ..	9
Deaths by age, 1864-1950	State ...	Table 9. Average annual number of deaths of males and females classified by age, registered during the years 1864-1950 ... ..	10
Death rates by age, 1864-1950	State ...	Table 10. Average annual number of deaths of males and females classified by age, per 1,000 corresponding population 1864-1950 ... ..	11
Marriages, Births, Deaths, 1950	Counties	Table 11. Marriages, Births and Deaths, registered during 1950, in each County and County Borough ... ..	12
Marriages, Births, Illegitimate Births, Deaths, 1950	Counties	Table 12. Marriages, Births and Deaths, classified by sex, registered during 1950, showing illegitimate births, and deaths from some principal causes separately, in each County and County Borough ...	14
Marriage, Birth and Death rates, 1950	Counties	Table 13. Marriage, Birth and Death rates in 1950 in each County and County Borough, showing also the proportion of illegitimate births, and death rates for some of the principal diseases ... ..	15
Births, Illegitimate Births, Deaths, 1950	Principal Towns, U.D's. and R.D's.	Table 14. Births and Deaths, classified by sex, registered during 1950, showing illegitimate births and deaths from some of the principal causes separately, in the principal Towns and in Aggregate Urban and Aggregate Rural Districts ... ..	16
Birth, Illegitimate Birth, Death rates, 1950.	Principal Towns, U.D's and R.D's.	Table 15. Birth and Death rates in 1950 in the Principal Towns and in Aggregate Urban and Aggregate Rural Districts, showing also the proportion of illegitimate births, and the death rates for some of the principal diseases ... ..	17
Marriages, 1950 ...	Counties	Table 16. Marriages registered in each County and County Borough during 1950 ... ..	18
Deaths by age, 1950	Counties	Table 17. Deaths, classified by sex and age, registered during 1950, for each County and County Borough ...	20
Deaths by age, 1950.	Agg. U.D's. — and Agg. R.D's.	Table 18. Deaths in 1950 at each year of age in the Aggregate Urban Districts and in the Aggregate Rural Districts ... ..	24



Contents	Area	Title	Page
Deaths by cause and age, 1950.	State ...	Table 19. Deaths in 1950, classified by Cause (International Detailed List 6th Revision, 1948), and by sex and age ... ..	26
Deaths by cause, age, place of occurrence, certification, 1950.	Counties	Table 20. Deaths in 1950, classified by Cause (International Abbreviated List) and by sex and showing (i) age ; (ii) place of occurrence ; and (iii) the number of uncertified deaths, for each County and County Borough ... ..	68
Deaths by cause, 1950, Births, Population.	Principal Towns, U.D's. and R.D's.	Table 21. Deaths in 1950 classified by cause (International Abbreviated List) and by sex, for each Urban District and for the aggregate Rural Districts in each Province, and showing the numbers of deaths at ages under 1 year, 1 to 64 years and 65 years and over, and the number of births and the population ... ..	218
Infant mortality, 1950.	State ...	Table 22. Infant mortality—Total deaths under 1 year of age in 1950 classified by sex, age and cause (Detailed International List) ... ..	244
Infant mortality (Illegitimate), 1950.	State ...	Table 23. Infant mortality—Deaths of illegitimate children under 1 year of age, classified by sex, age and cause ... ..	256
Infant mortality, 1950.	Counties	Table 24. Infant mortality—Deaths at ages under 4 weeks and 4 weeks and under 1 year in 1950, classified by sex and cause, for each County and County Borough	258
Infant mortality, 1950.	Principal Towns, U.D's. and R.D's.	Table 25. Infant mortality—Deaths at ages under 4 weeks and 4 weeks and under 1 year in 1950, classified by sex and cause, for the Principal Towns, other Urban Districts and Rural Districts ... ..	264
Deaths by cause, (1938 List)	State ...	Table 26. Deaths in 1950, classified by sex and by cause (5th Revision, 1938 International Detailed List) ...	266
Deaths by cause, (1948 and 1938 Lists)	State ...	Table 27. Deaths in 1950, classified by sex and by cause (6th Revision, 1948 International Detailed List) and further classified by cause (5th Revision, 1938 International Detailed List) ... ..	268
Time between death and Registration	Counties	Table 28. Deaths registered in each County and County Borough, classified by time between date of death and date of registration ... ..	273
Time between death and registration	Counties	Table 29. Deaths registered in each County and County Borough, classified by time between date of death and date of registration per 1,000 deaths registered	274
Infectious diseases	U.D's. and R.D's.	Table 30. Summary of cases of infectious diseases notified to the Department of Health during the year 1950 ... ..	275



# REPORT OF AN tÁRD-CHLÁRAITHEOIR FOR THE YEAR 1950.

Do'n Aire Sláinte.

Tá sé d'onóir agam a chur faoi do bhráid Tuarascáil ar Beireatasáí, Básanna agus Pósanna cláraithe sa bhliain, 1950.

P. Ó CINNÉIDE,  
*Ard-Chláraitheoir.*

The term Ireland in this Report excludes the Six Counties.

In this Report births have been assigned to the district containing the normal residence of the parents and deaths to the district containing the normal residence of the deceased. The number of births shown for each of the years 1943 to 1950 is exclusive of late registrations and the number of deaths for each of the years 1940 to 1950 is exclusive of non-residents.

## GENERAL SUMMARY

*Marriages* :—There were 16,018 marriages registered during the year 1950 compared with 16,009 in 1949. The marriage rate per 1,000 population was 5·4. This rate has been comparatively stable since 1947. It is, however, abnormally low when comparison is made with other countries. The average annual marriage rate in 1940–49 was 5·6 per 1,000 population.

*Births* :—The number of births registered during 1950 was 63,565 and the birth rate was 21·4 per 1,000 population. There has been a small decline in birth rate each year since 1947. The average annual rate for 1940–49 was 21·7 per 1,000 population.

The number of illegitimate births registered was 1,627 which is 2·6 per cent. of all births. This proportion is considerably lower than that of 3·6 per cent. for the years 1940–49.

*Deaths* :—The number of deaths registered during 1950 was 37,741 and the death rate was 12·7 per 1,000 population. This rate is 0·6 above that for 1948 which, however, was the lowest rate recorded up to that year. The average annual rate for the period 1940–49 was 14·1 per 1,000 population.

Of the deaths registered in 1950, 27·7 per cent. were stated to be due to heart disease, 10·8 to malignant neoplasms, 7·1 to vascular lesions affecting the central nervous system and 6·3 to tuberculosis (all forms).

The number of deaths from tuberculosis was 2,380 and the rate was 0·80 per 1,000 population. This is the lowest rate recorded up to 1950. There has been a considerable decline in this rate since 1947 when the rate was 1·25 per 1,000 population.

There were 4,099 deaths from cancer in 1950. The upward tendency in the number of deaths from this disease has continued. The death rate in 1950 was 1·38 per 1,000 population.

During 1950 the deaths of 2,922 infants under 1 year were registered, equivalent to a rate of 46 per 1,000 live births which is the lowest definitive rate yet recorded.


The total number of deaths from accidents and other external causes in 1950 was 905, of which road transport accidents accounted for 200 deaths.

*Issue of Authority for Registration* :—Births and deaths which have not been registered within 1 year of their occurrence can only be registered on the authority of an t-Árd Chláraitheoir. The actual number of births registered on the authority of an t-Árd-Chláraitheoir in 1950 was 1,120 and the number of deaths registered was 184. Throughout the tables in this Report these births and deaths have been excluded.

*Population* :—It is estimated that the population at the middle of 1950 was 2,969,000.



## BIRTH. MARRIAGE AND DEATH RATES. 1938 - 1950.





## MARRIAGES

There were 16,018 marriages registered during the year 1950. This figure is 9 more than that for the year 1949 and 486 less than the average for the decennial period 1940-49.

The annual rate per 1,000 population for the year 1950 was 5.40 compared with 5.36 in 1949. The rate for the decennial period ended with 1949 was 5.56 per 1,000 population. Table I shows the marriage rate for Ireland, the Six Counties, England and Wales and Scotland for each of the years 1938-50.

TABLE I.  
NUMBER OF MARRIAGES PER 1,000 POPULATION IN IRELAND AND  
NEIGHBOURING COUNTRIES, 1938-1950

Years	Ireland*	Six Counties	England and Wales	Scotland
1938	5.1	6.7	8.8	7.8
1939	5.2	7.1	10.6	9.2
1940	5.1	7.6	11.3	10.7
1941	5.0	9.3	9.4	9.5
1942	5.9	9.0	8.9	9.5
1943	5.9	7.8	7.2	7.6
1944	5.7	7.2	7.1	7.2
1945	5.9	7.9	9.3	9.5
1946	5.9	7.4	9.0	8.9
1947	5.5	7.1	9.3	8.6
1948	5.4	6.9	9.0	8.5
1949	5.4	6.8	8.5	8.1
1950	5.4	6.6	8.2	7.8

\*Exclusive of the Six Counties.

The marriage rate in Ireland is abnormally low when comparison is made with England and Wales, Scotland and the Six Counties. The rate in 1950 is only two-thirds that in England and Wales. The rate in the State has been practically stable since 1947 but in the other areas shown there have been significant declines since 1947. Between 1944 and 1946 the marriage rate varied from 5.70 to 5.91 per 1,000 population. Although it has fallen somewhat since 1947 it is still higher than the rates in the decade preceding World War II.

#### *Mode of Celebration*

The number of marriages celebrated in accordance with the rites and ceremonies of the Catholic Church during 1950 amounted to 15,049 (equal to 94.0 per cent. of the total) and other marriages numbered 969. In the year 1950 the number of marriages other than Catholic recorded include 671 according to the rites and ceremonies of the Protestant Episcopal Church, 145 in Presbyterian Meeting Houses, 64 in registered buildings belonging to various other religious denominations, 70 by civil contract in the Registrars' Offices, 3 according to the usage of the Society of Friends and 16 according to Jewish rites.

At the Census of 1946 Catholics represented 94.3 per cent. of the population, Protestant Episcopalians 4.2 per cent., Presbyterians 0.8 per cent., Methodists 0.3 per cent. and Other Denominations 0.4 per cent.

The number of Catholic marriages recorded during 1950 is equal to a rate of 5.38 per 1,000 of the estimated Catholic population, a rate which is 0.23 below the average rate for the preceding ten years and the rate for all other marriages was 5.70 per 1,000 of all persons other than Catholics in the population or 0.94 above the average.



Corresponding rates for each year from 1940 to 1950 are shown in Table II.

TABLE II.

MARRIAGES REGISTERED IN 1950 AND IN EACH OF THE PREVIOUS TEN YEARS ACCORDING TO THE MODES OF CELEBRATION ; WITH THE RATES PER 1,000 POPULATION FOR CATHOLIC AND ALL OTHER MARRIAGES.

Years	Marriages registered other than Catholic							Catholic Marriages	Total Marriages Registered	Rate per 1,000 of estimated corresponding population represented by		
	Protestant Episcopalian	Presbyterian	In Registered Buildings	In the Registrars' Offices	Society of Friends	Jews	Total			Catholic Marriages	All other Marriages	Total Marriages
1940 ...	681	147	75	49	5	3	960	14,252	15,212	5.16	4.92	5.14
1941 ...	668	160	66	55	2	9	960	14,061	15,021	5.03	4.86	5.02
1942 ...	720	153	64	57	3	7	1,004	16,466	17,470	5.95	5.12	5.90
1943 ...	677	152	49	52	3	9	942	16,386	17,328	5.96	4.84	5.88
1944 ...	645	128	49	63	2	3	890	15,882	16,772	5.78	4.58	5.70
1945 ...	632	124	51	57	4	8	876	16,425	17,301	5.96	4.50	5.86
1946 ...	639	108	36	31	1	5	820	16,705	17,525	5.98	4.85	5.91
1947 ...	623	160	58	54	6	10	911	15,379	16,290	5.49	5.38	5.49
1948 ...	559	127	68	50	2	16	822	15,293	16,115	5.41	4.81	5.38
1949 ...	578	105	60	48	2	11	804	15,205	16,009	5.39	4.73	5.36
Yearly average 1940-1949 ...	642	136	58	52	3	8	899	15,605	16,504	5.61	4.86	5.57
1950 ...	671	145	64	70	3	16	969	15,049	16,018	5.38	5.70	5.40



### Marriage Rates by Counties

In making comparison of the marriage rates for each of the counties and county boroughs, it must be borne in mind that the rates are based on the total number of marriages recorded in each area irrespective of the fact that the persons married may not be residents of the area in which the marriage took place. An examination of the returns of marriages proves that many persons living in the rural portions of the country are married in the county boroughs and urban areas. This fact accounts in some measure for the high rates for the county boroughs. In 1950 these rates were, Dublin County Borough 8·2 per 1,000 population, Cork County Borough 9·7, Limerick County Borough 9·6. The lowest rates were recorded in Clare, 3·7 per 1,000 population, and in Roscommon, 3·8 per 1,000 population. Table III shows the rates for each county and county borough.

TABLE III

MARRIAGE RATES (PER 1,000 OF THE POPULATION) FOR COUNTIES, COUNTY BOROUGHS AND PROVINCES, FOR THE YEARS 1925-27, 1935-37, 1946 AND 1950, AND SHOWING FOR 1946 COMPARATIVE FIGURES OBTAINED FROM THE CENSUS OF POPULATION

Counties and County Boro's	Marriages per 1,000 of Population				Marriages under one year duration per 1,000 Pop. Census, 1946
	Annual Average 1925-7	Annual Average 1935-7	Year 1946	Year 1950	
Total ...	4·6	4·9	5·9	5·4	5·6
Carlow ...	4·3	5·0	5·0	4·8	4·5
Dublin Co. ...	5·4	6·7	6·7	5·3	5·7
Dublin Co. Boro' ...	7·6	7·4	8·1	8·2	6·4
Kildare ...	3·9	4·7	4·6	4·3	6·0
Kilkenny ...	3·9	4·3	5·2	4·6	5·3
Laoighis ...	3·4	3·2	4·0	4·1	5·7
Longford ...	4·4	3·8	4·7	4·3	5·5
Louth ...	4·0	5·2	5·6	6·0	6·8
Meath ...	3·5	5·2	4·8	4·4	5·2
Offaly ...	4·3	4·4	5·6	4·5	5·7
Westmeath ...	4·0	4·0	5·8	5·2	5·6
Wexford ...	4·4	4·7	5·5	4·5	5·3
Wicklow ...	4·0	4·6	5·3	5·1	5·9
LEINSTER ...	5·2	5·8	6·5	6·1	5·9
Clare ...	3·6	3·7	5·4	3·7	5·3
Cork Co. ...	3·5	3·6	4·6	4·1	5·8
Cork Co. Boro' ...	8·2	8·7	11·4	9·7	6·6
Kerry ...	4·2	3·9	5·8	4·4	5·4
Limerick Co. ...	3·6	3·7	4·7	4·2	5·5
Limerick Co. B. ...	9·4	8·5	12·1	9·6	7·1
Tipperary N.R. ...	4·5	4·6	5·3	5·5	5·8
Tipperary S.R. ...	3·8	4·0	5·6	4·0	5·8
Waterford Co. ...	4·1	4·4	5·7	5·3	6·0
Waterford Co. B. ...	4·9	5·3	6·3	5·1	5·8
MUNSTER ...	4·4	4·5	6·0	5·0	5·8
Galway ...	3·7	4·0	4·9	4·1	4·8
Leitrim ...	4·4	4·0	4·6	5·1	5·1
Mayo ...	3·8	3·5	5·0	4·4	4·9
Roscommon ...	4·0	3·8	4·2	3·8	4·9
Sligo ...	4·3	4·3	5·0	4·9	4·9
CONNACHT ...	3·9	3·9	4·8	4·3	4·9
Cavan ...	4·3	4·2	4·7	5·0	4·7
Donegal ...	3·7	4·7	5·5	4·6	4·7
Monaghan ...	3·9	4·0	5·3	4·6	5·7
ULSTER (part of)	3·9	4·4	5·2	4·7	4·9



Figures for the marriage rates in the counties for marriages which took place in the year preceding the date of the 1946 Census of Population are available and are also shown in Table III. These marriages are allocated to the area of residence of the wife on the date of the Census. In certain areas the figures are considerably different from the 1946 figures based on registered marriages. Thus the figures based on registrations in the County Boroughs are high particularly in the County Boroughs of Cork and Limerick, but the Census figures show that the rates based on area of residence do not differ appreciably from the general average of 5·6 per 1,000 population. The highest rate is 7·1 per 1,000 population in Limerick Co. Borough and the lowest is 4·5 per 1,000 population in Carlow.

### *Age at Marriage*

The schedules to the Acts relating to marriage indicate that the law does not require that the ages of the contracting parties should be entered in the register or certificate. It is necessary that each party should be described as "of full age" or "minor" as the case may be with the result that a complete record of the ages of the persons married is not available.

TABLE IV.

PROPORTION OF PERSONS MARRIED NOT OF FULL AGE DURING THE YEARS  
1940-1950.

Year	Total Marriages	Persons not of Full Age	
		Of 100 men married	Of 100 women married
1940	15,212	1·70	8·20
1941	15,021	1·84	7·96
1942	17,470	1·99	8·51
1943	17,328	1·56	7·48
1944	16,772	2·07	8·49
1945	17,301	1·51	7·69
1946	17,525	1·13	6·39
1947	16,290	1·50	7·03
1948	16,115	1·97	8·51
1949	16,009	2·09	7·35
1950	16,018	1·23	6·74

Table IV shows the proportion of persons married not of full age during the years 1940-50. The proportion of husbands who were stated to have married under age was 1·23 per cent. In the case of wives the proportion who were "minors" was 6·74 per cent.

### BIRTHS

The information on births contained in this Report relates to live births only. All the figures relate to the year of registration and no figures are compiled for the year of occurrence. Up to the year 1942 the figures published for the numbers of births included all births registered, irrespective of the period between date of birth and date of registration. From 1943 the published figures exclude late registrations (births registered more than one year after the date of birth).



The downward trend in the number of births and in the birth rate, which was first evident in 1948, continued in 1950. The total number of births registered (exclusive of late registrations) was 63,565 compared with 64,153 in 1949. The birth rate per 1,000 population declined from 21·5 in 1949 to 21·4 in 1950. The following table shows the number of births and the birth rate in the State for each year since 1938, together with the birth rate in the Six Counties, England and Wales and Scotland during the same period.

TABLE V

NUMBER OF BIRTHS IN IRELAND\* AND BIRTH RATES PER 1,000 POPULATION IN IRELAND\* AND NEIGHBOURING COUNTRIES, 1938-50

Year	Ireland*		Six Counties	England and Wales	Scotland
	No. of births (thousands)	Birth rate per 1,000 population	Birth rate per 1,000 population		
1938 ... ..	56·9	19·4	20·0	15·1	17·7
1939 ... ..	56·1	19·1	19·5	14·9	17·4
1940 ... ..	56·6	19·1	19·6	14·6	17·1
1941 ... ..	56·8	19·0	20·8	14·2	17·9
1942 ... ..	66·1	22·3	22·8	15·8	18·1
1943 ... ..	64·4	21·9	24·2	16·2	18·4
1944 ... ..	65·4	22·2	23·5	17·7	18·5
1945 ... ..	66·9	22·7	22·0	15·9	16·9
1946 ... ..	67·9	22·9	22·6	19·2	20·3
1947 ... ..	69·0	23·2	23·3	20·5	22·0
1948 ... ..	65·9	22·0	21·9	17·8	19·4
1949 ... ..	64·2	21·5	21·4	16·7	18·5
1950 ... ..	63·6	21·4	21·0	15·9	17·9

\*Exclusive of the Six Counties.

There was a sudden increase in the birth rate from about 19 in the years 1938 to 1941 to 22·3 per 1,000 population in 1942. A slight decline occurred in 1943 and, thereafter, there was a continuous rise each year up to 1947 when the rate of 23·2 was recorded. This was the highest rate recorded for any individual year since 1884. On account of the introduction of rationing in 1941, there was a reduction in the time interval between birth and registration and more births were registered in 1942 than would otherwise have been the case. The rate shown for 1942 must, therefore, be considered as somewhat overstated in comparison with the other rates. Since 1947 there has been a decline each year in the birth rate but the 1950 rate of 21·4 per 1,000 population is still considerably higher than the pre-war average of 19·5 in the years 1929-1938.

The war-time and post-war increase in the birth rate also occurred in the Six Counties, England and Wales and Scotland as the table above shows. In England and Wales and in Scotland the highest birth rate in the period also occurred in 1947 and there has also been a decline each year since 1947 in these countries and in the Six Counties.

The marked changes in the birth rate which have occurred since 1942 may have been caused by changes in the numbers of married women at the reproductive ages or by changes in the fertility of married women. The marriage rate since 1942, as already observed, has been considerably higher than in pre-war years, and it reached a peak value in 1946. It can be inferred that the increase in the birth rate since 1942 must be due, at least partly, to the increased number of marriages. In order to ascertain whether any increase in marital fertility has also occurred it is desirable to relate legitimate births to the married women at the reproductive ages. The following table shows the birth rate per 1,000 Census population and the legitimate fertility



rate (number of legitimate births per 1,000 married women aged 15-44 years) for Census periods since 1871. The standardised\* rate represents the number of legitimate births which would have occurred per 1,000 married women if the age-distribution of married women at earlier Censuses had been the same as in 1946.

TABLE VI.

BIRTH RATES AND FERTILITY RATES 1870-72 TO 1945-47.

Period	Total births per 1,000 Census Population	Legitimate births per 1,000 married women 15-44 years	
		Crude	Standardised*
1870-2	27.5	306.6	287.1
1880-2	24.0	283.7	284.2
1890-2	21.7	287.4	293.6
1900-2	21.9	292.2	295.4
1910-2	22.7	305.4	317.8
1925-7	20.6	270.8	281.2
1935-7	19.4	256.1	267.0
1945-7	23.0	269.8	269.8

\* The standardised rates represent what the rates would have been if the age distribution of the married women aged 15-44 at the earlier censuses had been the same as in 1946. The following method was used to calculate standardised rates :

From the numbers of births notified in Dublin City for years 1941-45 classified by age of mother, age specific fertility rates were computed which, when applied to the averages of the numbers of married women in 1941 and 1946 classified by age groups, resulted in the actual annual average number of births attributed to Dublin City in the years 1941-45. This fixed set of standard age specific fertility rates was then applied to the married women returned at each census in order to obtain an "expected" number of births. The "expected" number of births per married woman at each census was easily deduced and transferred to base 1946=unity. This last set of figures are standardising ratios and standardised rates were found by dividing each crude rate by the corresponding standardising ratio.

The birth rate fell rapidly from 1870-72 to 1890-92, rose slightly from 1890-92 to 1910-12 and then declined to reach its lowest value at any Census period in 1935-37. In the intercensal period 1936-46 a large increase in the birth rate, amounting to nearly 20 per cent., was recorded.

The crude and standardised fertility rates reached their peak values in 1910-12, and then declined significantly between 1910-12 and 1935-37. Since the declines in the crude and standardised rates were about equal the decline in fertility was not due to an increase in the average age of married women. On the other hand, between 1935-37 and 1945-47 the crude rate increased by about 5 per cent. and the standardised rate by about 1 per cent. Thus the real increase in marital fertility in the decade was only about 1 per cent. while the birth rate increased by nearly 20 per cent. It is, therefore, possible to ascribe the increased birth rate almost exclusively to the increased number of marriages, there being little change in marital fertility. It is possible that the increased numbers of marriages had the effect of temporarily increasing the fertility rate at the younger ages and for the earlier years of married life while the rate may have declined at the older ages, in which case a real decline in completed fertility may be hidden. The 1946 Census Report on Fertility of Marriage showed that fertility at durations of marriage under 5 years had shown an increase between 1911 and 1946. Unfortunately, since information as to the age of the mother at the time of the birth and since the parity of the maternity are not available, it is not possible



to make a detailed examination into this matter. That the population is reproducing itself with a substantial margin of safety is evident from the fact that the net reproduction rate in 1945-47 was 1.404 compared with 1.186 in 1935-37, an increase of 18 per cent. in the decade. The net reproduction rate represents the number of females who will replace each female at present in the reproductive period (15 to 44 years), assuming that the fertility rates and the mortality rate of females up to the end of the reproductive period remain constant at those levels which prevail during the period in question. Thus if these rates remained constant, 100 females aged 15-44 years in 1945-47 would be replaced by 140 females in that age group in the next generation.

Birth Rate by Area

Table VII shows the crude birth rates in the provinces and in the Aggregate Urban and Aggregate Rural Districts in 1938 and for each year since 1945.

TABLE VII

BIRTH RATES PER 1,000 POPULATION IN THE PROVINCES AND IN THE URBAN AND RURAL DISTRICTS.

Area	1938	1945	1946	1947	1948	1949	1950
Dublin Co. Borough and County ...	23.8	23.6	25.0	25.5	24.9	24.2	22.6
Rest of Leinster ...	18.9	23.9	24.3	24.8	23.4	22.9	22.1
Munster ...	18.0	22.1	22.4	22.7	21.6	21.0	21.0
Connacht ...	17.4	20.6	20.7	20.9	20.0	19.4	20.2
Ulster (part of) ...	17.3	21.3	21.5	21.4	20.4	19.7	20.1
TOTAL ...	19.4	22.7	22.9	23.2	22.0	21.5	21.4
All County Boroughs and Urban Districts	22.7	24.4	25.1	25.9	24.7	23.8	21.9
All Rural Districts	17.8	21.8	21.9	22.0	21.1	20.7	21.1

EXPRESSED AS A PERCENTAGE OF THE BIRTH RATE IN THE STATE

Dublin Co. Borough and County ...	123	104	109	110	113	113	106
Rest of Leinster ...	97	105	106	107	106	107	103
Munster ...	93	97	98	98	98	98	98
Connacht ...	90	91	90	90	91	90	94
Ulster (part of) ...	89	94	94	92	93	92	94
TOTAL ...	100	100	100	100	100	100	100
All County Boroughs and Urban Districts	117	107	110	112	112	111	102
All Rural Districts	92	96	96	95	96	96	99

The interesting feature of this table is the tendency towards uniformity in the provincial and in the urban and rural rates. In 1938 the difference between the highest birth rate (23.8 per 1,000 population in Dublin County and County Borough) and the lowest rate (17.3 per 1,000 population in Ulster (part of) ) was 6.5 ; in 1950, however, the corresponding difference was only 2.5. In 1950 the birth rate in Dublin County and County Borough was 1.2 per 1,000 below that of 1938 while the rates in the rest of Leinster and in the other provinces were 3 per 1,000 higher than in 1938. The large increase in the birth rate during World War II was practically confined to that part of the country outside Dublin County and County Borough.

The tendency towards uniformity is also evident in the urban and rural rates. In 1950 the urban rate decreased by 1.9 compared with 1949, while the rural rate increased by 0.4.



The crude birth rate is affected by the age distribution of the population, the numbers of women at the reproductive ages, the proportion of these who are married and the fertility of married women. It is, therefore, advisable to relate total births to the number of women aged 15-44 years and legitimate births to the married women at the same ages. This has been done in Table VIII which shows the results for each county. Standardised rates are also shown in this table. These rates indicate what fertility would have been in each county if the age distribution of the married women in each county had been the same as that in the State. They, therefore, eliminate the effect on the crude rate of differences in the age distribution of married women between the counties.

TABLE VIII

NUMBER OF BIRTHS IN 1950 PER 1,000 POPULATION AND PER 1,000 FEMALES AGED 15-44 AND  
NUMBER OF LEGITIMATE BIRTHS PER 1,000 MARRIED FEMALES AGED 15-44 IN EACH  
COUNTY AND COUNTY BOROUGH

County or County Boro'	Total births per 1,000 population	Total births per 1,000 women aged 15-44	Legitimate births per 1,000 married women 15-44 years	
			Crude	Standardised
Carlow County ... ..	23.2	126.9	273.9	271.7
Dublin " ... ..	23.0	97.5	213.5	216.7
Dublin County Boro' ... ..	22.5	90.7	238.5	233.7
Kildare County ... ..	25.6	140.5	270.0	251.4
Kilkenny " ... ..	20.5	113.8	251.3	250.0
Laoighis " ... ..	20.3	113.5	254.5	252.2
Longford " ... ..	20.1	112.6	249.8	245.8
Louth " ... ..	22.6	107.3	243.9	231.4
Meath " ... ..	21.4	115.9	251.3	246.8
Offaly " ... ..	21.8	121.1	263.2	255.5
Westmeath " ... ..	23.3	126.3	272.0	265.2
Wexford " ... ..	22.4	119.7	251.8	248.0
Wicklow " ... ..	21.3	105.9	226.1	219.7
LEINSTER ... ..	22.4	103.0	241.9	237.0
Clare County ... ..	20.4	118.3	264.2	270.1
Cork " ... ..	19.8	100.6	236.6	249.1
Cork County Boro' ... ..	22.0	92.5	237.1	230.1
Kerry County ... ..	19.5	106.9	248.8	259.2
Limerick County ... ..	24.0	131.0	280.8	283.1
Limerick County Boro' ... ..	23.1	101.0	236.6	225.0
Tipperary N.R. ... ..	22.1	116.4	269.8	279.2
Tipperary S.R. ... ..	22.2	121.2	261.2	257.0
Waterford County ... ..	18.2	100.6	221.2	223.4
Waterford County Boro' ... ..	23.0	103.3	251.1	243.6
MUNSTER ... ..	21.0	107.7	248.9	253.1
Galway County ... ..	21.7	118.4	281.6	286.2
Leitrim " ... ..	16.9	102.0	234.3	253.0
Mayo " ... ..	20.4	115.5	270.3	276.2
Roscommon County ... ..	17.7	102.3	242.8	258.1
Sligo County ... ..	21.4	117.0	274.0	283.6
CONNACHT ... ..	20.2	113.7	267.8	276.4
Cavan County ... ..	18.6	108.7	247.8	254.0
Donegal " ... ..	21.1	115.1	266.5	263.6
Monaghan " ... ..	19.7	104.1	255.0	261.1
ULSTER (part of) ... ..	20.1	111.1	259.3	260.9
TOTAL ... ..	21.4	106.5	249.0	249.0



The crude birth rates vary from 16·9 per 1,000 population in Leitrim to 25·6 in Kildare. After Kildare the areas with the largest birth rates are Limerick County (24·0), Westmeath (23·3), Carlow (23·2), Limerick Co. Borough (23·1), Dublin County and Waterford Co. Borough (23·0). The lowest birth rates occur in Leitrim (16·9), Roscommon (17·7), Waterford County (18·2) and Cavan (18·6).

The provincial figures for total births per 1,000 women aged 15–44 years are practically the same but there is considerable variation among the county figures. The lowest rates occur in Dublin Co. Borough (90·7) and in Cork Co. Borough (92·5), although the birth rates in these county boroughs are higher than average. The reason is that the proportion of females to males in the county boroughs is higher than in the remainder of the country. The highest figures for total births per 1,000 females aged 15–44 occur in Kildare (140·5) and in Limerick County (131·0).

The number of legitimate births per 1,000 married women was 249·0 in 1950. The range of variation is from 213·5 in Dublin County to 281·6 in Galway. The provincial figures are fairly uniform, the lowest figure being 241·9 in Leinster and the highest 267·8 in Connacht. Leinster has also the lowest standardised rate (237·0) and Connacht the highest (276·4). The highest standardised rate occurs in Galway (286·2) and the lowest rate in Dublin County (216·7). The most striking fact shown by the table is that while Leinster has the highest birth rate among the provinces, it has the lowest standardised fertility rate. On the other hand Connacht, which has a birth rate only 0·1 above the lowest rate, has the highest fertility rate.

### *Illegitimate Births*

There were 1,627 illegitimate births registered in 1950. This represents 2·6 per cent. of all births registered. The proportion of illegitimate births rose from 3·2 per cent. in 1939 to 3·9 per cent. in the years 1944–46. Between 1946 and 1950 there was a decline each year in the proportion. The percentage of illegitimate births in each of the provinces is shown in Table IX.

TABLE IX.

ILLEGITIMATE BIRTHS AS A PERCENTAGE OF TOTAL BIRTHS 1938–50 IN EACH PROVINCE

Year	Total	Dublin Co. Boro' and County	Rest of Leinster	Munster	Connacht	Ulster (part of)
1938	3·3	2·8	4·1	3·4	2·2	4·3
1939	3·2	2·5	4·4	3·2	1·9	4·3
1940	3·2	2·2	4·8	3·4	1·9	3·9
1941	3·5	2·6	4·8	3·6	2·3	4·4
1942	3·7	2·5	5·0	3·8	2·5	4·6
1943	3·8	3·0	5·0	4·2	2·3	4·2
1944	3·9	3·0	5·2	4·0	2·4	5·0
1945	3·9	3·0	5·3	4·1	2·4	4·7
1946	3·9	2·8	5·2	4·2	2·6	4·5
1947	3·4	2·8	4·4	3·5	2·2	4·3
1948	3·3	2·5	4·3	3·7	1·7	4·0
1949	3·1	2·4	4·2	3·2	1·9	4·0
Average 1940–49	3·6	2·7	4·8	3·8	2·2	4·4
1950	2·6	2·0	3·5	2·8	1·5	2·9



The highest percentages occur in Leinster (excluding Dublin County and County Borough) and in Ulster (part of), while the lowest percentages occur in Connacht. The highest percentages were in the following counties: Limerick County (4·8), Kilkenny and Wexford (4·4), Carlow (3·9) and Westmeath (3·8).

The counties with the lowest rates were: Mayo (0·8), Roscommon (1·3), Leitrim and Limerick County Borough (1·4), Cork County Borough (1·6), Dublin County Borough, Dun Laoghaire Borough, Sligo and Kerry (1·8), Galway (1·9).

*Proportion of Males to Females.*

The number of male births registered in 1950 was 32,867 and the number of females was 30,698. The sex ratio was 1,071 males per 1,000 females compared with 1,051 in 1949. The sex ratio for each year since 1938 is shown in Table X and legitimate and illegitimate births are distinguished.

TABLE X.

NUMBER OF MALE BIRTHS PER 1,000 FEMALE BIRTHS, 1938-50.

Year			Legitimate	Illegitimate	Total
1938	...	...	1044	1134	1046
1939	...	...	1055	1085	1056
1940	...	...	1056	963	1053
1941	...	...	1059	1040	1059
1942	...	...	1056	1158	1059
1943	...	...	1070	1008	1068
1944	...	...	1059	1028	1058
1945	...	...	1057	1014	1056
1946	...	...	1070	1092	1071
1947	...	...	1071	1089	1071
1948	...	...	1064	1076	1064
1949	...	...	1050	1101	1051
Average					
1940-49	...		1061	1057	1061
1950	...	...	1074	965	1071

Since 1938 the sex ratio has varied from 1,046 to 1,071. As is to be expected on account of the smaller numbers of illegitimate births the variation is wider for these than for legitimate births; the lowest figure is 963 and the highest 1,158. The variability from year to year in both the legitimate and illegitimate classes may be attributed to chance.

*Multiple Births*

The number of infants born alive in multiple births registered during 1950 was 1,763, consisting of 862 pairs of twins and 13 sets of triplets as compared with 1,829 (898 pairs of twins and 11 sets of triplets) for the previous year. The numbers of multiple births as a percentage of total births for each year since 1938 are shown in Table XI, distinguishing legitimate and illegitimate births.



TABLE XI.

MULTIPLE BIRTHS AS A PERCENTAGE OF TOTAL BIRTHS, 1938-50.

Year	Legitimate Births	Illegitimate Births	Year	Legitimate Births	Illegitimate Births
1938 ...	2.5	2.0	1946 ...	2.3	1.7
1939 ...	2.5	1.6	1947 ...	2.8	2.3
1940 ...	2.4	1.3	1948 ...	2.6	2.0
1941 ...	2.2	1.6	1949 ...	2.9	1.5
1942 ...	2.4	2.8	Average 1940-49 ...	2.6	2.0
1943 ...	2.6	2.2			
1944 ...	2.7	2.6			
1945 ...	2.8	1.6	1950 ...	2.8	2.5

It is significant that the percentage of multiple births is higher each year except 1942 for legitimate births than for illegitimate births.

#### *Late Registrations.*

As stated on Page 1, the figures for numbers of births exclude late registrations, *i.e.*, births registered more than 1 year after occurrence. A considerable number of such births is registered every year. The number in 1950 was 1,120. The inclusion of these births would change the birth rate from 21.4 to 21.8 per 1,000 population.

#### DEATHS

The number of deaths registered during the year 1950 was 37,741, the males numbering 20,026 and the females 17,715. The total is 321 less than the number for 1949 and 4,123 less than the average for the decennial period 1940-49.

The death rate in 1950 was 12.7 per thousand population, the same as that for 1949. This rate is 0.6 above that for 1948, which, however, was the lowest annual rate ever recorded. The average rate for the period 1940-49 was 14.1 per thousand population.

Table XII shows the number of deaths in the State for each year since 1938 and compares the annual death rate with those in the Six Counties, England and Wales, and Scotland.



TABLE XII.

DEATH RATE PER 1,000 POPULATION IN IRELAND AND NEIGHBOURING COUNTRIES,  
1938-1950.

Year	Ireland *		Six Counties	England and Wales	Scotland
	No. of Deaths (thousands)	Death rate per 1,000 population	Death rate per 1,000 population		
1938 ...	40·0	13·6	13·7	11·6	12·6
1939 ...	41·7	14·2	13·5	12·1	12·9
1940 ...	41·9	14·2	14·6	14·4	14·9
1941 ...	43·8	14·6	15·2	13·5	14·7
1942 ...	41·6	14·1	13·3	12·3	13·3
1943 ...	43·5	14·8	13·4	13·0	14·0
1944 ...	45·1	15·3	12·8	12·7	13·6
1945 ...	42·8	14·5	12·3	12·6	13·2
1946 ...	41·5	14·0	12·5	12·0	13·1
1947 ...	44·1	14·8	12·6	12·3	12·9
1948 ...	36·4	12·1	11·2	11·0	11·8
1949 ...	38·1	12·7	11·5	11·8	12·3
1950 ...	37·7	12·7	11·6	11·6	12·4

\*Exclusive of the Six Counties

For each year since 1941 the death rate in this country is the highest in the table. In 1950 the crude death rate in the State was nearly 10 per cent. higher than the death rates in the Six Counties and in England and Wales. The 1950 rates have been standardised to the 1946 population of Ireland\*, and the standardised rates are as follows:—Ireland\* (12·71), Six Counties (11·81), England and Wales (10·90) and Scotland (12·29). The rate in Ireland\* is still the highest.

#### Deaths by Age

Table XIII shows the death rate in different age groups between 1901 and 1950.



TABLE XIII.

DEATHS OF PERSONS PER 1,000 CORRESPONDING POPULATION IN DIFFERENT AGE GROUPS,  
1901—10 TO 1941—50.

Period	Age Groups											Crude rate per 1,000 population	Standard- ised* rate per 1,000 population	
	Under 5	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84			85+
1901-10 ...	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79	16.91	18.96
1911-20 ...	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00	16.64	17.72
1921-30 ...	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72	14.45	15.49
1931-40 ...	19.55	2.20	1.59	2.75	3.95	4.77	6.17	10.70	24.64	54.46	100.41	172.56	14.17	15.16
1941-50 ...	18.76	1.45	1.10	2.28	3.30	3.79	5.02	9.18	19.90	48.78	118.20	204.26	13.97	14.28
1946 ...	17.75	1.22	1.02	2.26	3.27	3.66	4.87	9.22	19.61	48.79	114.10	209.41	13.98	14.00
1947 ...	19.39	1.29	1.10	2.28	3.30	3.71	5.20	9.33	20.81	51.25	122.74	222.26	14.84	14.83
1948 ...	13.69	1.05	0.80	1.94	2.80	3.38	4.31	8.38	17.71	42.32	102.71	167.78	12.13	12.15
1949 ...	13.88	0.92	0.82	1.46	2.38	2.95	4.25	8.33	17.94	44.18	115.85	212.21	12.73	12.73
1950 ...	11.83	0.91	0.70	1.25	2.16	2.67	4.19	8.11	18.22	44.52	122.52	212.43	12.71	12.71

\*Standardised to the 1946 Census population.



TABLE XIV.  
RATIO OF MALE TO FEMALE MORTALITY IN DIFFERENT AGE GROUPS, 1901-10 TO 1941-50

Period	Under 5	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Crude Rate	Standardised Rate*
1901-1910 M/F ...	1.13	0.88	0.71	0.81	1.06	1.08	1.01	1.05	0.99	1.05	1.04	1.07	1.01	0.99
1911-1920 M/F ...	1.14	0.88	0.78	0.89	1.06	1.07	1.02	1.08	1.02	1.06	1.07	1.15	1.01	1.01
1921-1930 M/F ...	1.17	0.97	0.83	0.87	1.02	0.95	0.95	1.02	1.02	1.06	1.09	1.14	0.99	0.99
1931-1940 M/F ...	1.19	0.99	0.89	0.90	0.93	0.88	0.95	1.06	1.06	1.11	1.10	1.02	1.01	0.99
1941-1950 M/F ...	1.24	1.12	0.91	0.92	0.90	0.88	1.00	1.13	1.16	1.15	1.15	1.10	1.07	1.04
1946 M/F ...	1.23	1.05	1.11	0.87	0.94	0.84	0.95	1.07	1.20	1.19	1.15	1.20	1.09	1.04
1947 M/F ...	1.27	1.06	0.94	0.82	0.80	0.97	1.14	1.19	1.24	1.19	1.16	1.14	1.11	1.07
1948 M/F ...	1.18	1.35	1.09	0.85	0.89	0.90	1.04	1.19	1.23	1.16	1.16	1.03	1.08	1.08
1949 M/F ...	1.20	1.07	0.80	1.11	0.93	0.80	1.01	1.30	1.23	1.12	1.10	1.12	1.07	1.05
1950 M/F ...	1.25	1.10	0.89	0.74	1.02	0.88	0.97	1.29	1.25	1.16	1.17	1.01	1.09	1.05

\*Standardised by weighting individual ratios by corresponding total populations.



Between 1901–1910 and 1941–50 the total death rate declined from 16·91 to 13·97 per thousand population, or by 17 per cent., but the decline is understated since in the interval the age distribution of the population has become more unfavourable from the standpoint of mortality. Standardised rates eliminate differences arising from the different age distributions of the population, and the last column of Table XIII shows the rates standardised to the 1946 population distribution. The standardised rate fell from 18·96 per 1,000 population in 1901–10 to 14·28 per thousand population in 1941–50 or by 25 per cent. The improvement in death rates since the beginning of the present century has been effected mainly at ages up to 55 years, particularly at ages 5–19 years and 25–34 years, at which ages the 1941–50 rates are less than half those of 1901–10. At ages under 5 years, 20–24 years and 35–44 years the death rates declined by nearly half. At ages 45–64 years there were substantial though less marked declines, but at ages over 65 years there were no significant changes. The figures for recent years show that there have been significant declines in death rates at ages up to 55 years since 1947, while at ages over 55 years there have been increases since 1948.

Table XIV shows the ratio of male to female mortality at different ages.

For each of the periods shown in the table the crude male death rate was higher than the female rate except in 1921–30. This is partly due to the different age distributions of males and females for when the ratios are standardised in order to eliminate these differences, female mortality is slightly higher than male mortality in 1901–10, 1921–30, and 1931–40. Both sets of figures show a tendency for the male mortality to increase relative to the female mortality since 1921.

At ages under 20 years and at ages 55–84 years, the ratio of male to female mortality has shown an upward tendency between 1901–10 and 1941–50. On the other hand at ages 20–34 years the ratio has declined since 1901–10 while at ages 35–54 years the tendency is not uniform. Figures for recent years indicate that there is considerable variation in the ratios for some age groups, mainly due to the fact that the numbers of deaths in these age groups are small in any one year.

#### *Deaths in each quarter*

Table XV shows quarterly death rates in 1921–30, 1931–40 and 1941–50.

TABLE XV.  
DEATH RATES BY QUARTERS

Period	First Quarter	Second Quarter	Third Quarter	Fourth Quarter	Total
Rate per 1,000 population					
1921–30 ...	17·4	15·4	11·8	13·2	14·5
1931–40 ...	17·5	14·3	11·6	13·3	14·2
1941–50 ...	17·5	14·2	11·4	12·8	13·9
As percentage of total rate					
1921–30 ...	120	106	81	91	100
1931–40 ...	123	101	82	94	100
1941–50 ...	126	102	82	92	100



The rate is highest in the March quarter and lowest in the September quarter. On account of the time lag between date of death and date of registration, quarterly death rates do not truly reflect the actual experience in each quarter, and for this reason the figures must be accepted with reserve when comparisons are made.

### *Deaths by Counties*

Table XVI shows the crude and standardised death rates in each county and county borough in 1950.


TABLE XVI

CRUDE AND STANDARDISED DEATH RATES IN EACH COUNTY AND COUNTY  
BOROUGH IN 1950

County, etc.	Deaths per 1,000 population	
	Crude	Standardised
Carlow ... ..	14·17	14·23
Dublin County Borough ...	11·17	13·91
Dún Laoghaire Borough ...	11·23	11·86
Dublin County (remainder) ...	8·85	10·45
Kildare County ... ..	10·84	12·41
Kilkenny „ ... ..	13·20	13·11
Laoighis „ ... ..	13·53	12·93
Longford „ ... ..	14·30	13·06
Louth „ ... ..	12·82	13·51
Meath „ ... ..	12·76	13·04
Offaly „ ... ..	12·67	12·95
Westmeath „ ... ..	13·00	12·80
Wexford „ ... ..	13·94	13·45
Wicklow „ ... ..	13·75	13·80
LEINSTER ... ..	11·91	13·14
Clare County ... ..	13·95	12·30
Cork County ... ..	13·62	12·72
Cork County Borough ...	13·90	15·54
Kerry County ... ..	13·20	12·38
Limerick County ... ..	13·96	13·86
Limerick County Borough ...	10·40	13·08
Tipperary N.R. ... ..	12·25	12·05
Tipperary S.R. ... ..	13·91	13·76
Waterford County ... ..	13·91	13·19
Waterford County Borough ...	14·06	15·89
MUNSTER ... ..	13·43	13·08
Galway ... ..	12·45	11·93
Leitrim ... ..	13·96	11·96
Mayo ... ..	13·09	10·94
Roscommon ... ..	14·15	11·80
Sligo ... ..	13·12	11·34
CONNACHT ... ..	13·11	11·52
Cavan ... ..	15·56	14·00
Donegal ... ..	12·81	11·36
Monaghan ... ..	13·15	12·72
ULSTER (part of) ...	13·61	12·34
TOTAL ... ..	12·71	12·71



Standardised Death Rate (per 1,000 population) from  
all causes 1950.





The crude rate varies from 8·85 per thousand population in Dublin County (exclusive of Dún Laoghaire Borough) to 15·56 per thousand population in Cavan. The effect of standardisation is to reduce this range of variation. The lowest standardised rate is 10·45 in Dublin County (exclusive of Dún Laoghaire)

TABLE XVII

CRUDE AND STANDARDISED DEATH RATES IN EACH COUNTY AND COUNTY BOROUGHS IN 1925-27 AND 1945-47.

County or County Borough	Crude Rates per 1,000 population			Standardised Rates per 1,000 population		
	1925-1927	1945-1947	Percentage decrease (+ = increase)	1925-1927	1945-1947	Percentage decrease (+ = increase)
			%			%
Carlow ... ..	15·0	15·2	+ 1·3	16·4	15·3	6·7
Dublin County Borough	16·4	13·7	16·5	23·0	17·1	25·7
Dún Laoghaire Borough	14·8	13·6	8·1	17·8	14·4	19·1
Dublin Co. (remainder)	12·6	11·7	7·1	17·1	13·8	19·3
Kildare ... ..	13·5	13·3	1·5	16·7	15·2	9·0
Kilkenny ... ..	15·2	14·3	5·9	17·0	14·2	16·5
Laoighis ... ..	14·5	14·8	+ 2·1	15·3	14·1	7·8
Longford ... ..	14·8	15·3	+ 3·4	14·4	14·0	2·8
Louth ... ..	15·0	13·7	8·7	17·3	14·4	16·8
Meath ... ..	15·1	13·8	8·6	16·9	14·1	16·6
Offaly ... ..	13·8	14·4	+ 4·3	14·9	14·7	1·3
Westmeath ... ..	13·8	14·9	+ 8·0	15·2	14·7	3·3
Wexford ... ..	16·4	16·0	2·4	17·9	15·4	14·0
Wicklow ... ..	14·7	14·7	0·0	16·4	14·8	9·8
LEINSTER ...	15·2	14·0	7·9	18·4	15·4	16·3
Clare ... ..	13·5	15·6	+ 15·6	13·1	13·8	+ 5·3
Cork Co. Borough ...	16·1	15·4	4·3	22·3	17·2	22·9
Cork County ... ..	13·8	14·9	+ 8·0	15·5	13·9	10·3
Kerry ... ..	12·5	14·3	+ 14·4	13·7	13·4	2·2
Limerick Co. Borough	16·6	14·8	10·8	24·1	18·6	22·8
Limerick County ...	14·2	14·0	1·4	15·8	13·9	12·0
Tipperary N.R. ...	14·3	14·9	+ 4·2	15·6	14·7	5·8
Tipperary S.R. ...	14·9	14·7	1·3	17·2	14·5	15·7
Waterford Co. Borough	15·3	18·6	+ 21·6	19·7	21·0	+ 6·6
Waterford County ...	14·5	13·2	9·0	15·6	12·5	19·9
MUNSTER ...	14·1	14·8	+ 5·0	15·9	14·4	9·4
Galway ... ..	12·9	14·2	+ 10·1	13·3	13·6	+ 2·3
Leitrim ... ..	15·1	16·3	+ 7·9	13·9	14·0	+ 0·7
Mayo ... ..	12·5	14·4	+ 15·2	12·3	12·0	2·4
Roscommon ... ..	13·8	14·9	+ 8·0	13·0	12·4	4·6
Sligo ... ..	14·6	16·4	+ 12·3	14·1	14·2	+ 0·7
CONNACHT ...	13·4	14·8	+ 10·4	13·1	13·0	0·8
Cavan ... ..	14·6	15·8	+ 8·2	14·5	14·2	2·1
Donegal ... ..	14·9	14·4	3·4	14·5	12·8	11·7
Monaghan ... ..	15·4	14·7	4·5	15·6	14·2	9·0
ULSTER (part of)	14·9	14·9	0·0	14·7	13·5	8·2
TOTAL ...	14·5	14·5	0·0	16·1	14·5	9·9

and the highest at 15·89 in Waterford County Borough. It will be observed that standardisation raises the death rates in the county boroughs and lowers them in all the counties in Munster, Connacht and Ulster. The crude rates, of course, are markedly



affected by the different age distributions of the population and standardisation eliminates the effect of age on the death rate. The corrected death rates are highest in the county boroughs and lowest in the rural counties of the west and north-west.

TABLE XVIII  
PROPORTION OF DEATHS FROM THE PRINCIPAL CAUSES IN CERTAIN AGE PERIODS.

Cause of Death		All Ages	Under 1	1-4	5-9	15-24	25-34	35-44	45-54	55-64	65-74	75+
1948 abbreviated List No.	All Causes	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
B 4	Typhoid fever ...	.	.	.	5	.	2	1	.	.	.	.
B 10	Meningococcal infections ...	.	3	3	5	.	3	.	.	.	.	.
B 7a	Scarlet fever ...	.	.	2	5	2	.	1	.	.	.	.
B 9	Whooping cough ...	2	14	36	5	.	.	.	.	.	.	.
B 8	Diphtheria ...	.	.	3	5	.	.	.	.	.	.	.
B 1	T.B. of respiratory system ...	50	1	21	35	358	436	256	122	48	13	2
B 2	All other forms of T.B. ...	13	14	131	199	125	48	36	13	7	2	1
B 6	Dysentery ...	.	.	.	.	.	2	.	.	.	.	.
B 30	Influenza ...	9	12	17	19	10	7	4	8	7	9	8
B 14	Measles ...	1	6	27	5	.	.	.	.	.	.	.
B 17a	Acute infectious encephalitis including late effects ...	.	.	.	2	.	1	1	.	1	.	.
B 15	Typhus ...	.	.	.	.	.	.	.	.	.	.	.
B 18a	Malignant neoplasms ...	108	.	21	33	20	50	125	195	201	151	68
B 18b, 19	Other neoplasms ...	8	1	21	47	16	24	25	19	11	7	1
B 20	Diabetes mellitus ...	6	.	2	9	18	10	9	10	6	8	3
B 22	Vascular lesions affecting the central nervous system ...	71	5	9	9	13	20	40	62	88	100	76
B 25, 26, 27	Diseases of the heart ...	277	2	14	70	92	94	152	241	319	373	319
B 28, 29 & 46a	Other diseases of the circu- latory system ...	36	.	.	2	5	8	31	33	47	52	36
B 32	Bronchitis ...	26	18	17	.	10	2	9	25	32	31	29
B 31	Pneumonia ...	31	115	184	49	23	22	15	26	23	22	19
B 46b	Other diseases of the respira- tory system ...	10	7	16	21	6	6	11	13	13	8	9
B 33	Ulcer of stomach or duodenum	6	.	.	.	6	11	17	18	9	7	2
B 36b & 43a	Diarrhoea and enteritis ...	9	85	57	14	.	3	3	2	3	3	1
B 34	Appendicitis ...	2	1	12	26	12	5	6	2	1	1	.
B 37	Cirrhosis of the liver ...	2	.	.	2	.	2	3	5	4	2	1
B 46d	Other diseases of liver and biliary passages ...	3	.	2	.	1	2	9	6	5	4	3
B 46c & 36a	Other diseases of the digestive system ...	5	7	19	5	10	4	9	8	4	4	2
B 38	Nephritis ...	17	2	7	26	27	25	28	25	30	18	11
B 40b	Puerperal sepsis ...	.	.	.	.	.	3	1	.	.	.	.
B 40a & 40c	Other diseases of childbirth ...	3	.	.	.	12	29	34	1	.	.	.
B 41, 42, 43b & 44	Congenital malformation, birth injuries, etc. ...	49	606	55	31	10	6	3	1	.	.	.
B 45a	Senility ...	125	.	.	.	.	.	.	.	1	50	312
BE 49	Suicide ...	2	.	.	.	9	5	7	9	3	1	.
BBE 47, 48 & 50	Other violence ...	22	16	91	160	82	53	37	26	18	15	14
B 46d	Other causes ...	107	88	233	211	133	117	127	130	119	119	83



Table XVII shows that while there has been no decrease in the crude death rates for the country as a whole when the periods 1925-7 and 1945-7 are compared, the standardised death rate, on the other hand, decreased from 16·1 to 14·5 per thousand population in the same period. The ageing of the population, therefore, has prevented a real decline in mortality being reflected in the crude death rate.

The standardised death rate decreased in nearly all counties between 1925-27 and 1945-47, the largest percentage decrease occurring in Dublin County Borough. Increases, however, were recorded in Counties Clare, Galway, Leitrim, Sligo and in Waterford County Borough.

### *Causes of Death*

Most of the tables in this report showing causes of death for 1950 are based on the Sixth Revision of the International List of Diseases, Injuries and Causes of Death, 1948, but in the case of Table 26 a classification has been made according to the Fifth Revision of the International List, while Table 27 shows a cross-classification of the deaths according to the 1948 and 1938 International Lists. The purpose of these two tables is to indicate the effect of the latest change in classification. For the 1940-49 Reports of the Registrar-General the Fifth Revision of the International List was used to classify causes of death.

In Table 19 relating to the whole country causes of death by ages are shown and the classification adopted is the detailed International List. In Table 20 causes of death are classified by (i) ages and (ii) place of death, and the number of deaths uncertified in each cause are shown for each county and county borough: the classification used is that of the International Abbreviated List, slightly extended. The same classification is used in Table 21 showing causes of death for each urban district.

The proportion of deaths in 1950 from the principal causes in certain age groups is shown in Table XVIII.

It will be observed that, taking all ages into account, Diseases of the Heart caused the largest proportion of deaths, namely 277 in each thousand deaths. The next in order are Senility (125), Malignant Neoplasms (108), Vascular Lesions affecting Central Nervous System (71) and Tuberculosis all forms (63).

As is to be expected the principal cause of death varies between age groups. At ages under 1 year a group of deaths described as Congenital Malformations and Diseases of Early Infancy accounted for 588 out of every thousand deaths, Pneumonia accounted for a further 130, and Diarrhoea and Enteritis for 85. At ages 1-4 years Pneumonia caused 184 per thousand deaths and Tuberculosis 152 per thousand deaths. The proportion of deaths caused by Tuberculosis becomes higher as age increases. At ages 5-14 years 234 per thousand deaths were caused by this disease. At ages 15-24 years the proportion was 483 per thousand deaths and at ages 25-34 it was 484 per thousand deaths. Thereafter the proportion decreases as age increases though at ages 35-44 years it is still considerable. In 1950 the deaths from tuberculosis in this age group were 292 per thousand deaths. Between ages 45 and 75 the chief causes of death were Heart Diseases and Malignant Neoplasms, while at ages over 75 years Heart Diseases and Senility each accounted for nearly one-third of the deaths at these ages.

Table XIX shows the numbers of deaths and death rates in 1925-27, 1935-37, 1945-47 and 1948-50 from the principal causes. The classification is based on the Fifth Revision of the International List.



TABLE XIX

NUMBER OF DEATHS AND DEATH RATES PER 100,000 POPULATION FROM PRINCIPAL CAUSES,  
1925-27 TO 1948-50

Causes of death	Period				Period			
	1925-27	1935-37	1945-47	1948-50	1925-27	1935-37	1945-47	1948-50
	Average Numbers				Rates per 100,000 population			
Typhoid fever (including paratyphoid) ...	110	64	24	12	3.7	2.2	0.8	0.4
Meningococcal infections ...	14	41	31	27	0.5	1.4	1.1	0.9
Scarlet fever ...	95	131	5	8	3.2	4.4	0.2	0.3
Whooping cough ...	378	231	187	133	12.7	7.2	6.3	4.5
Diphtheria ...	191	339	144	15	6.4	11.4	4.9	0.5
T.B. of respiratory system	3,482	2,851	2,731	2,157	117.1	96.1	92.4	72.4
All other forms of T.B. ...	964	778	864	575	32.4	26.2	29.2	19.3
Dysentery ...	11	2	5	4	0.4	0.1	0.2	0.1
Influenza ...	1,308	1,473	575	272	44.0	49.6	19.5	9.0
Measles ...	297	224	65	51	10.0	7.6	2.2	1.7
Typhus ...	9	3	.	.	0.3	0.1	.	0.0
Acute infectious encephalitis (including late effects)	50	24	17	15	1.7	0.8	0.6	0.5
Cancer ...	2,978	3,601	3,980	4,104	100.2	121.3	134.7	137.8
Diabetes mellitus ...	227	263	223	215	7.6	8.9	7.6	7.2
Vascular lesions affecting the central nervous system ...	2,058	2,350	2,810	2,879	69.2	79.2	95.1	96.6
Diseases of the heart ...	4,884	7,509	10,459	10,109	164.3	253.0	353.9	339.4
Other diseases of the circulatory system ...	459	771	884	941	15.5	26.0	29.9	31.6
Bronchitis ...	2,566	2,236	1,304	981	86.3	75.3	44.1	33.0
Pneumonia ...	2,495	2,572	1,744	1,274	84.0	86.6	59.0	42.8
Other diseases of the respiratory system ...	696	678	620	571	23.4	22.8	21.0	19.2
Ulcer of stomach or duodenum ...	268	323	249	232	9.0	10.9	8.4	7.8
Diarrhoea and enteritis (under 2 years) ...	649	653	924	386	21.8	22.0	31.3	13.0
Appendicitis ...	177	185	104	81	5.9	6.2	3.5	2.7
Cirrhosis of liver ...	103	77	56	51	3.5	2.6	1.9	1.7
Diseases of liver and biliary passages ...	127	157	143	158	4.3	5.3	4.8	5.3
Other diseases of the digestive system ...	1,121	931	523	408	37.7	31.4	17.7	14.8
Nephritis ...	1,130	1,220	1,078	865	38.0	41.1	36.5	29.0
Puerperal sepsis ...	99	81	29	17	3.3	2.7	1.0	0.6
Other diseases of childbirth	188	168	113	90	6.3	5.7	3.8	3.0
Congenital debility, etc. ...	1,806	1,938	2,395	1,873	60.8	65.3	81.0	62.9
Senility ...	8,387	6,176	6,229	5,199	282.2	208.1	210.8	174.6
Suicide ...	94	92	74	74	3.2	3.1	2.5	2.5
Other Violence ...	756	890	836	862	25.4	30.0	28.3	28.9
Other causes ...	4,845	4,040	3,335	2,748	163.3	136.4	112.8	91.4
	43,022	43,072	42,760	37,387	1447.6	1451.0	1447.0	1255.4

The main feature of this table is the decline in the number of deaths and death rates for the main infective and parasitic diseases. Deaths from diseases of the respiratory system also decreased significantly. On the other hand deaths from Cancer, Heart Diseases and Vascular Lesions affecting the Central Nervous System have increased considerably. How far these changes may be ascribed to changes adopted by medical practitioners in the certification of cause of death when more than one cause of death has contributed to the fatal outcome is unknown. In cases where two causes of death, *e.g.*, Heart Disease and a Respiratory Disease have each played some part in causing death, the choice of the underlying cause of death is often difficult. The new international form of medical certificate of cause of death together with the accompanying rules for selection of the underlying cause of death for tabulation is designed to produce uniformity between all medical practitioners in this respect.



Infective Diseases

In 1950 there were 2,709 deaths caused by infective and parasitic diseases. The main infective disease causing death is, of course, Tuberculosis, and there were 2,380 deaths from Tuberculosis in 1950. Excluding Tuberculosis the remaining infective diseases caused 329 deaths. The number caused by Typhoid and Paratyphoid Fevers was 12, Scarlet Fever caused 8 deaths, Diphtheria 5 deaths, Whooping Cough caused 65 deaths, and 35 deaths were due to Measles. Acute Poliomyelitis (including late effects) caused 31 deaths, and Acute Encephalitis (including late effects) caused 8 deaths.

Tuberculosis

Table XX shows the death rates from all forms of Tuberculosis in Ireland and neighbouring countries since 1938.

TABLE XX

DEATHS PER 1,000 POPULATION FROM TUBERCULOSIS IN IRELAND AND  
NEIGHBOURING COUNTRIES, 1938-1950

Year			Ireland*	Six Counties	England and Wales	Scotland
1938	...	...	1·09	0·92	0·64	0·69
1939	...	...	1·13	0·84	0·63	0·70
1940	...	...	1·25	0·98	0·70	0·82
1941	...	...	1·24	1·04	0·73	0·83
1942	...	...	1·47	0·97	0·66	0·80
1943	...	...	1·46	0·91	0·67	0·79
1944	...	...	1·30	0·89	0·63	0·82
1945	...	...	1·25	0·80	0·56	0·79
1946	...	...	1·14	0·83	0·53	0·79
1947	...	...	1·24	0·72	0·56	0·79
1948	...	...	1·04	0·69	0·51	0·76
1949	...	...	0·91	0·59	0·46	0·67
1950	...	...	0·80	0·48	0·36	0·54

\* Exclusive of the Six Counties

The death rate in this country, which was 1·09 per thousand population in 1938, increased during the war years to 1·47 in 1942 since when, with the exception of the year 1947, there has been a downward trend. The improvement between 1938 and 1950 has been less spectacular here than in the Six Counties and England and Wales where the 1938 rates have been practically halved. The 1950 rate in this country is more than twice that in England and Wales and is also considerably higher than the rates in the Six Counties and in Scotland.

Table XXI shows the number of deaths and death rates from Tuberculosis of the Respiratory System and from all other forms of Tuberculosis per thousand population for each year since 1938.



DEATH RATES (PER 1000 POPULATION) FROM  
TUBERCULOSIS AND CANCER 1938 - 1950.





TABLE XXI

NUMBERS OF DEATHS AND DEATH RATE FROM TUBERCULOSIS OF RESPIRATORY SYSTEM AND FROM ALL OTHER FORMS OF TUBERCULOSIS PER 1,000 POPULATION

Year			Tuberculosis of Respiratory System		Other forms of Tuberculosis		Ratio of male to female mortality	
			Number	Rate per 1,000 population	Number	Rate per 1,000 population	Tuberculosis of Respiratory System	Other forms of Tuberculosis
1938	...	...	2,498	0·85	718	0·24	1·00	0·96
1939	...	...	2,617	0·89	687	0·23	1·02	0·96
1940	...	...	2,907	0·98	778	0·26	1·09	0·96
1941	...	...	2,882	0·96	829	0·28	0·95	0·96
1942	...	...	3,512	1·19	835	0·28	1·08	1·19
1943	...	...	3,398	1·15	908	0·31	1·03	1·03
1944	...	...	2,935	1·00	904	0·31	1·07	1·03
1945	...	...	2,777	0·94	917	0·31	1·02	1·14
1946	...	...	2,585	0·87	805	0·27	1·03	1·12
1947	...	...	2,831	0·95	869	0·29	1·00	1·15
1948	...	...	2,452	0·82	651	0·22	1·08	1·20
1949	...	...	2,142	0·72	570	0·19	1·06	1·00
1950	...	...	1,876	0·63	504	0·17	1·19	0·89

In 1950 there were 2,380 deaths from Tuberculosis, of which 1,876 were caused by Tuberculosis of the Respiratory System and 504 by all other forms of Tuberculosis. The decrease between 1938 and 1950 in the rate for Tuberculosis of the Respiratory System was 26 per cent. and for all other forms of Tuberculosis it was 29 per cent.

Table XXII shows the death rates from all forms of Tuberculosis at different ages in 1925–27, 1935–37, 1945–47 and 1948–50.

TABLE XXII

DEATH RATES FROM ALL FORMS OF TUBERCULOSIS AT DIFFERENT AGES PER 1,000 CORRESPONDING POPULATION 1925–27, 1935–37, 1945–47 AND 1948–50.

Period	Age-group							
	under 15	15–19	20–24	25–34	35–44	45–54	55 & over	All ages
M A L E S								
1925–27	0·68	1·41	2·38	2·49	2·10	1·75	0·95	1·46
1935–37	0·52	1·14	2·02	2·01	1·84	1·52	0·86	1·24
1945–47	0·53	1·16	1·84	1·89	1·68	1·68	1·07	1·24
1948–50	0·35	0·58	1·23	1·44	1·37	1·51	0·97	0·95
F E M A L E S								
1925–27	0·76	2·24	2·91	2·66	2·04	1·37	0·66	1·53
1935–37	0·54	1·60	2·51	2·35	1·43	1·11	0·54	1·21
1945–47	0·51	1·65	2·51	2·09	1·49	1·08	0·67	1·19
1948–50	0·34	0·98	1·69	1·64	1·20	0·87	0·54	0·88
P E R S O N S								
1925–27	0·72	1·82	2·63	2·58	2·07	1·56	0·81	1·50
1935–37	0·53	1·36	2·25	2·18	1·63	1·32	0·71	1·22
1945–47	0·52	1·40	2·17	1·99	1·58	1·38	0·87	1·22
1948–50	0·34	0·78	1·46	1·54	1·29	1·20	0·75	0·92
R A T I O — M A L E / F E M A L E								
1925–27	0·89	0·63	0·82	0·94	1·03	1·28	1·44	0·95
1935–37	0·96	0·71	0·80	0·86	1·29	1·37	1·59	1·02
1945–47	1·04	0·70	0·73	0·90	1·13	1·56	1·60	1·04
1948–50	1·03	0·59	0·73	0·88	1·14	1·74	1·80	1·08



The most interesting fact revealed by this table is that in 1948-50 the highest rate for males was at ages 45-54 years while the female rate was highest at ages 20-24 years. At ages 15-34 years the male rate is lower than the female, but at ages 35 years and over the male rate is higher, the difference increasing with increasing age.

In the last 25 years the improvement in the male rates has been confined almost wholly to age groups under 45 years. The most striking improvement occurred at ages 15-19 years. In this age group the 1948-50 rate is less than half that for 1925-27. In the age group 20-24 years the rate had been almost halved in the past 25 years. At ages over 45 years there has been little change since 1925-27. In 1925-27 and 1935-37 the highest male rate occurred in the age group 20-24 years. In 1945-47 the highest male rate was at ages 25-34 years, while, as already stated, in 1948-50 the highest male rate was at ages 45-54 years. The position for females is different. Since 1925-27 considerable improvements in the death rate have been effected at ages up to 55 years. For each period shown in the table the highest death rate occurred at ages 20-24 years.

Table XXIII shows death rates from Tuberculosis in different age groups per 1,000 corresponding population in Ireland and neighbouring countries in 1948-50.

TABLE XXIII

DEATHS FROM TUBERCULOSIS (ALL FORMS) IN CERTAIN AGE GROUPS PER 1,000 CORRESPONDING POPULATION, 1948-50

Age Groups	Ireland*	Six Counties	England and Wales	Scotland	Index Numbers (Ireland = 100)			
					Ireland*	Six Counties	England & Wales	Scotland
Under 15 ...	0.34	0.23	0.13	0.24	100	68	38	71
15-19 ...	0.78	0.49	0.33	0.72	100	63	42	92
20-24 ...	1.46	0.72	0.56	1.23	100	49	38	84
25-34 ...	1.54	0.80	0.59	1.11	100	52	38	72
35-44 ...	1.29	0.74	0.47	0.72	100	57	36	56
45-54 ...	1.20	0.83	0.57	0.66	100	69	48	55
55 and over ...	0.75	0.72	0.56	0.56	100	96	75	75
All ages ...	0.92	0.59	0.44	0.65	100	64	48	71
Standardised† ...	0.92	0.59	0.42	0.64	100	64	48	71

\*Exclusive of the Six Counties.

†Standardised to the 1946 population of Ireland\*.

The highest rate of mortality is in the age group 25-34 years in Ireland (exclusive of the Six Counties) and England and Wales. In the Six Counties the highest rate is at ages 45-54 years and in Scotland it occurs at ages 20-24 years. The rate in Ireland (exclusive of the Six Counties) declines with advancing age after age 35 years, but in the Six Counties and England and Wales there is a considerable degree of uniformity in the death rate at all ages over 20 years. In Scotland the death rate decreases after 25 years of age.

While the Tuberculosis death-rate in 1948-50 at all ages in the Six Counties is 64 per cent. of the rate in this country, in England and Wales it is 48 per cent. and in



Scotland 71 per cent. There are, however, considerable differences when the comparisons are made for different age groups. In the Six Counties the death-rate in the age group under 15 years is 68 per cent. of that in this country, and the ratio drops fairly sharply to 49 per cent. at 20–24 years and then increases steadily to 96 per cent. of our rate at ages 55 and over. In England and Wales, on the other hand, the rates for different age-groups up to 44 years vary between 36 and 42 per cent. of the corresponding Irish rates, and the ratio climbs to 75 per cent. in the group over 55 years.

TABLE XXIV


AVERAGE ANNUAL DEATH RATES FROM ALL FORMS OF TUBERCULOSIS PER 1,000 POPULATION IN EACH COUNTY AND COUNTY BOROUGH, 1925–27 AND 1948–50.

County or County Borough	Crude rate per 1,000 population			Standardised* rate per 1,000 population		
	1925–27	1948–50	Percentage decrease	1925–27	1948–50	Percentage decrease
			%			%
Carlow ... ..	1.51	0.95	37.1	1.51	0.97	35.8
Dublin County Borough	2.03	1.13	44.3	1.95	1.11	43.1
Dún Laoghaire Borough	1.59	0.81	49.1	1.52	0.79	48.0
Dublin Co. (remainder)	1.61	1.11	31.1	1.58	1.10	30.4
Kildare ... ..	1.48	1.00	32.4	1.46	0.99	32.2
Kilkenny ... ..	1.46	0.73	50.0	1.47	0.74	49.7
Laoighis ... ..	1.47	0.72	51.0	1.49	0.73	51.0
Longford ... ..	0.95	0.81	14.7	0.98	0.82	16.3
Louth ... ..	1.68	1.20	28.6	1.69	1.20	29.0
Meath ... ..	1.47	0.94	36.1	1.48	0.95	35.8
Offaly ... ..	1.54	0.93	39.6	1.54	0.92	40.3
Westmeath ... ..	1.65	1.06	35.8	1.64	1.06	35.4
Wexford ... ..	1.78	0.91	48.9	1.79	0.93	48.0
Wicklow ... ..	1.49	0.94	36.9	1.49	0.95	36.2
LEINSTER ... ..	1.71	1.02	40.4	1.68	1.01	39.9
Clare ... ..	1.39	1.13	18.7	1.41	1.14	19.1
Cork County Borough	2.23	1.16	48.0	2.14	1.15	46.3
Cork County ... ..	1.42	0.84	40.8	1.41	0.84	40.4
Kerry ... ..	1.36	0.90	33.8	1.41	0.90	36.2
Limerick County Boro'	1.69	1.21	28.4	1.62	1.22	24.7
Limerick County ... ..	1.21	0.82	32.2	1.23	0.83	32.5
Tipperary N.R. ... ..	1.25	0.69	44.8	1.25	0.69	44.8
Tipperary S.R. ... ..	1.62	0.92	43.2	1.62	0.94	42.0
Waterford County Boro'	1.98	1.37	30.8	1.95	1.39	28.7
Waterford County ... ..	1.48	0.65	56.1	1.49	0.66	55.7
MUNSTER ... ..	1.49	0.92	38.3	1.49	0.93	37.6
Galway ... ..	1.30	0.87	33.1	1.34	0.88	34.3
Leitrim ... ..	1.27	0.67	47.2	1.31	0.68	48.1
Mayo ... ..	1.19	0.70	41.2	1.26	0.73	42.1
Roscommon ... ..	0.79	0.71	10.1	0.82	0.72	12.2
Sligo ... ..	1.20	0.84	30.0	1.23	0.85	30.9
CONNACHT ... ..	1.17	0.77	34.2	1.22	0.78	36.1
Lavan ... ..	1.04	0.71	31.7	1.07	0.72	32.7
Donegal ... ..	1.50	0.84	44.0	1.56	0.86	44.9
Monaghan ... ..	1.22	0.67	45.1	1.26	0.67	46.8
ULSTER (part of)	1.32	0.77	41.7	1.36	0.78	42.6
TOTAL ... ..	1.50	0.92	38.7	1.51	0.92	39.1

\*Standardised to the 1946 total population.



Standardised Death Rate (per 1,000 population) from  
Tuberculosis. 1948 - 50.




0.65 - 0.74  
0.75 - 0.94  
0.95 - 1.04  
1.05 & over





Percentage decline in Tuberculosis Mortality Rates between  
1925-27 and 1948-50.





of age. The Scottish rate, which is 71 per cent. of that in this country under 15 years of age, is 92 per cent. of the Irish rate at 15–19 years. The ratio falls steadily to 55 per cent. in the group 45–54 years and at ages of 55 years and over it again rises to 75 per cent. of the corresponding Irish rate.

Table XXIV shows crude and standardised death rates in each county and county borough for the years 1925–27 and 1948–50.

In this table standardisation eliminates differences arising on account of the different age distributions of the populations of the counties. The effect of standardisation in this instance is in general small. The standardised rate for the whole State has declined by 39·1 per cent. over the whole period as compared with a decrease of 38·7 per cent. in the crude rate. The largest rates of decline in the standardised figures are recorded in Waterford County (55·7 per cent.), Laoighis (51·0 per cent.), Kilkenny (49·7 per cent.), Dún Laoghaire Borough and Wexford (48·0 per cent.) The lowest rates of decline occurred in Roscommon (12·2 per cent.), Longford (16·3 per cent.), Clare (19·1 per cent.).

In 1948–50 the highest rates occurred in the County Boroughs and in Counties Dublin, Louth, Westmeath and Clare. The lowest rates were recorded in Kilkenny, Laoighis, Tipperary N.R., Waterford County, Leitrim, Mayo, Roscommon, Cavan and Monaghan ; in each of these counties the rates, either crude or standardised, were below 0·8 per thousand population.

Cancer

Up to 1949 Cancer deaths have been taken as Nos. 045–055 of the Fifth Revision of the International List of Causes of Death. As already observed the deaths in 1950 have been classified according to the Sixth Revision of the International List. It has been recommended by the World Health Organisation that total Cancer deaths should be based upon Nos. 140–205 of the International Statistical Classification, 1948, but

TABLE XXV  
DEATHS FROM CANCER IN IRELAND AND NEIGHBOURING COUNTRIES  
PER 1,000 POPULATION, 1938–1950

Year			Ireland*	Six Counties	England and Wales	Scotland
1938	...	...	1·26	1·32	1·67	1·62
1939	...	...	1·27	1·33	1·66	1·61
1940	...	...	1·28	1·36	1·72	1·70
1941	...	...	1·27	1·37	1·78	1·69
1942	...	...	1·37	1·41	1·83	1·71
1943	...	...	1·37	1·45	1·90	1·73
1944	...	...	1·42	1·41	1·90	1·86
1945	...	...	1·34	1·44	1·74	1·92
1946	...	...	1·36	1·42	1·77	1·80
1947	...	...	1·33	1·47	1·81	1·77
1948	...	...	1·36	1·45	1·86	1·81
1949	...	...	1·39	1·45	1·87	1·85
1950	...	...	1·38	1·53	1·89	1·88

\*Exclusive of Six Counties.



that for comparability with the past Nos. 140-205 (excluding Nos. 201 (Hodgkin's Disease) and 204 (Leukaemia and Aleukaemia) ) should also be shown.

In 1950 there were 4,213 deaths from Malignant Neoplasms (Nos. 140-199) and from Neoplasms of Lymphatic and Haematopoietic Tissues (Nos. 200-205). Of this number 37 deaths were caused by Hodgkin's Disease and 77 by Leukaemia and Aleukaemia.

Table XXV shows the death rate from Cancer in Ireland and neighbouring countries since 1938.

The general increase in the Cancer death rate in each area since 1938 will be noted. The rate in Ireland (exclusive of the Six Counties) is the lowest, but this fact can be attributed to some extent at least to the high proportion of uncertified deaths at the older ages in this country. Most of these deaths are described as due to senility and it is almost certain that a considerable proportion of them is caused by Cancer. The figures should be accepted with caution as it is not certain that they are comparable over time and between the different areas.

Table XXVI shows the death rate from Cancer in certain age groups in 1925-27, 1935-37, 1945-47 and 1948-50.

TABLE XXVI

DEATHS FROM CANCER IN CERTAIN AGE GROUPS PER 1,000 CORRESPONDING POPULATION, 1925-27, 1935-37, 1945-47 AND 1948-50

Age Groups	1925-27	1935-37	1945-47	1948-50
Under 25 ...	0·02	0·02	0·03	0·03
25-34 ...	0·13	0·12	0·14	0·14
35-44 ...	0·63	0·56	0·54	0·54
45-54 ...	1·85	1·88	1·66	1·63
55-64 ...	3·82	4·10	3·81	3·69
65-74 ...	4·64	5·99	6·90	6·78
75 and over ...	3·85	4·94	7·27	8·97
Crude Rate : All ages ...	1·00	1·21	1·35	1·38
Standardised* Rate : All ages	1·09	1·24	1·35	1·38

\*Standardised to the 1946 population.

It will be observed that the death rate at ages 35-64 years has decreased since 1935-37 while at ages over 65 years there has been an increase, particularly at ages over 75 years. Between 1925-27 and 1948-50 the crude death rate for all ages increased by 38 per cent, while the standardised rate increased by 27 per cent. The greater part of the increases, therefore, is not due to the ageing of the population. It may be ascribed to greater preciseness in certifying deaths and to a reduction in the number of uncertified deaths, as well as to any increase in the incidence of Cancer.

Table XXVII shows deaths from Malignant Neoplasms classified by site of disease and from Neoplasms of Lymphatic and Haematopoietic Tissues in certain age groups.



TABLE XXVII.

DEATHS FROM MALIGNANT NEOPLASMS CLASSIFIED BY SITE AND FROM NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES, IN CERTAIN AGE GROUPS.

1948 International List Nos.	SITE	No. of Deaths—Males						No. of Deaths—Females									
		0-24	25-	35-	45-	55-	65-	75-	Total	0-24	25-	35-	45-	55-	65-	75-	Total
	Malignant neoplasm of:																
	Lip ...	.	.	1	.	11	11	11	34	.	.	.	.	.	2	5	7
140	Tongue ...	.	.	.	3	14	21	17	55	.	.	.	.	2	5	6	13
141	Salivary gland ...	.	.	.	.	1	4	2	7	.	.	.	.	1	.	2	3
142	Mouth ...	.	.	.	.	9	23	12	44	.	.	.	.	2	2	6	6
143-144	Pharynx ...	.	.	.	4	13	28	23	68	.	.	.	2	8	10	3	23
145-148																	
140-148	Buccal cavity and pharynx ...	.	.	1	7	48	87	65	208	.	.	.	2	13	19	18	52
150	Oesophagus ...	.	1	2	6	16	32	16	73	.	1	4	14	18	24	9	70
151-152	Stomach and small intestine ...	1	3	22	57	144	230	96	553	1	6	14	46	106	180	108	461
153	Large intestine (excl. rectum) ...	.	1	10	18	42	109	78	258	1	1	8	23	49	78	57	217
154	Rectum ...	.	.	3	14	30	68	34	149	.	2	7	11	22	33	27	102
155-156	Liver ...	1	.	5	10	27	48	17	108	1	.	8	7	21	53	31	121
157	Pancreas ...	.	.	1	8	21	21	12	63	.	1	1	7	14	20	11	54
158	Peritoneum ...	.	.	1	1	2	2	1	7	.	1	.	.	3	3	.	8
150-159	Digestive organs and peritoneum ...	2	5	44	114	282	510	254	1,211	4	12	42	108	233	391	243	1,033
161	Larynx ...	.	1	3	5	15	10	14	48	.	1	.	.	6	7	3	17
162	Trachea, bronchus, lung (prim.) ...	1	.	4	7	13	5	.	30	1	.	.	1	1	4	1	8
163	Lung, bronchus (unspecified) ...	.	3	10	38	51	33	5	140	1	2	3	5	14	20	1	46
160, 164	Other parts of respiratory system ...	.	.	.	3	4	2	6	15	.	.	1	.	1	2	1	5
160-165	Respiratory system ...	1	4	17	53	83	50	25	233	2	3	4	6	22	33	6	76
170	Breast ...	.	.	1	.	1	3	.	5	1	4	33	67	83	71	53	312
171-174	Uterus ...	.	.	.	.	.	.	.	.	2	7	14	37	33	39	21	153
175	Ovary, Fallopian tube, etc. ...	.	.	.	.	.	.	.	.	2	1	10	19	21	13	8	74
177	Prostate ...	.	.	.	3	17	71	74	165	.	.	.	.	2	6	1	11
180	Kidney ...	3	.	2	5	5	3	3	21	2	.	.	.	5	14	4	27
181	Bladder and other urinary organs ...	1	.	2	6	10	11	15	43	.	1	.	3	5	3	4	11
176, 178-179	Other genito-urinary organs ...	1	2	2	3	1	4	1	14	.	.	.	2	2	3	4	11
170-181	Breast and genito-urinary organs ...	5	2	5	17	34	92	93	243	7	13	57	128	146	146	91	588
190-191	Skin ...	.	1	.	4	10	26	20	61	.	.	.	1	6	6	25	38
193	Brain and nervous system ...	9	3	2	5	4	.	.	23	2	2	2	2	2	.	.	10
196	Bone (incl. jaw bone) ...	2	1	1	10	6	15	15	50	1	1	2	3	1	5	3	16
192, 194-195, 197-199	Other and unspecified sites ...	3	3	7	11	21	42	39	126	4	5	5	22	21	22	25	104
190-199	Other and unspecified sites ...	14	8	10	30	41	83	74	260	7	8	9	28	30	33	53	168
201	Hodgkin's disease ...	2	4	2	6	1	8	.	23	1	1	3	2	2	4	1	14
204	Leukaemia and aleukaemia ...	14	7	3	1	8	11	1	45	12	3	.	6	6	4	1	32
200, 203, 205	Other lymphatic and haematopoietic tissues ...	2	2	4	2	1	4	.	15	1	.	.	2	3	1	.	7
200-205	Lymphatic and haematopoietic tissues ...	18	13	9	9	10	23	1	83	14	4	3	10	11	9	2	53
	Total ...	40	32	86	230	498	845	512	2,243	34	40	115	282	455	631	413	1,970



TABLE XXVIII.

DEATHS FROM MALIGNANT NEOPLASMS CLASSIFIED BY SITE AND FROM NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES, IN CERTAIN AGE GROUPS,  
PER 100,000 POPULATION.

1948 Inter- national List Nos.	Site	Males								Females							
		0-24	25-	35-	45-	55-	65-	75-	Total	0-24	25-	35-	45-	55-	65-	75-	Total
	Malignant neoplasm of :—																
140-148	Buccal cavity and pharynx			0.5	4.4	37.2	79.5	136.4	13.8				1.3	10.3	17.9	34.2	3.6
150-159	Digestive organs and perit- oneum ...	0.3	2.4	24.0	71.9	218.6	465.8	532.8	80.2	0.6	5.9	23.9	70.4	184.5	369.0	461.3	70.8
160-165	Respiratory system ...	0.1	1.9	9.3	33.4	64.3	45.7	52.4	15.4	0.3	1.5	2.3	3.9	17.4	31.1	11.4	5.2
170-181	Breast and genito-urinary organs ...	0.7	1.0	2.7	10.7	26.4	84.0	195.1	16.4	1.1	6.3	32.5	83.4	115.6	137.8	172.7	40.3
190-199	Other and unspecified sites...	2.2	3.7	5.4	19.0	31.7	75.8	155.2	17.2	1.1	3.8	5.1	18.2	23.8	31.2	100.6	11.5
	Neoplasm of :—																
200-205	Lymphatic and haemato- poietic tissues ...	2.7	6.2	4.9	5.7	7.8	21.0	2.1	5.5	2.2	2.0	1.7	6.5	8.7	8.5	3.8	3.6
	TOTAL ...	6.0	15.2	46.8	145.1	386.0	771.8	1074.0	148.5	5.3	19.5	65.5	183.7	360.3	595.5	784.0	135.0



There were 2,243 deaths of males and 1,970 deaths of females in 1950. For each sex the site of the malignant neoplasm for more than half these deaths was in the Digestive organs and Peritoneum. Cancer of the Stomach and Small Intestine caused 553 deaths of males and 461 deaths of females. There were 588 deaths of females from Cancer of the Breast and Genital System ; there were 248 deaths of males. The difference between the sexes in this group is due to the large number of deaths of females from Cancer of the Breast, while male deaths from Cancer of the Breast are very few in number. Cancer of the Buccal Cavity and Pharynx is relatively more

TABLE XXIX

DEATHS FROM MALIGNANT NEOPLASMS IN CERTAIN AGE GROUPS PER 1,000 POPULATION IN EACH COUNTY AND COUNTY BOROUGH, 1950.

County, etc.	Age Groups							Crude Rate per 1,000 population	Standardised Rate* per 1,000 population
	0-24	25-34	35-44	45-54	55-64	65-74	75 and over		
Carlow ... ..	—	0·67	0·25	0·53	3·28	6·89	8·26	1·22	1·23
Dublin County Boro' ...	0·03	0·18	0·67	2·30	4·64	8·92	11·24	1·36	1·78
Dún Laoghaire Borough	—	—	0·17	2·28	4·98	7·24	20·25	1·69	1·89
Dublin County ... ..	0·07	0·08	0·55	1·80	4·91	7·61	11·99	1·01	1·67
Kildare ... ..	—	0·31	0·65	2·45	3·59	9·09	9·21	1·34	1·65
Kilkenny ... ..	—	—	—	1·11	2·70	7·13	7·01	1·16	1·09
Laoighis ... ..	0·05	—	0·18	0·94	3·24	6·31	5·70	1·18	1·06
Longford ... ..	0·06	0·19	0·74	1·29	3·47	7·26	7·48	1·55	1·35
Louth ... ..	—	0·10	0·90	2·42	5·48	7·56	6·85	1·51	1·62
Meath ... ..	0·07	0·11	0·77	1·74	3·12	8·88	12·10	1·59	1·63
Offaly ... ..	0·08	0·26	1·13	1·41	4·49	6·93	12·70	1·68	1·66
Westmeath ... ..	—	0·14	0·92	0·99	3·75	8·12	12·74	1·62	1·57
Wexford ... ..	—	0·26	0·18	1·03	4·15	6·55	9·26	1·40	1·30
Wicklow ... ..	0·04	—	0·54	1·94	3·21	6·94	11·37	1·37	1·44
LEINSTER ... ..	0·03	0·16	0·58	1·84	4·18	7·89	10·53	1·37	1·58
Clare ... ..	0·09	0·17	0·50	1·35	2·18	6·61	6·42	1·36	1·14
Cork County Borough	—	0·18	0·64	1·16	3·46	7·57	9·76	1·26	1·39
Cork County ... ..	0·04	0·11	0·56	1·36	4·30	7·34	7·81	1·55	1·40
Kerry ... ..	0·04	0·05	0·75	1·49	3·61	5·00	7·68	1·34	1·19
Limerick County Boro'	0·05	0·16	0·93	0·72	5·43	5·00	5·96	0·83	1·25
Limerick County ... ..	0·05	0·07	0·42	1·06	3·34	6·04	13·00	1·49	1·35
Tipperary (N.R.) ... ..	—	—	0·42	1·37	2·32	4·58	11·80	1·18	1·12
Tipperary (S.R.) ... ..	—	0·10	0·43	1·70	3·33	7·56	14·14	1·61	1·55
Waterford County Boro'	0·07	—	0·29	3·47	4·62	6·97	14·88	1·56	1·83
Waterford County ... ..	—	—	0·34	2·42	3·69	7·19	12·14	1·73	1·53
MUNSTER ... ..	0·03	0·09	0·55	1·45	3·63	6·53	9·35	1·42	1·34
Galway ... ..	0·07	0·18	0·37	1·20	3·62	5·55	9·75	1·34	1·26
Leitrim ... ..	—	0·16	0·38	0·40	1·42	3·17	7·29	0·93	0·71
Mayo ... ..	0·05	0·05	0·55	1·58	2·61	5·12	6·28	1·27	1·06
Roscommon ... ..	0·03	0·21	0·36	1·24	3·80	7·00	5·01	1·55	1·21
Sligo ... ..	0·04	—	0·40	2·03	3·75	5·51	9·51	1·58	1·31
CONNACHT ... ..	0·05	0·12	0·43	1·35	3·15	5·41	7·58	1·34	1·14
Cavan ... ..	—	0·31	0·25	0·78	2·11	6·67	9·03	1·37	1·12
Donegal ... ..	0·02	0·05	0·37	1·70	2·47	5·02	8·83	1·27	1·10
Monaghan ... ..	—	0·13	0·43	1·00	2·72	6·29	5·26	1·14	1·04
ULSTER (part of)	0·01	0·14	0·35	1·29	2·42	5·73	8·20	1·27	1·09
TOTAL ... ..	0·03	0·13	0·53	1·59	3·67	6·73	9·23	1·37	1·37

\*Standardised to the 1946 total population.



serious among males than among females. There were 208 deaths of males in this group and only 52 deaths of females. The number of deaths from Cancer of the Respiratory System is also far greater for males than for females.

Table XXVIII shows deaths from malignant neoplasms classified by site and from neoplasms of lymphatic and haematopoietic tissues, in certain age groups, per 100,000 population.

The death rate per 100,000 population in each age group is shown for the main groups of sites, and it will be observed that there is in general a rapid rise in death rate with increasing age. Cancer of the Respiratory System, however, is an exception.

TABLE XXX

NUMBER OF DEATHS FROM CANCER AT AGES 75 YEARS AND OVER  
PER 1,000 CORRESPONDING POPULATION AND PERCENTAGE  
OF UNCERTIFIED DEATHS, FOR EACH COUNTY AND COUNTY  
BOROUGH, 1948-50.

County, etc.	Rate	Uncertified deaths
		%
Carlow ... ..	5.20	12.9
Dublin County Borough ...	11.40	1.4
Dublin County ... ..	12.61	0.3
Kildare ... ..	10.03	3.3
Kilkenny ... ..	7.17	7.4
Laoighis ... ..	8.55	10.0
Longford ... ..	8.61	20.8
Louth ... ..	9.66	3.8
Meath ... ..	12.27	6.6
Offaly ... ..	11.89	12.3
Westmeath ... ..	10.34	9.0
Wexford ... ..	8.41	5.6
Wicklow ... ..	11.05	3.8
LEINSTER ... ..	10.35	4.7
Clare ... ..	6.06	19.0
Cork County ... ..	8.45	9.7
Cork County Borough ...	8.56	0.1
Kerry ... ..	6.78	21.6
Limerick County ... ..	10.83	9.7
Limerick County Borough ...	10.73	1.1
Tipperary N.R. ... ..	11.29	10.8
Tipperary S.R. ... ..	13.22	6.2
Waterford County ... ..	10.79	7.3
Waterford County Borough ...	10.37	0.2
MUNSTER ... ..	8.93	10.3
Galway ... ..	8.26	22.9
Leitrim ... ..	5.02	29.7
Mayo ... ..	7.40	27.6
Roscommon ... ..	5.85	28.4
Sligo ... ..	10.45	19.3
CONNACHT ... ..	7.56	25.3
Cavan ... ..	9.03	16.1
Donegal ... ..	8.32	22.7
Monaghan ... ..	6.85	10.6
ULSTER (part of) ...	8.23	18.3
TOTAL ... ..	8.97	11.3



the largest death rate occurring at ages 55–64 years for males and at ages 65–74 years for females. The death rate for Neoplasms of Lymphatic and Haematopoietic Tissues also decreases at the very old ages.

Table XXIX shows the death rate from Malignant Neoplasms in certain age groups for each county and county borough in 1950.

Standardised rates which eliminate the effect of differences arising from the different age distributions of the populations are shown in the last column. It will be observed that standardisation has a marked effect on the rates in certain counties. The standardised rates are highest in Dublin County Borough (1·78), Dún Laoghaire Borough (1·89), Dublin County (1·67) and Waterford County Borough (1·83). The lowest rates occur in Kilkenny (1·09), Laoighis (1·06), Leitrim (0·71), Mayo (1·06), Donegal (1·04) and Monaghan (1·04). The low rates in some counties can be attributed to the registration of large numbers of uncertified deaths in these counties, most of which are returned as being due to Senility. If these deaths had been certified by medical practitioners, it is probable that a large number of them would have been returned as caused by Cancer.

The death rate varies from 0·03 per thousand population at ages under 25 years to 9·23 per thousand population at ages 75 years and over. In the oldest age group the rate varies from 20·25 in Dún Laoghaire Borough to 5·01 per thousand population in Roscommon. In several counties there is a decline in the death rate at ages 75 years and over compared with the preceding age group. This is probably due to causes already mentioned.

Table XXX compares the mortality rate from Cancer at ages 75 years and over with the percentage of uncertified deaths in each county.

It will be observed that the Cancer rates are low in general in Connacht and Ulster while the percentages of uncertified deaths are high. On the other hand the Cancer rates are high in the county boroughs and in the non-urbanised counties of Leinster and Munster and, correspondingly, the percentages of uncertified deaths are lower. There is in general, therefore, a relationship between mortality from Cancer at the old ages and the percentages of deaths uncertified.

### *Heart Diseases*

As already observed from Table XVIII Diseases of the Heart caused 277 in every thousand deaths in 1950. There were in all 10,463 deaths from Diseases of the Heart (Nos. 410–434 of the International List). Of these 1,906 deaths were caused by Arterio Sclerotic Heart Diseases including Coronary Disease. 1,030 were caused by Chronic Endocarditis not specified as Rheumatic, and 6,063 by Other Myocardial Degeneration. There were 145 deaths from Chronic Rheumatic Heart Disease and 1,319 deaths from Other Diseases of the Heart.

### *Respiratory Diseases*

Deaths from Respiratory Diseases in 1950 numbered 2,856. These include 325 deaths caused by Influenza, 1,171 by Pneumonia, 993 by Bronchitis, 367 by Other Respiratory Diseases. For comparative purposes it should be observed that Influenza was classified as an infective disease prior to 1950.

### *Pregnancy, Childbirth and the Puerperium*

Table XXXI shows the number of deaths from Deliveries and Complications of Pregnancy, Childbirth and the Puerperium. The classification is according to the Fifth Revision of the International List,



TABLE XXXI.

DEATHS FROM DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM, 1938—1950.

Cause of Death	1938	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950
Post abortive infection ...	7	6	3	3	1	2	1	.	1	1	.	2	1
Abortion without septic condition ...	12	11	1	9	6	2	3	3	2	2	5	3	1
Ectopic gestation ...	4	2	6	3	7	1	5	6	5	5	2	5	3
Haemorrhage of pregnancy ...	17	14	9	10	9	16	3	6	8	6	7	7	7
Toxaemias of pregnancy ...	10	9	28	31	19	17	15	26	28	31	20	19	14
Other diseases of pregnancy	3	1	3	6	5	3	5	2	.	5	.	3	1
Haemorrhage of childbirth ...	46	31	57	31	30	33	40	39	40	24	32	30	27
Infection during childbirth ...	58	55	52	40	42	34	31	35	19	30	18	16	13
Puerperal toxaemias ...	32	31	19	20	11	14	23	15	8	8	3	6	7
Other accidents of childbirth	27	21	22	19	28	21	27	25	23	15	14	22	25
Other or unspecified puerperal conditions ...	18	9	8	10	5	2	3	2	3	3	3	3	.
TOTAL ...	234	190	208	182	163	145	156	159	137	130	104	116	99
Rate per 1,000 births ...	4.11	3.39	3.67	3.21	2.47	2.25	2.38	2.37	2.01	1.88	1.58	1.81	1.56



Between 1938 and 1950 there was a decline in the number of deaths from these causes from 234 to 99. In the same period the mortality rate declined from 4.11 to 1.56 per thousand births. The most striking reduction in the number of deaths occurred in the groups Infection during Childbirth and Puerperal Toxaemias. From these causes there were 90 deaths in 1938 and only 20 in 1950.

Table XXXII shows the deaths in 1950 classified according to the Sixth Revision of the International Classification and by age of mother.

TABLE XXXII

DEATHS OF WOMEN IN 1950 CAUSED BY PREGNANCY, CHILDBIRTH AND THE PUERPERAL STATE  
CLASSIFIED BY PRINCIPAL CAUSES AND BY AGE GROUPS.

Causes of death	All Ages	Ages						45 years and upwards
		15-19	20-24	25-29	30-34	35-39	40-44	
Toxaemias of pregnancy ...	16	.	2	2	5	6	1	.
Placenta praevia and other haemorrhage of pregnancy	7	.	1	1	2	2	1	.
Other complications of preg- nancy ... ..	5	.	.	2	.	2	1	.
Abortion with sepsis ...	1	.	.	.	.	.	1	.
Other abortion ... ..	1	.	.	.	.	.	1	.
Haemorrhage of childbirth	24	.	2	3	3	13	3	.
Delivery complicated by re- tained placenta ...	7	.	.	2	1	1	3	.
Other complications at child- birth ... ..	18	.	3	2	2	8	2	1
Puerperal pulmonary embo- lism ... ..	8	1	1	1	2	2	1	.
Sepsis of childbirth and the puerperium ... ..	4	.	.	1	2	1	.	.
Other puerperal complica- tions ... ..	8	.	.	2	2	2	1	1
<b>TOTAL ... ..</b>	<b>99</b>	<b>1</b>	<b>9</b>	<b>16</b>	<b>19</b>	<b>37</b>	<b>15</b>	<b>2</b>

It will be seen that 37 of the 99 deaths occurred at ages 35-39 years, 19 at ages 30-34 years, 16 at 25-29 years and 15 at ages 40-44 years. Since births are not classified by age of mother, it is not possible to work out death rates for each age group of mother.

#### *Accidents, Poisonings and Violence*

Table XXXIII shows the number of deaths from external causes classified by cause for each year since 1938.

TABLE XXXIII.

Deaths from accidents, poisoning, violence, etc., 1938—1950.

Cause of Death	1938	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950
Railway accident ...	5	6	11	12	10	12	18	11	14	12	9	10	14
Road transport accident ...	190	198	210	170	185	133	134	113	134	167	195	209	200
Accidental poisoning ...	10	11	10	13	18	19	17	19	20	18	20	22	15
Accidental falls ...	288	299	81	108	98	116	98	97	93	81	85	90	121*
Accidents caused by fire, explosion and burns ...	156	139	167	137	121	162	99	113	105	100	86	94	106
Accidental drownings ...	98	89	159	117	138	122	127	138	119	150	129	129	101
Suicide ...	97	80	99	90	83	78	77	71	79	72	68	79	76
Other accidents and external causes ...	113	88	330	306	346	319	331	316	316	371	330	346	272*
TOTAL ...	957	910	1,067	953	999	961	901	878	880	971	922	979	905

\* The deaths in 1950 are classified according to the Sixth Revision of the International List. On the basis of this List a number of deaths are now attributed to falls, which would have been attributed to "Other accidents" on the basis of the Fifth Revision.



The total number of deaths from external causes in 1950 was 905. Deaths from road transport accidents numbered 200 in 1950 compared with 209 in 1949. This number is about equal to those of the years 1938 and 1939. The large decline in the number of deaths from road transport accidents for 1943-46 will be observed. In 1950 there were 106 deaths from accidents caused by fire, explosion or burns, and 101 deaths from accidental drownings. Railway accidents caused 14 deaths and poisonings accounted for 15 deaths. There were 76 suicides and 393 deaths were caused by falls and other accidents and external causes.

Of the 200 deaths in road transport accidents 139 were motor vehicle transport accidents. These are classified by type of accident and by age of deceased in Table XXXIV.

TABLE XXXIV  
MOTOR VEHICLE TRANSPORT ACCIDENTS, 1950—BY SEX AND BY AGE

Cause of Death		Total	Under 15 years	15-24	25-34	35-44	45-54	55-64	65+
Motor vehicle traffic accident to pedestrian	M	71	22	7	4	6	7	6	19
	F	15	7	2	1	1	1	1	2
Motor vehicle traffic accident to pedal cyclist	M	10	2	2	1	—	1	2	2
	F	3	1	1	—	—	1	—	—
Motor vehicle traffic accident to rider or passenger of motor- cycle	M	4	—	1	1	2	—	—	—
	F	—	—	—	—	—	—	—	—
Other motor vehicle traffic accident in- volving two or more vehicles ...	M	7	—	2	2	1	1	1	—
	F	1	1	—	—	—	—	—	—
Other motor vehicle traffic accidents ...	M	20	1	4	6	3	4	2	—
	F	8	—	4	3	—	1	—	—
TOTAL ...	M	112	25	16	14	12	13	11	21
	F	27	9	7	4	1	3	1	2

There were 86 deaths of pedestrians and 29 of these were at ages under 15 years and a further 21 at ages 65 years and over. There were 13 deaths of pedal cyclists and 4 deaths of persons on motor cycles. There were 36 deaths caused by other or unspecified motor vehicle traffic accidents. It will be observed that the number of males who died from such accidents was about four times as great as the number of females.

Infant Mortality

During the year 1950 the deaths of 2,922 infants under 1 year were registered compared with 3,415 in the preceding year. The figure for 1950 is equivalent to a rate of 46 per 1,000 live births registered which is the lowest definitive rate yet recorded. The infant mortality rate has fallen considerably since the beginning of the century as Table XXXV indicates.

TABLE XXXV

INFANT MORTALITY RATES IN IRELAND AND NEIGHBOURING COUNTRIES,  
1901-1950

Period	Deaths of infants under 1 year per 1,000 live births			
	Ireland*	Six Counties	England and Wales	Scotland
1901-10 ...	91	107	128	116
1911-20 ...	84	99	100	106
1921-30 ...	70	81	72	89
1931-40 ...	68	78	59	78
1941-50 ...	66	60	43	57
1941 ...	74	77	60	83
1942 ...	69	76	51	69
1943 ...	83	78	49	65
1944 ...	79	67	45	65
1945 ...	71	68	46	56
1946 ...	65	54	43	54
1947 ...	68	53	41	56
1948 ...	50	46	34	45
1949 ...	53	45	32	41
1950 ...	46	40	30	39

\* Exclusive of the Six Counties.

The rate in 1950 was approximately half that in the period 1901-1910. The proportionate decline, however, has not been as marked as in neighbouring countries. In England and Wales the 1950 rate of 30 per thousand births is less than one-quarter the rate in 1901-10 and in Scotland the 1950 rate is about one-third the 1901-10 rate. The Irish rates for the decades 1901-10, 1920-21 and 1921-30 were the lowest for any of the four areas shown. In 1901-10 the rate in England and Wales was 41 per cent. higher than the Irish rate, that in Scotland 27 per cent. higher and that in the Six Counties 18 per cent. higher. In the decade 1941-50 on the other hand the Irish infant mortality rate exceeded that of the other three areas. In that decade the average rate for England and Wales was 35 per cent. lower than the Irish rate, the Scottish rate was 14 per cent. lower and the Six County rate 9 per cent. lower. A substantial fall in the Irish rate from the level which prevailed since about 1920 was recorded in 1948 and while a further decline occurred in 1950 it appears that a considerable improvement in this mortality index can still be effected.

Table XXXVI shows the rate of mortality at different ages under 1 year for individual years since 1938 and the percentage of the total infant mortality in each age group.

The infant mortality rate rose during the years 1938-43 reaching a peak of 82·6 in 1943, as compared with 66·6 in 1938. It declined subsequently reaching 67·9 in 1947. In 1948 it fell substantially to 50·2 and, following a recession in 1949 to 53·2, reached 46·0 in 1950. Both the deterioration in the rate in 1938-1943 and the subsequent improvement affected mainly deaths of infants between one month and one year of age. The neo-natal mortality which was 28·3 per 1,000 births in 1938, rose to 33·2 in 1943 and fell to 23·1 in 1950. Thus the 1943 neo-natal mortality rate was 17 per



# INFANT AND NEO - NATAL MORTALITY. 1938 - 1950



TABLE XXXVI.  
INFANT MORTALITY BY AGE, 1938-1950.

Year	Deaths per 1,000 births at ages											
	Under 24 hours	1-7 days	7-14 days	14-21 days	21 days & under 1 mth.	Total* under 1 mth.	1 mth. & under 2 mths.	2 mths. & under 3 mths.	3 mths. & under 6 mths.	6 mths. & under 12 mths.	Total 1 mth.-1 year	Total under 1 year
1938	8.2	8.5	4.5	3.5	3.6	28.3	8.3	6.9	12.4	10.7	38.3	66.6
1939	8.4	8.9	4.2	3.7	3.8	29.0	7.6	6.7	12.0	10.5	36.8	65.8
1940	7.6	9.3	4.0	3.5	3.5	27.9	8.7	6.9	12.7	10.2	38.5	66.4
1941	8.0	9.0	4.2	4.4	4.7	30.3	9.3	7.7	14.7	11.5	43.2	73.5
1942	6.6	7.8	4.2	4.0	4.8	27.4	10.7	7.5	13.9	9.9	42.0	69.4
1943	7.6	9.1	4.7	5.9	5.9	33.2	10.6	9.8	16.5	12.5	49.4	82.6
1944	7.0	9.2	5.2	5.5	6.3	33.2	11.1	8.8	14.7	11.6	46.2	79.4
1945	6.9	9.0	5.2	5.1	5.4	31.6	10.2	7.6	12.3	9.2	39.3	70.9
1946	7.0	8.7	5.1	4.5	4.0	29.3	8.4	6.9	11.5	8.5	35.3	64.6
1947	7.0	8.8	4.7	4.1	4.2	28.8	9.1	7.0	13.0	10.0	39.1	67.9
1948	6.4	8.2	3.3	2.2	3.1	23.2	6.0	5.0	8.7	7.3	27.0	50.2
1949	6.9	8.3	3.2	3.0	3.2	24.6	6.0	4.9	9.8	7.9	28.6	53.2
1950	6.5	9.1	3.0	2.5	2.0	23.1	5.1	3.8	8.1	5.9	22.9	46.0

PERCENTAGE OF INFANT MORTALITY AT EACH AGE.

1938	12.3	12.8	6.8	5.2	5.4	42.5	12.4	10.4	18.6	16.1	57.5	100.0
1939	12.8	13.5	6.4	5.6	5.8	44.1	11.6	10.2	18.2	15.9	55.9	100.0
1940	11.4	14.0	6.0	5.3	5.3	42.0	13.1	10.5	19.1	15.3	58.0	100.0
1941	10.8	12.3	5.7	6.0	6.4	41.2	12.7	10.5	20.0	15.6	58.8	100.0
1942	9.5	11.3	6.0	5.8	6.9	39.5	15.4	10.9	20.0	14.2	60.5	100.0
1943	9.2	11.0	5.7	7.1	7.2	40.2	12.9	11.8	20.0	15.1	59.8	100.0
1944	8.8	11.6	6.6	6.9	7.9	41.8	14.0	11.1	18.5	14.6	58.2	100.0
1945	9.8	12.7	7.3	7.2	7.6	44.6	14.4	10.7	17.3	13.0	55.4	100.0
1946	10.8	13.5	7.9	7.0	6.2	45.4	13.0	10.7	17.8	13.1	54.6	100.0
1947	10.3	13.0	6.9	6.0	6.2	42.4	13.4	10.3	19.2	14.7	57.6	100.0
1948	12.7	16.3	6.6	4.4	6.2	46.2	12.0	10.0	17.3	14.5	53.8	100.0
1949	13.0	15.6	6.0	5.6	6.0	46.2	11.3	9.2	18.4	14.9	53.8	100.0
1950	14.1	19.8	6.5	5.4	4.4	50.2	11.1	8.3	17.6	12.8	49.8	100.0

\* For 1950, under 4 weeks.

cent. higher than in 1938 and the 1950 rate was 18 per cent. below the 1938 level. On the other hand the deaths of infants between one month and one year of age increased from 38.3 per 1,000 births in 1938 to 49.4 in 1943 (a rise of 29 per cent.), and fell to 22.9 in 1950, a rate which was 40 per cent. below the 1938 level. There was comparatively little change between 1938 and 1950 in rates for deaths under 7 days, the corresponding figures per 1,000 births being 16.7 in 1938 and 15.6 in 1950. All subsequent age classifications showed substantial reductions when 1938 is compared with 1950.

Table XXXVII shows the total infant mortality rate and neo-natal rate classified by sex in each year since 1938.

TABLE XXXVII  
INFANT MORTALITY AND NEO-NATAL MORTALITY BY SEX, 1938-1950.

Year	Neo-natal Mortality Rate		Infant Mortality Rate	
	Male	Female	Male	Female
1938	30	26	73	60
1939	32	26	73	58
1940	30	26	72	60
1941	34	26	83	64
1942	31	24	78	60
1943	37	29	92	72
1944	37	29	88	71
1945	35	28	78	64
1946	32	26	71	58
1947	32	26	75	60
1948	25	21	54	46
1949	28	22	59	48
1950	26	20	51	41

The male rates are consistently higher than the female rates. In 1950 there were 51 deaths per 1,000 male births registered and 41 deaths per 1,000 female births registered. At under 4 weeks of age there were 26 deaths per 1,000 male births and 20 deaths per 1,000 female births.



Table XXXVIII shows the infant mortality rates in each county and county borough in 1925-27, 1935-37, 1945-47, 1948-50.


TABLE XXXVIII

INFANT MORTALITY BY COUNTIES 1925-27 TO 1948-50.

County	1925-27	1935-37	1945-47	1948-50	Percentage decline 1925-27 to 1948-50 (+ = increase)
TOTAL ... ..	71	72	68	50	% 30
Carlow Co. ... ..	60	80	63	62	+ 3
Dublin Co. Borough ... ..	118	103	96	53	55
Dublin Co. ... ..	98	93	80	47	52
Kildare ... ..	60	65	69	48	20
Kilkenny ... ..	77	83	67	57	26
Laoighis ... ..	57	64	75	53	7
Longford ... ..	49	48	63	40	18
Louth ... ..	71	70	55	45	37
Meath ... ..	63	58	56	44	30
Offaly ... ..	49	64	63	48	2
Westmeath ... ..	56	58	61	46	18
Wexford ... ..	69	75	67	56	19
Wicklow ... ..	56	72	66	52	7
LEINSTER ... ..	88	86	79	51	31
Clare ... ..	54	52	54	45	17
Cork Co. Borough ... ..	91	86	75	60	34
Cork Co. ... ..	61	60	64	46	25
Kerry ... ..	52	52	52	48	8
Limerick Co. Borough ... ..	113	90	83	59	48
Limerick Co. ... ..	70	69	78	63	10
Tipperary N.R. ... ..	55	67	65	51	7
Tipperary S.R. ... ..	74	76	61	59	20
Waterford Co. Borough ... ..	100	105	72	57	43
Waterford Co. ... ..	69	67	64	59	14
MUNSTER ... ..	68	68	65	53	22
Galway ... ..	49	56	55	46	6
Leitrim ... ..	45	48	42	38	16
Mayo ... ..	43	41	38	38	12
Roscommon ... ..	42	54	45	35	17
Sligo ... ..	50	50	65	45	10
CONNACHT ... ..	46	50	48	42	9
Cavan ... ..	47	54	56	52	+ 11
Donegal ... ..	58	56	53	46	14
Monaghan ... ..	53	52	47	42	21
ULSTER (part of) ... ..	54	54	52	47	13


While there was little change in the infant mortality rate in the whole country between 1925-27 when it was 71, and 1945-47 when the rate was 68 per 1,000 births, considerable changes were recorded in some areas. The most marked declines recorded were those in the County Boroughs and substantial decreases were also shown in Counties Dublin, Kilkenny, Louth and Tipperary S.R., while relatively large increases were recorded in Counties Laoighis, Longford, Offaly, Wicklow, Tipperary N.R., Sligo and Cavan. The changes in the rates in the other counties were less noticeable. There

Percentage decline in Infant Mortality between 1925-27  
and 1948 - 50.





Infant Mortality (Deaths of Infants under 1 year of age per 1,000 births) 1950.



24 - 33

34 - 45

46 - 56

57 & over



was a considerable decline in the infant mortality rates in 1948-50—to 50 per 1,000 births compared with 68 in 1945-47 and this was fairly general throughout the country. The last column of figures in Table XXXVIII shows the percentage decline in the rate for each county and county borough between 1925-27 and 1948-50. The largest percentage declines in mortality occurred in Dublin County and County Borough, Limerick County Borough, Waterford County Borough which areas, however, had the largest rates in 1925-27. Declines of 20 per cent. or over were also recorded in Kildare, Kilkenny, Louth, Meath, Cork County and County Borough, Tipperary S.R. and Monaghan. The decrease was less than 10 per cent. in Laoighis, Offaly, Wicklow, Kerry, Tipperary N.R. and Galway, while in two counties, Carlow and Cavan, there were increases in the rate.

In 1925-27 the lowest rate was 42 in Roscommon and the highest 118 in Dublin County Borough, while in 1948-50 the lowest was 35 in Roscommon and the highest 63 in Limerick County. It is evident, therefore, that the reduction in the infant mortality rate in recent years has tended to make the rates in different areas in the country more uniform.

It may be inferred from Table XXXVIII that there is a correlation between degree of urbanisation and the percentage decline in infant mortality as is clearly shown in Table XXXIX.

TABLE XXXIX

INFANT MORTALITY IN URBAN AND RURAL DISTRICTS

Area	1925-1927	1935-1937	1945-1947	1948-1950	Percentage decline 1925-27 to 1945-47
Total ...	71	72	68	50	% 30
Dublin Co. Boro' and Dún Laoghaire Boro'	116	102	95	53	54
Other Co. Boroughs	99	91	77	59	41
Other Principal Towns	85	75	68	55	35
Other Urban Districts	77	75	68	56	27
Rural Districts ...	55	59	58	47	15

The decline between 1925-27 and 1948-50 in Dublin County Borough and Dún Laoghaire Borough is 54 per cent. compared with 41 per cent. in the other County Boroughs, 35 per cent. in the other principal towns, 27 per cent. in the other urban districts and 15 per cent. in rural districts.

An analysis of the causes of death of infants under 1 year of age in 1950 showing the age at death is contained in Table XL.



TABLE XL.

INFANT MORTALITY BY AGE AND CAUSE, 1950.

Detailed Inter- national List No.	Causes of Death	Deaths of Infants under One Year at Ages										
		Under 24 hours	1-7 days	7-14 days	14-21 days	21-27 days	Total under 4 weeks	4 wks. & under 2 mths.	2-3 months	3-6 months	6-12 months	Total under 1 year
	All Causes ...	416	578	188	156	130	1,468	323	243	516	372	2,922
050	Scarlet Fever ...	.	.	.	.	.	.	.	.	.	1	1
056	Whooping Cough ...	.	.	.	.	2	2	4	6	16	14	42
057	Meningococcal Infections ...	.	.	.	.	.	.	2	.	2	4	8
010	Tuberculosis of Meninges and Nervous System ...	.	.	.	.	.	.	1	.	8	21	30
011	Tuberculosis of Intestines and Peritoneum and Mesenteric Glands	.	.	.	.	.	.	.	1	2	4	7
002, 012, 019	Other Tuberculous Diseases ...	.	.	.	.	.	.	.	.	2	5	7
020	Syphilis ...	.	1	.	1	.	2	10	4	8	11	35
480, 481	Influenza ...	.	1	.	1	.	2	.	3	4	12	17
085	Measles ...	.	.	1	.	.	1	.	.	5	17	30
340	Meningitis ...	.	2	2	.	.	4	1	.	37	19	120
780-2	Convulsions ...	1	10	8	7	5	31	14	19	15	13	54
500, 501	Bronchitis ...	.	.	1	1	3	5	6	15	129	106	424
490-3, 763	Pneumonia ...	4	25	18	16	26	89	53	47	92	40	247
571, 764	Diarrhoea and Gastro-Enteritis ...	1	3	8	20	12	44	40	31	44	33	316
750-759	Congenital Malformations ...	42	63	25	24	18	172	47	20	10	4	468
774, 776	Premature Birth ...	158	180	41	29	10	418	28	8	1	1	158
760, 761	Injury at Birth ...	55	78	15	5	2	155	1	.	.	.	.
762, 766-773	Other Diseases peculiar to first year of life ...	140	204	57	45	43	489	96	57	70	27	739
E 924, E 925	Mechanical Suffocation ...	.	1	3	.	1	5	2	1	8	1	17
E 800-923, E 926-999	Other Accidents (including Lack of Care)	10	5	.	.	.	15	2	3	8	2	30
Residue	Other Causes ...	5	5	9	7	8	34	16	27	55	35	167

TABLE XLJ.

INFANT MORTALITY BY CAUSE, 1938-1950

Causes of Death	International Detailed List No.		Deaths of								Births Registered									
	5th Revision 1938	6th Revision 1948	1939		1940		1941		1942		under One Year		per 1,000		1948		1949		1950	
			1938	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950					
ALL CAUSES			66-65	65-83	66-42	73-53	69-44	82-63	79-45	70-88	64-63	67-95	50-25	53-23	45-97					
Scarlet Fever	...	...	0-05	0-07	0-05	0-09	0-06	0-05	0-02		0-01	0-01	0-02	0-03	0-02					
Whooping Cough	...	...	1-74	1-37	1-77	1-46	1-81	2-87	2-19	1-36	0-96	2-97	2-08	1-45	0-66					
Diphtheria	...	...	0-23	0-16	0-14	0-33	0-44	0-40	0-69	0-30	0-25	0-03	0-02	0-02						
Tuberculosis of Nervous System	...	...	0-32	0-29	0-27	0-33	0-33	0-51	0-47	0-42	0-44	0-41	0-38	0-45	0-47					
Tuberculosis of Intestines & Peritoneum	...	...	0-19	0-27	0-20	0-09	0-17	0-23	0-11	0-12	0-15	0-10	0-11	0-06	0-11					
Other Tuberculous Diseases	...	...	0-12	0-43	0-28	0-28	0-23	0-48	0-31	0-34	0-31	0-37	0-29	0-23	0-11					
Syphilis	...	...	0-26	0-14	0-27	0-23	0-23	0-28	0-79	0-27	0-38	0-35	0-17	0-17	0-08					
Influenza	...	...	0-42	0-93	1-06	0-92	0-56	0-68	0-89	0-28	0-81	0-54	0-26	0-41	0-55					
Measles	...	...	0-35	0-39	0-35	0-37	0-32	0-15	0-69	0-17	0-24	0-42	0-42	0-26	0-27					
Meningitis	...	...	1-00	0-78	0-83	0-79	0-56	0-71	0-67	0-46	0-49	0-43	0-56	0-48	0-47					
Convulsions	...	...	4-43	4-48	3-55	4-23	4-05	3-99	4-40	3-53	2-61	2-93	2-33	2-59	1-89					
Bronchitis	...	...	2-71	2-35	2-62	2-34	2-51	2-94	2-16	1-62	1-19	1-52	1-23	1-03	0-85					
Pneumonia	...	...	8-43	7-67	7-70	7-93	7-11	8-92	8-60	8-44	7-54	8-61	6-40	7-08	6-67					
Diarrhoea and Enteritis	...	...	9-12	9-33	9-67	14-18	14-32	18-27	15-82	15-58	13-11	10-34	5-00	7-12	3-89					
Congenital Malformations	...	...	4-38	4-82	4-59	5-57	5-13	5-86	5-30	5-31	5-20	5-38	4-90	6-03	4-97					
Congenital Debility	...	...	12-79	12-68	13-25	14-14	13-66	15-21	14-55	10-89	9-57	11-38	7-93	6-82	—					
Premature Birth	...	...	10-96	11-02	10-67	11-57	9-24	11-59	11-72	11-32	11-80	11-83	10-13	10-79	7-36					
Injury at Birth	...	...	1-21	1-46	1-80	1-39	1-12	1-51	1-57	2-17	2-38	2-32	1-65	1-82	2-49					
Other Diseases peculiar to first year of life	...	...	3-14	2-68	2-86	3-17	3-52	3-67	4-25	4-47	3-71	4-25	3-14	3-60	11-63*					
Mechanical Suffocation (including Over-lying)	...	...	0-12	0-18	0-28	0-14	0-44	0-33	0-21	0-27	0-25	0-37	0-39	0-39	0-27					
Other Accidents (including Lack of Care)	...	...	0-30	0-36	0-46	0-26	0-32	0-33	0-23	0-28	0-21	0-16	0-20	0-22	0-47					
Other Causes	...	...	4-38	3-97	3-75	3-72	3-31	3-65	3-90	3-28	3-02	3-23	2-64	2-18	2-64					

\* "Congenital Debility" included in "Other Diseases peculiar to first year of life"



TABLE XLII.

## INFANT MORTALITY BY CAUSE IN GROUPS OF TOWNS, 1950

Type of District	All Causes	Whooping Cough	Tuberculosis All Forms	All Other Diseases classified as Infective and Parasitic	Pneumonia 4 weeks--1 year	Diarrhoea and Enteritis	Congenital Malformations	Other Diseases peculiar to first year of Life (inc. Premature Birth and Injury at Birth)	All Accidents	Other Causes
TOTAL ...	2,922	42	44	43	335	247	316	1,445	47	403
Dublin Co. Borough and Dún Laoghaire Borough	622	12	11	26	92	37	71	307	8	58
Other Co. Boroughs ...	171	1	2	1	18	41	14	62	5	27
Remaining Principal Towns	143	1	4	.	11	15	18	78	.	16
Other Urban Districts ...	178	1	3	1	23	23	22	79	3	23
Rural Districts ...	1,808	27	24	15	191	131	191	919	31	279

Deaths per 1,000 births										
TOTAL ...	46	1	1	1	5	4	5	22	1	6
Dublin Co. Borough and Dún Laoghaire Borough	49	1	1	2	7	3	6	23	1	5
Other Co. Boroughs ...	49	.	1	.	5	12	4	18	1	8
Remaining Principal Towns	52	.	1	.	4	6	7	28	.	6
Other Urban Districts ...	47	.	1	.	6	6	6	21	1	6
Rural Districts ...	44	1	1	.	5	3	5	21	1	7

Among the Infective and Parasitic Diseases, Whooping Cough accounted for 42 deaths, Tuberculosis of Meninges and Central Nervous System for 30 deaths and Measles for 17 deaths. Influenza caused 35 deaths and Bronchitis 54 deaths. There were 120 deaths from Convulsions and 30 from Meningitis. Pneumonia caused 424 deaths and Diarrhoea and Enteritis caused 247 deaths. There were 316 deaths from Congenital Malformations. Among the diseases of Early Infancy Premature Birth accounted for 468 deaths and Injury at Birth for 149 deaths. There were 739 deaths caused by Other Diseases of Early Infancy (including Congenital Debility) of which 480 were assigned to code number 773—Ill-defined Diseases peculiar to Early Infancy. Mechanical suffocation and other accidents caused 47 deaths.

Table XLI shows the deaths of infants under 1 year of age per 1,000 births registered classified by cause of death for each year since 1938.

The most notable facts revealed by this table are the large declines in the death rate from Diarrhoea and Enteritis and from Congenital Debility since 1943. Care must be exercised in any comparison between the figures for 1950 and those for earlier years, because the 1950 classification is according to the Sixth Revision of the International List of Diseases, Injuries and Causes of Death, whereas the classification for the earlier years is according to the Fifth Revision of this List. To facilitate comparisons the International List numbers are shown in the table for both the 5th and 6th Revisions. The increase shown in 1949 and 1950 for Congenital and other diseases peculiar to first year of life and the corresponding decrease in premature births is due to the allocation in 1950 of a proportion of the deaths to the first mentioned group which would be assigned to premature births in the Fifth Revision of the International List. The effect of the changes in classification to which reference has already been made may be followed in Table 27.

Table XLII shows the deaths of infants under 1 year in 1950 classified by cause of death for groups of towns.

The death rates in the different causes do not vary significantly, the only point of note being that the death rate from Diarrhoea and Enteritis in Cork, Limerick and Waterford County Boroughs is higher than elsewhere, while the death rate from other Diseases peculiar to the first year of life is somewhat lower.

In 1950 there were 127 deaths of illegitimate infants under 1 year of age. The death rate for these infants was 78 per 1,000 illegitimate births, as compared with 45 for children born in wedlock. Table 23 shows deaths of illegitimate children under 1 year of age classified by cause of death and age.

### *Deaths in Institutions*

The following table shows the numbers and percentages of deaths in institutions since the beginning of the century.

The figures show there is a gradual tendency for the proportion of deaths in institutions to increase. In 1901–1910, 78·2 per cent. of deaths occurred at home and the proportion had fallen to 65·2 per cent. by 1941–50. In 1950 the proportion was down to 62·6 per cent. The proportion of deaths occurring in general and special hospitals increased from 4·7 per cent. in 1901 to 12·6 per cent. in 1941–50. In the last 10 years, however, there has been no significant tendency in this proportion. About 3 per cent. of deaths occur in mental hospitals and this proportion has not changed much since the beginning of the century. The percentage of deaths in county homes increased from 15·0 per cent. in 1901 to 19·4 per cent. in 1941–50. In 1950 the figure was 22·1 per cent.



TABLE XLIII

DEATHS IN INSTITUTIONS, 1901-1950

Period	General and Special Hospitals	Mental Hospitals	County Homes and Hospitals, etc.	Elsewhere	Total
N u m b e r s					
1901-10 ... ..	24,984	11,121	80,693	418,975	535,773
1911-20 ... ..	30,913	13,021	75,938	394,656	514,528
1921-30 ... ..	34,419	11,341	60,995	325,278	432,033
1931-40 ... ..	44,973	11,725	72,476	289,237	418,411
1941-50 ... ..	52,420	11,523	80,387	270,169	414,499
1941 ... ..	5,145	1,356	8,138	29,158	43,797
1942 ... ..	5,174	1,336	8,213	26,917	41,640
1943 ... ..	5,284	1,168	8,598	28,444	43,494
1944 ... ..	5,834	1,058	8,427	29,809	45,128
1945 ... ..	5,814	1,021	7,852	28,075	42,762
1946 ... ..	5,993	998	7,468	26,998	41,457
1947 ... ..	5,085	1,415	8,832	28,729	44,061
1948 ... ..	4,521	989	7,077	23,770	36,357
1949 ... ..	4,985	978	7,455	24,644	38,062
1950 ... ..	4,585	1,204	8,327	23,625	37,741
P e r c e n t a g e s					
1901-10 ... ..	4.7	2.1	15.0	78.2	100.0
1911-20 ... ..	6.0	2.5	14.8	76.7	100.0
1921-30 ... ..	8.0	2.6	14.1	75.3	100.0
1931-40 ... ..	10.8	2.8	17.3	69.1	100.0
1941-50 ... ..	12.6	2.8	19.4	65.2	100.0
1941 ... ..	11.7	3.1	18.6	66.6	100.0
1942 ... ..	12.4	3.2	19.7	64.7	100.0
1943 ... ..	12.1	2.7	19.8	65.4	100.0
1944 ... ..	12.9	2.3	18.7	66.1	100.0
1945 ... ..	13.6	2.4	18.4	65.6	100.0
1946 ... ..	14.5	2.4	18.0	65.1	100.0
1947 ... ..	11.6	3.2	20.0	65.2	100.0
1948 ... ..	12.4	2.7	19.5	65.4	100.0
1949 ... ..	13.1	2.6	19.6	64.7	100.0
1950 ... ..	12.1	3.2	22.1	62.6	100.0

Table XLIV shows the percentage of deaths which occurred in institutions for each county and county borough in 1950.

TABLE XLIV

PERCENTAGE OF DEATHS IN INSTITUTIONS IN EACH COUNTY AND COUNTY BOROUGH, 1950

County	Percentage in Institu- tions	County	Percentage in Institu- tions	County	Percentage in Institu- tions
TOTAL ... ..	37.4	Wexford ... ..	32.4	Galway ... ..	33.7
Carlow ... ..	31.7	Wicklow ... ..	34.5	Leitrim ... ..	23.1
Dublin Co. (remainder)	44.3	LEINSTER ... ..	43.3	Mayo ... ..	24.3
Dublin Co. Boro' ...	53.6			Roscommon ... ..	30.6
Dún Laoghaire Boro'	43.9			Sligo ... ..	28.5
Kildare ... ..	39.4	Clare ... ..	32.7	CONNACHT ... ..	28.7
Kilkenny ... ..	36.1	Cork Co. ... ..	37.5		
Laoighis ... ..	36.4	Cork Co. Boro' ...	54.2		
Longford ... ..	36.3	Kerry ... ..	34.8	Cavan ... ..	31.7
Louth ... ..	42.8	Limerick Co. ... ..	31.3	Donegal ... ..	19.1
Meath ... ..	35.6	Limerick Co. Boro'	42.6	Monaghan ... ..	31.4
Offaly ... ..	32.8	Tipperary N.R. ...	31.7	ULSTER (part of)	25.4
Westmeath ... ..	39.0	Tipperary S.R. ...	38.7		
		Waterford Co. ...	36.4		
		Waterford Co. Boro'	44.9		
		MUNSTER ... ..	37.6		

The proportion varies from 19·1 per cent. in Donegal to 53·6 per cent. for Dublin County Borough and 54·2 per cent. for Cork County Borough. Besides Donegal the following counties have low percentages—Leitrim (23·1 per cent.), Mayo (24·3 per cent.) and Sligo (28·5 per cent.). Counties or county boroughs having more than 40 per cent. deaths in institutions (besides Dublin and Cork Co. Boroughs) are Waterford County Borough (44·9 per cent.), Dublin County (44·3 per cent.), Dún Laoghaire Borough (43·9 per cent.), Louth (42·8 per cent.) and Limerick County Borough (42·6 per cent.).

### *Uncertified Deaths*

Table XLV shows the percentage of deaths uncertified in each county and county borough in 1925–27, 1935–37, 1945–47 and 1948–50.

TABLE XLV

PERCENTAGE OF DEATHS UNCERTIFIED IN EACH COUNTY AND COUNTY BOROUGH,  
1925–27 TO 1948–50.

County			1925–27	1935–37	1945–47	1948–50
TOTAL	...	...	25·7	17·6	12·7	11·3
Carlow	...	...	23·9	14·3	11·0	12·9
Dublin County	...	...	2·4	0·7	0·1	0·3
Dublin County Boro'	...	...	0·8	1·0	1·4	1·4
Kildare	...	...	8·9	6·4	3·6	3·3
Kilkenny	...	...	32·6	17·2	9·3	7·4
Laoighis	...	...	30·3	17·1	11·3	10·0
Longford	...	...	50·3	37·7	26·1	20·8
Louth	...	...	12·0	5·8	4·0	3·8
Meath	...	...	15·8	10·6	9·4	6·6
Offaly	...	...	26·1	18·2	14·7	12·3
Westmeath	...	...	29·3	16·7	10·4	9·0
Wexford	...	...	26·1	13·3	7·3	5·6
Wicklow	...	...	14·1	8·6	4·8	3·8
LEINSTER	...	...	13·6	8·0	5·4	4·7
Clare	...	...	34·3	26·0	21·3	19·0
Cork County	...	...	23·1	17·1	11·1	9·7
Cork County Boro'	...	...	2·8	1·3	0·4	0·1
Kerry	...	...	39·8	30·9	22·7	21·6
Limerick Co.	...	...	28·0	18·4	10·7	9·7
Limerick County Boro'	...	...	13·1	2·6	1·6	1·1
Tipperary N.R.	...	...	28·7	17·5	15·0	10·8
Tipperary S.R.	...	...	20·5	12·5	7·2	6·2
Waterford County	...	...	24·4	13·7	7·5	7·3
Waterford County Boro'	...	...	4·2	2·0	0·5	0·2
MUNSTER	...	...	24·2	16·8	11·7	10·3
Galway	...	...	45·7	32·5	25·9	22·9
Leitrim	...	...	53·6	37·9	36·2	29·7
Mayo	...	...	52·5	40·3	27·1	27·6
Roscommon	...	...	53·7	37·2	31·8	28·4
Sligo	...	...	46·7	30·6	20·4	19·3
CONNACHT	...	...	50·0	35·8	27·4	25·3
Cavan	...	...	37·8	27·0	18·6	16·1
Donegal	...	...	40·9	33·9	27·1	22·7
Monaghan	...	...	30·1	18·2	13·1	10·6
ULSTER (part of)	...	...	37·7	28·5	21·7	18·3



Between 1925-27 and 1948-50 the percentage of uncertified deaths fell from 25·7 to 11·3. The decline was spread through the country but was proportionately greater in some counties than in others. In nearly all counties the 1948-50 figures are less than half those of 1925-27. The exceptions are Clare, Kerry, Galway, Leitrim, Mayo, Roscommon, Donegal, Dublin County Borough. In Dublin County Borough, however, although the proportion increased slightly it was very small in 1948-50 being only 1·4 per cent. The counties having the highest percentages in 1948-50 are Leitrim (29·7 per cent.), Roscommon (28·4 per cent.), Mayo (27·6 per cent.), Galway (22·9 per cent.), Donegal (22·7 per cent.), Kerry (21·6 per cent.) and Longford (20·8 per cent.). The lowest figures are in Cork County Borough (0·1 per cent.), Waterford County Borough (0·2 per cent.), Dublin County (0·3 per cent.), Limerick County Borough (1·1 per cent.), Dublin County Borough (1·4 per cent.).

Table XLVI shows the percentage of deaths uncertified in certain cause groups for each county and county borough in 1950.

TABLE XLVI

PERCENTAGE OF DEATHS UNCERTIFIED BY CAUSE OF DEATH, IN EACH COUNTY AND COUNTY BOROUGH, 1950.

County	Vascular Lesions affecting Central Nervous System	Heart Diseases	Influenza	Senility without mention of Psychosis	Ill-defined and Unknown Causes	All other Diseases
TOTAL ...	4·3	3·3	12·9	57·1	47·5	3·0
Carlow ...	—	5·6	—	53·6	58·3	4·5
Dublin Co. Boro'	—	0·8	—	4·4	49·2	0·2
Dublin County	—	0·3	—	4·4	—	0·5
Kildare ...	—	4·1	28·6	19·4	21·4	1·0
Kilkenny ...	7·4	6·0	25·0	38·4	21·1	2·7
Laoighis ...	7·5	3·3	16·7	41·7	72·4	1·6
Longford ...	13·0	2·7	81·8	78·0	85·7	8·3
Louth ...	1·3	5·1	—	11·5	41·2	1·5
Meath ...	1·6	1·7	—	41·3	42·9	1·5
Offaly ...	—	4·0	—	48·8	20·0	4·0
Westmeath ...	3·6	4·5	—	38·7	53·1	3·4
Wexford ...	0·9	1·3	—	27·0	41·4	2·2
Wicklow ...	0·9	2·5	—	44·7	14·3	1·0
LEINSTER ...	1·7	2·1	11·8	34·3	45·1	1·3
Clare ...	4·2	1·1	33·3	72·5	39·5	4·0
Cork Co. ...	3·2	3·2	3·6	45·1	38·0	1·9
Cork Co. Boro' ...	—	—	—	3·2	—	—
Kerry ...	6·3	3·0	15·4	75·5	69·5	4·8
Limerick Co. ...	1·8	4·1	—	55·8	19·4	1·4
Limerick Co. Boro'	3·7	0·5	—	13·6	—	1·3
Tipperary N.R. ...	2·4	2·0	14·3	48·3	52·2	5·2
Tipperary S.R. ...	2·2	1·8	12·5	30·5	21·1	1·2
Waterford Co. ...	9·5	3·6	—	20·7	19·2	1·6
Waterford Co. Boro'	—	—	—	—	—	—
MUNSTER ...	3·3	2·3	7·8	51·9	36·3	2·3
Galway ...	8·7	6·4	21·4	82·1	56·1	4·7
Leitrim ...	11·9	10·8	25·0	71·0	85·0	13·4
Mayo ...	6·5	9·0	20·0	74·7	69·2	9·3
Roscommon ...	6·5	4·2	—	88·1	72·0	6·4
Sligo ...	12·2	3·4	10·0	79·4	75·0	7·9
CONNACHT ...	8·6	6·7	14·8	79·0	70·4	7·3
Cavan ...	4·6	3·8	7·7	54·5	55·6	5·0
Donegal ...	22·1	10·7	38·5	66·2	48·0	8·2
Monaghan ...	6·0	8·2	10·0	38·3	38·2	4·0
ULSTER (pt. of)	13·7	8·0	24·5	57·9	47·1	6·4

TABLE XLVII

DEATHS REGISTERED IN EACH COUNTY AND COUNTY BOROUGH CLASSIFIED BY TIME BETWEEN DATE OF DEATH AND DATE OF REGISTRATION, PER 100 DEATHS REGISTERED.

County	Time between Death and Registration					Total
	Under 6 days	6-14 days	15 days-3 months	3-6 months	6-12 months	
Carlow ...	31.6	39.8	23.8	2.4	2.4	100
Dublin Co. Boro'	76.1	16.2	6.8	0.5	0.4	100
Dún Laoghaire Boro'	59.1	28.6	10.6	1.0	0.7	100
Dublin County (remainder) ...	62.2	23.8	12.8	0.8	0.4	100
Kildare ...	43.5	27.5	24.2	3.1	1.7	100
Kilkenny ...	29.2	38.2	25.1	4.4	3.1	100
Laoighis ...	35.1	33.5	25.9	3.2	2.3	100
Longford ...	16.8	35.8	42.9	2.4	2.1	100
Louth ...	40.4	34.2	22.4	1.7	1.3	100
Meath ...	26.6	39.7	30.4	1.8	1.5	100
Offaly ...	27.3	39.9	28.3	3.3	1.2	100
Westmeath ...	33.5	33.4	30.4	1.5	1.2	100
Wexford ...	27.3	35.7	31.1	3.2	2.7	100
Wicklow ...	36.8	36.3	23.2	2.7	1.0	100
Clare ...	21.5	31.5	42.4	2.8	1.8	100
Cork Co. Borough	48.6	31.8	18.3	0.7	0.6	100
Cork County ...	36.3	35.0	25.8	1.8	1.1	100
Kerry County ...	34.0	34.6	28.3	1.7	1.4	100
Limerick Co. Boro'	21.3	41.1	34.0	2.6	1.0	100
Limerick County	20.9	39.0	36.3	1.9	1.9	100
Tipperary N.R. ...	27.5	34.5	33.0	3.1	1.9	100
Tipperary S.R. ...	30.9	32.5	31.5	3.0	2.1	100
Waterford Co. Boro'	57.1	30.6	11.7	0.4	0.2	100
Waterford County	33.1	39.5	24.5	0.9	2.0	100
Galway ...	15.4	29.9	44.4	6.9	3.4	100
Leitrim ...	13.2	29.9	47.7	6.1	3.1	100
Mayo ...	15.0	27.1	49.3	6.2	2.4	100
Roscommon ...	20.0	35.6	38.9	3.7	1.8	100
Sligo ...	18.0	36.0	41.3	2.9	1.8	100
Cavan ...	15.8	35.9	42.3	3.5	2.5	100
Donegal ...	21.4	39.9	35.6	2.1	1.0	100
Monaghan ...	16.3	30.7	49.1	2.3	1.6	100
TOTAL ...	37.5	30.8	27.7	2.5	1.5	100

It will be observed that 57.1 per cent. of deaths due to senility without mention of psychosis were uncertified in 1950 and 47.5 per cent. of deaths due to ill-defined and unknown causes. The proportions uncertified for the various causes in the different counties varied widely. More than 75 per cent. of deaths from senility were uncertified in Counties Longford, Kerry, Galway, Roscommon and Sligo, while in Dublin County Borough and Dublin County (exclusive of Dún Laoghaire Borough) the proportion was only 4.4 per cent. In Cork County Borough the proportion was 3.2 per cent. In Waterford County Borough and Dún Laoghaire Borough there were no uncertified deaths. There were 12.9 per cent. uncertified deaths among influenza deaths. The proportion varied from nil in certain counties to 81.8 per cent. in Longford. Among Heart Diseases 3.3 per cent. of the deaths were uncertified but the proportion exceeded 10 per cent. in two counties, viz., Leitrim, where it was 10.8 per cent. and Donegal where it was 10.7 per cent. In the group Vascular Lesions affecting the Central Nervous System there were 4.3 per cent. uncertified deaths, the proportion, however, exceeding 10 per cent. in several counties. These were Longford (13.0 per cent.), Leitrim (11.9 per cent.), Sligo (12.2 per cent.) and Donegal (22.1 per cent.).



In the Western counties, therefore, apart from the very high proportion of deaths attributed to senility and ill-defined causes which are uncertified, a considerable proportion of deaths which have been assigned to well-defined causes are also uncertified. It would seem probable that if the deaths allocated to the groups senility and ill-defined and unknown causes were certified by medical practitioners, it would be found that they would be assigned to well-defined causes such as Malignant Neoplasms or Heart Diseases.

### *Inquests and Post Mortems*

The number of deaths registered on certificates issued by coroners as the result of inquests or post-mortem examinations during the year 1950 was 1,340.

### *Interval between Death and Registration*

The legal position with regard to registration of deaths is that registration should take place within 5 days of the date of death, but this period may be extended to 14 days if the registrar receives within 5 days a notice that the death has taken place, accompanied by the medical certificate of cause of death. If the death has not been registered within 14 days, the registrar may send a requisition to a person bound to give him information to attend and register the death. If the death has not been registered within 1 year, it may only be registered with the authority of the Registrar-General. Table XLVII shows the percentages of deaths registered in each county in certain intervals within 1 year from the date death has occurred.

Only 37·5 per cent. of deaths in 1950 were registered within 5 days of the date of death and only a further 30·8 per cent. in the period 6–14 days after death. From 15 days to 3 months after death 27·7 per cent. were registered and 4·0 per cent. were registered after 3 months. The promptness of registration varies considerably throughout the country. In Dublin County Borough over three-quarters of the deaths were registered within 5 days and about three-fifths were registered in the same period in Dublin County. The next best areas for numbers registered within 5 days are Waterford County Borough (57·1 per cent.), Cork County Borough (48·6 per cent.), and Louth (40·4 per cent.). The counties with the lowest proportions registered within 5 days are Leitrim (13·2 per cent.), Mayo (15·0 per cent.), Galway (15·4 per cent.), Cavan (15·8 per cent.), Monaghan (16·3 per cent.), Longford (16·8 per cent.), Sligo (18·0 per cent.).

The proportion of deaths registered from 6 to 14 days after death varied from 16·2 per cent. in Dublin County Borough to 41·1 per cent. in Limerick County Borough. In the following counties the proportion of deaths registered from 15 days to 3 months after death exceeded 40 per cent. :—Mayo (49·3 per cent.), Monaghan (49·1 per cent.), Leitrim (47·7 per cent.), Galway (44·4 per cent.), Longford (42·9 per cent.), Clare (42·4 per cent.), Cavan (42·3 per cent.), Sligo (41·3 per cent.). The counties which have the highest proportions registered after 3 months are Galway (10·3 per cent.), Leitrim (9·2 per cent.), and Mayo (8·6 per cent.).

The large time interval which elapses between date of death and date of registration for a high proportion of deaths and the fact that the counties are not uniform in this respect renders almost useless the seasonal comparison of death rates in this country. Even in Dublin County Borough there is room for considerable improvement, while the lateness of registration in the other areas is deplorable.

# TABLES



TABLE 1.—ESTIMATED POPULATION IN THOUSANDS AT THE MIDDLE OF EACH YEAR  
1851 TO 1950.

YEAR	PERSONS	MALES	FEMALES	YEAR	PERSONS	MALES	FEMALES	YEAR	PERSONS	MALES	FEMALES
1851	5,079	2,486	2,593	1885	3,671	1,820	1,851	1919	3,102	1,598	1,504
1852	4,927	2,413	2,514	1886	3,642	1,808	1,834	1920	3,103	1,598	1,505
1853	4,807	2,358	2,449	1887	3,600	1,788	1,812	1921	3,096	1,599	1,497
1854	4,704	2,311	2,393	1888	3,554	1,766	1,788	1922	3,022	1,529	1,493
1855	4,638	2,281	2,357	1889	3,516	1,748	1,768	1923	3,014	1,526	1,488
1856	4,594	2,261	2,333	1890	3,482	1,733	1,749	1924	3,005	1,521	1,484
1857	4,540	2,234	2,306	1891	3,449	1,718	1,731	1925	2,985	1,512	1,473
1858	4,506	2,217	2,289	1892	3,408	1,697	1,711	1926	2,971	1,507	1,464
1859	4,471	2,199	2,272	1893	3,382	1,684	1,698	1927	2,957	1,502	1,455
1860	4,428	2,179	2,249	1894	3,362	1,675	1,687	1928	2,944	1,498	1,446
1861	4,393	2,164	2,229	1895	3,333	1,662	1,671	1929	2,937	1,496	1,441
1862	4,377	2,158	2,219	1896	3,314	1,653	1,661	1930	2,927	1,493	1,434
1863	4,328	2,134	2,194	1897	3,298	1,646	1,652	1931	2,933	1,497	1,436
1864	4,263	2,103	2,160	1898	3,283	1,640	1,643	1932	2,949	1,505	1,444
1865	4,223	2,084	2,139	1899	3,265	1,631	1,634	1933	2,962	1,512	1,450
1866	4,163	2,051	2,112	1900	3,234	1,616	1,618	1934	2,971	1,518	1,453
1867	4,130	2,033	2,097	1901	3,213	1,607	1,606	1935	2,971	1,520	1,451
1868	4,109	2,022	2,087	1902	3,200	1,603	1,597	1936	2,967	1,520	1,447
1869	4,090	2,012	2,078	1903	3,185	1,599	1,586	1937	2,948	1,510	1,438
1870	4,062	1,996	2,066	1904	3,175	1,597	1,578	1938	2,937	1,505	1,432
1871	4,042	1,986	2,056	1905	3,165	1,594	1,571	1939	2,934	1,503	1,431
1872	4,023	1,975	2,048	1906	3,160	1,593	1,567	1940	2,958	1,515	1,443
1873	3,989	1,955	2,034	1907	3,151	1,589	1,562	1941	2,993	1,533	1,460
1874	3,966	1,944	2,022	1908	3,145	1,588	1,557	1942	2,963	1,499	1,464
1875	3,951	1,940	2,011	1909	3,142	1,589	1,553	1943	2,946	1,490	1,456
1876	3,949	1,942	2,007	1910	3,139	1,588	1,551	1944	2,944	1,487	1,457
1877	3,956	1,947	2,009	1911	3,132	1,586	1,546	1945	2,952	1,490	1,462
1878	3,952	1,948	2,004	1912	3,120	1,581	1,539	1946	2,957	1,496	1,461
1879	3,939	1,944	1,995	1913	3,103	1,572	1,531	1947	2,974	1,505	1,469
1880	3,891	1,920	1,971	1914	3,092	1,568	1,524	1948	2,985	1,512	1,473
1881	3,847	1,901	1,946	1915	3,068	1,546	1,522	1949	2,981	1,513	1,468
1882	3,808	1,882	1,926	1916	3,068	1,549	1,519	1950	2,969	1,510	1,459
1883	3,745	1,853	1,892	1917	3,065	1,551	1,514				
1884	3,703	1,834	1,869	1918	3,066	1,553	1,513				

TABLE 2.—TOTAL POPULATION BY SEX AND AGE IN 1946.

AGE (YEARS)	ACTUAL NUMBERS			PERCENTAGE DISTRIBUTION		
	MALES	FEMALES	PERSONS	MALES	FEMALES	PERSONS
Under 1 ...	33,798	32,283	66,081	2·26	2·21	2·24
1 ...	30,242	28,956	59,198	2·02	1·98	2·00
2 ...	29,673	28,498	58,171	1·98	1·95	1·97
3 ...	29,126	28,080	57,206	1·95	1·93	1·94
4 ...	27,710	26,399	54,109	1·86	1·81	1·83
5—9 ...	135,116	130,798	265,914	9·04	8·96	9·00
10—14 ...	133,319	129,009	262,328	8·92	8·83	8·88
15—19 ...	127,793	123,694	251,487	8·55	8·47	8·51
20—24 ...	118,060	113,230	231,290	7·90	7·75	7·83
25—29 ...	104,139	104,049	208,188	6·97	7·13	7·05
30—34 ...	103,816	100,880	204,696	6·94	6·91	6·93
35—39 ...	97,536	94,346	191,882	6·52	6·46	6·49
40—44 ...	84,310	81,287	165,597	5·64	5·57	5·60
45—49 ...	86,996	86,066	173,062	5·82	5·89	5·86
50—54 ...	69,941	67,551	137,492	4·68	4·63	4·65
55—59 ...	67,785	67,074	134,859	4·53	4·59	4·56
60—64 ...	59,933	59,292	119,225	4·01	4·06	4·03
65—69 ...	58,467	56,064	114,531	3·91	3·84	3·88
70—74 ...	49,924	49,986	99,910	3·34	3·42	3·38
75—79 ...	29,735	30,767	60,502	1·99	2·11	2·05
80—84 ...	11,933	14,209	26,142	0·80	0·97	0·88
85—89 ...	4,295	5,870	10,165	0·29	0·40	0·34
90—94 ...	905	1,388	2,293	0·06	0·10	0·08
95—99 ...	285	403	688	0·02	0·03	0·02
100 and over	40	51	91	0·00	0·00	0·00
TOTAL ...	1,494,877	1,460,230	2,955,107	100·00	100·00	100·00



TABLE 3. —POPULATION BY SEX OF EACH COUNTY AND COUNTY BOROUGH IN 1946.

COUNTY	1946 POPULATION		
	MALES	FEMALES	PERSONS
Carlow .....	17,702	16,379	34,081
Dublin County Borough .....	230,923	275,128	506,051
Dún Laoghaire Borough .....	18,872	25,802	44,674
Dublin County (remainder) .....	42,410	43,058	85,468
Kildare .....	36,057	28,792	64,849
Kilkenny .....	35,464	31,248	66,712
Laoighis .....	26,751	22,946	49,697
Longford .....	19,322	16,896	36,218
Louth .....	33,399	32,795	66,194
Meath .....	34,950	31,282	66,232
Offaly .....	29,311	24,375	53,686
Westmeath .....	29,058	25,891	54,949
Wexford .....	46,611	45,244	91,855
Wicklow .....	30,152	30,299	60,451
Clare .....	45,350	39,714	85,064
Cork Co. ....	136,575	131,498	268,073
Cork Co. Borough .....	34,535	41,060	75,595
Kerry .....	70,113	63,780	133,893
Limerick Co. ....	52,194	47,395	99,589
Limerick Co. Borough .....	19,845	23,125	42,970
Tipperary, N.R. ....	30,365	27,738	58,103
Tipperary, S.R. ....	40,634	37,277	77,911
Waterford Co. ....	25,133	22,706	47,839
Waterford Co. Borough .....	12,954	15,315	28,269
Galway .....	87,435	77,766	165,201
Leitrim .....	24,065	20,526	44,591
Mayo .....	75,073	73,047	148,120
Roscommon .....	38,845	33,665	72,510
Sligo .....	32,376	29,999	62,375
Cavan .....	38,121	32,234	70,355
Donegal .....	70,269	66,048	136,317
Monaghan .....	30,013	27,202	57,215
TOTAL .....	1,494,877	1,460,230	2,955,107

TABLE 4.—MARRIAGES, BIRTHS AND DEATHS REGISTERED AND NATURAL INCREASE (EXCESS OF BIRTHS OVER DEATHS) 1864-1950.

PERIOD	MARRIAGES	BIRTHS						DEATHS			Natural Increase	
		TOTAL (Including Illegitimate)			Legitimate							
		Males		Females	Total	Illegitimate		Total	Males	Females		
		Total										
Average 1864—70	21,150	106,926	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603
1871—80	18,014	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,224	35,387	32,768
1881—90	14,692	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,542
1891—1900	14,805	73,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001
1901—10	15,325	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
1911—20	15,785	66,507	34,206	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054
1921—30	14,245	60,406	30,983	29,423	58,700	1,706	880	826	43,203	21,850	21,353	17,203
1931—40	14,359	57,105	29,279	27,826	55,212	1,893	970	923	41,841	21,469	20,372	15,264
1941—50	16,585	65,011	33,496	31,515	62,728	2,282	1,173	1,109	41,450	21,726	19,724	23,561
1940	15,212	56,594	29,029	27,565	54,770	1,824	895	929	41,885	21,611	20,274	14,709
1941	15,021	56,780	29,198	27,582	54,805	1,975	1,007	968	43,797	22,642	21,155	12,983
1942	17,470	66,117	34,013	32,104	63,698	2,419	1,298	1,121	41,640	21,868	19,772	24,477
1943	17,328	64,375	33,241	31,134	61,927	2,448	1,229	1,219	43,494	22,663	20,831	20,881
1944	16,772	65,425	33,637	31,788	62,858	2,567	1,301	1,266	45,128	23,477	21,651	20,297
1945	17,301	66,861	34,336	32,525	64,235	2,626	1,322	1,304	42,762	22,266	20,496	24,099
1946	17,525	67,922	35,120	32,802	65,280	2,642	1,379	1,263	41,457	21,863	19,594	26,465
1947	16,290	68,978	35,674	33,304	66,630	2,348	1,224	1,124	44,061	23,461	20,600	24,917
1948	16,115	65,930	33,993	31,937	63,765	2,165	1,122	1,043	36,357	19,117	17,240	29,573
1949	16,009	64,153	32,880	31,273	62,147	2,006	1,051	955	38,062	19,876	18,186	26,091
Average 1940—49	16,504	64,313	33,112	31,201	62,011	2,302	1,183	1,119	41,864	21,884	19,980	22,449
1950	16,018	63,565	32,867	30,698	61,938	1,627	799	828	37,741	20,026	17,715	25,824



TABLE 5.—MARRIAGE, BIRTH, DEATH AND INFANT MORTALITY RATES AND RATE OF NATURAL INCREASE 1864-1950.

PERIOD	MARRIAGES		BIRTHS				DEATHS			Natural Increase per 1,000 of Population
	Per 1,000 Population	Per 1,000 Population	Legitimate per 1,000 Population	ILLEGITIMATE		Births of Males per 1,000 Births of Females	Per 1,000 Population	Infant Mortality per 1,000 Births		
				Per 1,000 Population	Per Cent. of Total Births					
1864-70	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56	
1871-80	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25	
1881-90	4.02	22.88	22.45	0.43	1.89	1,059	17.56	93.06	5.32	
1891-1900	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50	
1901-10	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63	
1911-20	5.11	21.50	20.99	0.51	2.41	1,059	16.64	84.06	4.86	
1921-30	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76	
1931-40	4.86	19.34	18.70	0.64	3.31	1,052	14.17	68.41	5.17	
1941-50	5.59	21.90	21.13	0.77	3.51	1,063	13.97	65.80	7.94	
1940	5.14	19.13	18.52	0.62	3.22	1,053	14.16	66.42	4.97	
1941	5.02	18.97	18.31	0.66	3.48	1,059	14.63	73.53	4.34	
1942	5.90	22.31	21.50	0.82	3.66	1,059	14.05	69.44	8.26	
1943	5.88	21.85	21.02	0.83	3.80	1,068	14.76	82.63	7.09	
1944	5.70	22.22	21.35	0.87	3.92	1,058	15.33	79.45	6.89	
1945	5.86	22.65	21.76	0.89	3.93	1,056	14.49	70.88	8.16	
1946	5.91	22.91	22.02	0.89	3.89	1,071	13.98	64.63	8.93	
1947	5.49	23.23	22.44	0.79	3.40	1,071	14.84	67.95	8.39	
1948	5.38	22.00	21.28	0.72	3.28	1,064	12.13	50.25	9.87	
1949	5.36	21.46	20.79	0.67	3.13	1,051	12.73	53.23	8.72	
Average— 1940-49	5.56	21.67	20.90	0.77	3.57	1,061	14.11	67.84	7.56	
1950	5.40	21.41	20.86	0.55	2.56	1,071	12.71	45.97	8.70	

TABLE 6.—MARRIAGES, BIRTHS AND DEATHS REGISTERED DURING EACH OF THE YEARS 1940-50 WITH THE AVERAGE ANNUAL RATES FOR THE TEN YEARS 1940-1949 AND THE RATES FOR 1950 PER 1,000 OF THE POPULATION.

YEAR	MARRIAGES										BIRTHS					DEATHS																
	CATHOLIC					ALL OTHERS					TOTAL					Quarter ending the last day of																
	Quarter ending the last day of					Quarter ending the last day of					Quarter ending the last day of					Total																
	Mar.	June	Sept.	Dec.	Total	Mar.	June	Sept.	Dec.	Total	Mar.	June	Sept.	Dec.	Total	Mar.	June	Sept.	Dec.	Total												
1940	3,310	3,594	4,234	3,114	14,252	193	214	358	195	960	3,503	3,808	4,592	3,309	15,212	14,084	15,134	14,385	12,991	56,594	13,361	10,481	8,442	9,601	41,885							
1941	3,353	3,380	3,891	3,437	14,061	167	263	311	219	960	3,520	3,643	4,202	3,656	15,021	13,673	14,955	15,067	13,085	56,780	14,653	11,312	8,679	9,153	43,797							
1942	3,837	4,316	4,677	3,636	16,466	176	287	344	197	1,004	4,013	4,603	5,021	3,833	17,470	14,427	18,181	17,749	15,760	66,117	12,122	10,822	8,497	10,199	41,640							
1943	4,379	3,746	4,808	3,453	16,386	169	260	324	189	942	4,548	4,006	5,132	3,642	17,328	16,400	16,916	16,242	14,817	64,375	12,627	10,974	8,955	10,938	43,494							
1944	4,034	3,852	4,292	3,704	15,882	188	217	307	178	890	4,222	4,069	4,599	3,882	16,772	17,066	17,663	15,749	14,947	65,425	14,814	11,074	8,785	10,455	45,128							
1945	3,507	4,386	4,620	3,912	16,425	190	208	308	170	876	3,697	4,594	4,928	4,082	17,301	16,073	17,940	17,244	15,604	66,861	13,715	10,754	8,892	9,401	42,762							
1946	4,317	3,921	4,895	3,572	16,705	161	226	266	167	820	4,478	4,147	5,161	3,739	17,525	17,005	18,122	17,230	15,565	67,922	13,042	10,515	8,539	9,361	41,457							
1947	3,605	3,774	4,594	3,406	15,379	164	249	305	193	911	3,769	4,023	4,899	3,599	16,290	17,537	18,946	17,424	15,071	68,978	15,975	11,161	8,288	8,637	44,061							
1948	3,427	3,770	4,699	3,397	15,293	141	230	312	139	822	3,568	4,000	5,011	3,536	16,115	16,310	18,143	16,385	15,092	65,930	10,612	9,333	7,865	8,547	36,357							
1949	3,506	3,383	4,880	3,436	15,205	116	237	306	145	804	3,622	3,620	5,186	3,581	16,009	16,388	16,774	16,519	14,472	64,153	11,010	9,920	8,082	9,050	38,062							
Average for Ten years 1940-49	3,727	3,812	4,559	3,507	15,605	167	239	314	179	899	3,894	4,051	4,873	3,686	16,504	15,896	17,278	16,399	14,740	64,313	13,193	10,635	8,502	9,534	41,864							
1950	3,253	3,545	5,060	3,191	15,049	176	268	350	175	969	3,429	3,813	5,410	3,366	16,018	15,843	17,172	15,960	14,590	63,565	11,172	9,687	7,690	9,192	37,741							
Equivalent Annual Rate per 1,000 Population																																
Average 1940-49	5.4	5.5	6.6	5.1	5.6	3.5	5.0	6.5	3.7	4.7	5.2	5.4	6.6	5.0	5.6	21.4	23.3	22.1	19.9	21.7	17.8	14.3	11.5	12.8	14.1							
1950	4.6	5.1	7.2	4.6	5.4	4.1	6.3	8.2	4.1	5.7	4.6	5.1	7.3	4.5	5.4	21.3	23.1	21.5	19.7	21.4	15.1	13.1	10.4	12.4	12.7							



TABLE 7.—AVERAGE ANNUAL NUMBER OF DEATHS FROM PRINCIPAL CAUSES  
1921-1950.

Nos.	CAUSES OF DEATH	ANNUAL AVERAGE NUMBER OF DEATHS			ANNUAL AVERAGE RATE PER 100,000 POPULATION		
		1921-30	1931-40	1941-50	1921-30	1931-40	1941-50
	All Causes	43,203	41,841	41,450	1446.9	1411.2	1397.5
1	Typhoid Fever (including Paratyphoid) ...	108	64	32	3.6	2.2	1.1
2	Cerebro-spinal Meningitis ... ..	17	30	33	0.6	1.1	1.1
3	Scarlet Fever ... ..	78	88	15	2.6	3.0	0.5
4	Whooping Cough ... ..	365	215	189	12.3	7.3	6.4
5	Diphtheria ... ..	282	321	151	9.4	10.8	5.1
6	Tuberculosis of Respiratory System ...	3,437	2,797	2,739	115.0	94.3	92.3
7	All Other Forms of Tuberculosis ... ..	920	773	779	30.8	26.1	26.2
8	Dysentery ... ..	11	2	4	0.3	0.1	0.1
9	Influenza ... ..	1,221	1,265	554	40.9	42.6	18.7
10	Measles ... ..	253	173	69	8.5	5.8	2.3
11	Acute Infectious Encephalitis ... ..	40	27	17	1.3	0.9	0.6
12	Typhus ... ..	10	4	2	0.3	0.1	0.1
13	Cancer ... ..	2,933	3,529	4,034	98.4	119.0	136.0
14	Diabetes Mellitus ... ..	227	260	234	7.6	8.8	7.9
15	Intra-cranial Lesions of Vascular Origin ...	2,077	2,392	2,782	69.6	80.7	93.8
16	Diseases of the Heart ... ..	4,981	7,273	9,897	167.1	245.2	333.7
17	Other Diseases of the Circulatory System ...	439	734	839	14.7	24.7	28.3
18	Bronchitis ... ..	2,750	2,182	1,331	92.0	73.6	44.9
19	Pneumonia ... ..	2,476	2,420	1,643	83.0	81.6	55.4
20	Other Diseases of the Respiratory System ...	722	688	610	24.2	23.2	20.6
21	Ulcer of Stomach or Duodenum ... ..	274	327	260	9.2	11.0	8.8
22	Diarrhoea and Enteritis under 2 years ...	592	584	813	19.8	19.7	27.4
23	Appendicitis ... ..	169	189	110	5.7	6.4	3.7
24	Cirrhosis of the Liver ... ..	95	72	55	3.2	2.4	1.9
25	Diseases of the Liver and Biliary Passages ...	138	162	148	4.6	5.5	5.0
26	Other Diseases of the Digestive System ...	1,172	909	654	39.2	30.7	22.0
27	Nephritis ... ..	1,132	1,195	1,033	38.0	40.3	34.8
28	Puerperal Infection ... ..	101	71	29	3.4	2.4	1.0
29	Other Diseases of Childbirth ... ..	190	170	110	6.4	5.7	3.7
30	Congenital Debility, etc. ... ..	1,788	1,852	2,213	59.9	62.5	74.6
31	Senility ... ..	8,300	6,135	5,921	277.8	206.9	199.6
32	Suicide ... ..	89	98	77	3.0	3.3	2.6
33	Other Violence ... ..	1,023	881	858	34.1	29.7	28.9
34	Other Causes ... ..	4,793	3,959	3,215	160.4	133.6	108.4

TABLE 8.—DEATHS FROM PRINCIPAL CAUSES IN IRELAND† AND THE SIX COUNTIES, 1950 WITH RATES PER 100,000 POPULATION.

*Note.*—The classification of causes of death in this table is based on the *Abbreviated International List*, 1948.

CAUSES OF DEATH	IRELAND†		SIX COUNTIES		CAUSES OF DEATH	IRELAND†		SIX COUNTIES	
	No.	Rate	No.	Rate		No.	Rate	No.	Rate
Tuberculosis of Respiratory System ...	1,876	63·19	524	38·3	Other Circulatory Diseases ...	529	17·82	288	21·0
Tuberculosis, Other Forms ...	504	16·98	137	10·0	Influenza ...	325	10·95	157	11·5
Syphilis and its Sequelae	47	1·58	48	3·5	Pneumonia ...	1,171	39·44	598	43·7
Typhoid Fever ...	8	0·27	5	0·4	Bronchitis ...	993	33·45	547	40·0
Cholera ...	—	—	—	—	Other Respiratory Diseases ...	367	12·36	142	10·4
Dysentery, All Forms	4	0·13	—	—	Gastritis and Duodenitis	48	1·62	10	0·7
Scarlet Fever ...	8	0·27	2	0·1	Ulcer of Stomach and Duodenum ...	225	7·58	91	6·6
Streptococcal Sore Throat ...	2	0·07	1	0·1	Other Digestive Diseases excluding Diseases of Liver and Gall Bladder	124	4·18	*	*
Diphtheria ...	5	0·17	6	0·4	Appendicitis ...	72	2·43	27	2·0
Whooping Cough ...	65	2·19	30	2·2	Intestinal Obstruction and Hernia ...	215	7·24	106	7·7
Meningococcal Infections ...	18	0·61	9	0·7	Enteritis and Colitis except Diarrhoea of the Newborn ...	310	10·44	110	8·0
Plague ...	—	—	—	—	Cirrhosis of Liver ...	61	2·05	31	2·3
Acute Poliomyelitis ...	30	1·01	25	1·8	Nephritis and Nephrosis	636	21·42	247	18·0
Acute Infectious Encephalitis ...	5	0·17	5	0·4	Hyperplasia of Prostate	224	7·54	172	12·6
Smallpox ...	—	—	—	—	Complications of Pregnancy and Childbirth	79	2·66	32	2·3
Measles ...	35	1·18	12	0·9	Puerperal Sepsis ...	4	0·13		
Typhus and Other Rickettsial Diseases	—	—	—	—	Other Complications of the Puerperium ...	16	0·54		
Malaria ...	1	0·03	—	—	Congenital Malformations ...	381	12·83	197	14·4
All other Diseases classified as Infective and Parasitic ...	101	3·40	35	2·6	Birth Injuries, Postnatal Asphyxia and Atelectasis ...	301	10·13	183	13·4
Malignant Neoplasms	4,077	137·32	2,062	150·6	Diarrhoea of Newborn	44	1·48	52	3·8
Neoplasms of Lymphatic and Haematopoietic Tissues ...	136	4·58	104	7·6	Other Infections of the Newborn ...	106	3·57		
Benign and Unspecified Neoplasms ...	158	5·32	65	4·7	Other Diseases peculiar to Early Infancy and Immaturity Unqualified ...	1,051	35·40	334	24·4
Diabetes Mellitus ...	220	7·41	93	6·8	Senility without mention of Psychosis ...	4,734	159·45	868	63·4
Anaemias ...	280	9·43	75	5·5	Ill-Defined and Unknown Causes ...	1,108	37·32	89	6·5
Vascular Lesions affecting Central Nervous System ...	2,661	89·62	1,719	125·6	All Other Diseases ...	2,013	67·80	820	59·9
Nonmeningococcal Meningitis ...	100	3·37	11	0·8	Motor Vehicle Accidents	150	5·05	123	9·0
Rheumatic Fever ...	73	2·46	58	4·2	All Other Accidents ...	663	22·33	356	26·1
Chronic Rheumatic Heart Disease ...	145	4·88	215	15·7	Suicide and Self-Inflicted Injury ...	76	2·56	48	3·5
Arteriosclerotic and Degenerative Heart Disease ...	8,999	303·10	3,930	287·1	Homicide and Operations of War ...	16	0·54	3	0·1
Other Diseases of the Heart ...	1,319	44·43	488	35·6					
Hypertension with Heart Disease ...	352	11·86	404	29·5					
Hypertension without mention of Heart ...	470	15·83	145	10·6	ALL CAUSES ...	37,741	1271·17	15,839	1157·0

† Exclusive of the Six Counties.

\* Included in "All Other Diseases."



TABLE 9.—AVERAGE ANNUAL NUMBERS OF DEATHS OF MALES AND FEMALES  
CLASSIFIED BY AGE, REGISTERED DURING THE YEARS 1864-1950.

PERIOD	ALL AGES	Under 5 Years	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85-94	95 and over
MALES														
1864-70 ...	33,878	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	214
1871-80 ...	36,224	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	278
1881-90 ...	32,233	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,888	4,636	1,462	218
1891-1900	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
1901-10 ...	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
1911-20 ...	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
1921-30 ...	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
1931-40 ...	21,469	2,986	308	221	370	490	908	1,063	1,810	3,320	5,412	3,602	896	83
1941-50 ...	21,726	2,970	208	143	291	385	748	910	1,527	2,833	5,602	4,940	1,100	69
FEMALES														
1864-70 ...	33,445	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
1871-80 ...	35,387	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
1881-90 ...	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
1891-1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	298
1901-10 ...	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
1911-20 ...	25,322	3,996	565	466	703	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
1921-30 ...	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
1931-40 ...	20,372	2,414	300	238	388	479	986	1,082	1,600	2,827	4,937	3,875	1,129	117
1941-50 ...	19,724	2,314	182	152	307	405	826	889	1,302	2,365	4,717	4,815	1,337	113
PERSONS														
1864-70 ...	67,323	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	503
1871-80 ...	71,611	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
1881-90 ...	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	488
1891-1900	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	568
1901-10 ...	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,214	7,673	2,759	489
1911-20 ...	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	367
1921-30 ...	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	291
1931-40 ...	41,841	5,400	608	459	758	969	1,894	2,145	3,410	6,147	10,349	7,477	2,025	200
1941-50 ...	41,450	5,285	389	295	598	790	1,574	1,799	2,829	5,198	10,319	9,755	2,437	182

TABLE 10.—AVERAGE ANNUAL NUMBER OF DEATHS OF MALES AND FEMALES,  
CLASSIFIED BY AGE, PER 1,000 CORRESPONDING POPULATIONS, 1864-1950.

PERIOD	ALL AGES	UNDER 5 YEARS	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over
MALES													
1864-70	16.49	36.85	5.53	3.00	4.22	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.09
1871-80	18.55	39.78	5.26	3.05	5.08	7.32	8.88	10.76	15.38	29.21	66.54	144.84	295.18
1881-90	17.71	36.33	4.55	2.91	4.62	7.31	9.05	10.44	15.56	28.84	65.40	136.47	279.81
1891-1900	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	28.03	60.82	137.46	298.23
1901-10	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.48	14.40	28.73	50.27	111.41	283.22
1911-20	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	116.64	254.29
1921-30	14.39	23.58	2.58	1.77	3.21	4.92	5.33	7.03	11.44	24.50	48.08	107.81	217.55
1931-40	14.21	21.19	2.19	1.50	2.61	3.81	4.48	6.02	10.94	25.34	57.22	105.78	174.77
1941-50	14.45	20.74	1.53	1.05	2.18	3.13	3.56	5.02	9.75	21.33	52.20	126.93	216.07
FEMALES													
1864-70	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	62.03	121.93	228.66
1871-80	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	66.20	142.88	275.52
1881-90	17.30	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	259.63
1891-1900	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.16	65.09	142.12	281.89
1901-10	16.79	30.61	3.97	3.42	5.07	5.98	7.80	9.38	13.75	28.99	48.04	107.57	265.12
1911-20	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	109.46	220.24
1921-30	14.52	20.08	2.67	2.13	3.71	4.84	5.61	7.45	11.24	24.03	45.18	98.58	190.62
1931-40	14.12	17.83	2.21	1.69	2.90	4.11	5.07	6.32	10.35	23.87	51.78	95.90	171.54
1941-50	13.47	16.72	1.37	1.15	2.38	3.48	4.03	5.02	8.61	18.39	45.25	110.41	196.15
PERSONS													
1864-70	16.23	35.11	5.59	3.17	4.13	6.30	7.89	9.31	13.82	24.94	61.15	123.76	233.44
1871-80	18.06	37.97	5.41	3.35	5.13	6.69	8.45	10.18	14.31	28.38	66.37	143.83	284.60
1881-90	17.56	34.52	4.75	3.32	4.96	6.93	8.85	10.21	14.64	28.52	66.19	135.84	269.29
1891-1900	17.70	35.51	4.15	3.20	4.96	6.89	8.71	10.11	14.51	28.10	62.96	139.82	289.88
1901-10	16.91	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79
1911-20	16.64	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00
1921-30	14.45	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72
1931-40	14.17	19.55	2.20	1.59	2.75	3.95	4.77	6.17	10.70	24.64	54.46	100.41	172.56
1941-50	13.97	18.76	1.45	1.10	2.28	3.30	3.79	5.02	9.18	19.90	48.78	118.20	204.26



TABLE 11.—MARRIAGES, BIRTHS AND DEATHS, REGISTERED

Provinces, Administrative Counties and County Boroughs	Area in Statute Acres	Population according to Census of Population 1946	Total No. of Marriages Registered	BIRTHS (INCLUDING ILLEGITIMATE)			
				Total No. Registered	Transferred from Area	Transferred to Area	Net Number
<b>TOTAL ... ..</b>	<b>17,024,116</b>	<b>2,955,107</b>	<b>16,018</b>	<b>63,565</b>			<b>63,565</b>
LEINSTER ... ..	4,851,486	1,281,117	8,175	30,108	597	236	29,747
MUNSTER ... ..	5,962,074	917,306	4,560	19,006	216	158	18,948
CONNACHT ... ..	4,230,824	492,797	2,081	9,504	32	236	9,708
ULSTER (part of) ...	1,979,732	263,887	1,202	4,947	25	240	5,162

## PROVINCE OF

Carlow ... ..	221,486	34,081	165	702	14	109	797
Dublin Co. Borough ...	21,906	506,051	4,267	15,961	4,300	93	11,754
Dún Laoghaire Borough	4,181	44,674	293	458	61	515	912
Dublin Co. (remainder) ...	201,756	85,468	569	754	88	2,173	2,839
Kildare ... ..	418,646	64,849	285	1,244	5	455	1,694
Kilkenny ... ..	509,472	66,712	302	1,252	26	114	1,340
Laoighis ... ..	424,892	49,697	201	924	23	81	982
Longford ... ..	257,933	36,218	150	652	21	69	700
Louth ... ..	202,842	66,194	405	1,836	360	62	1,538
Meath ... ..	577,819	66,232	293	983	8	450	1,425
Offaly ... ..	493,636	53,686	237	1,047	10	110	1,147
Westmeath ... ..	435,607	54,949	280	1,345	162	84	1,267
Wexford ... ..	581,059	91,855	407	1,937	15	95	2,017
Wicklow ... ..	500,251	60,451	321	1,013	13	335	1,335

## PROVINCE OF

Clare ... ..	787,755	85,064	301	1,519	16	173	1,676
Cork Co. ... ..	1,840,888	268,073	1,082	4,166	204	1,329	5,291
Cork Co. Borough ...	2,511	75,595	726	2,908	1,383	118	1,643
Kerry ... ..	1,161,703	133,893	568	2,443	16	74	2,501
Limerick Co. ... ..	661,583	99,589	384	1,817	38	414	2,193
Limerick Co. Borough ...	2,068	42,970	485	1,586	448	31	1,169
Tipperary, N.R. ...	493,253	58,103	316	1,339	136	60	1,263
Tipperary, S.R....	558,035	77,911	303	1,711	83	68	1,696
Waterford Co. ... ..	452,308	47,839	248	700	19	172	853
Waterford Co. Borough ...	1,970	28,269	147	817	159	5	663

## PROVINCE OF

Galway ... ..	1,467,661	165,201	659	3,520	90	63	3,493
Leitrim ... ..	376,762	44,591	213	652	7	63	708
Mayo ... ..	1,333,944	148,120	649	2,866	6	115	2,975
Roscommon ... ..	608,540	72,510	261	1,149	26	95	1,218
Sligo ... ..	443,917	62,375	299	1,317	37	34	1,314

## PROVINCE OF

Cavan ... ..	467,160	70,355	337	1,089	12	174	1,251
Donegal ... ..	1,193,584	136,317	611	2,799	11	29	2,817
Monaghan ... ..	318,988	57,215	254	1,059	31	66	1,094

## DURING 1950, IN EACH COUNTY AND COUNTY BOROUGH.

ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths Net Number	Provinces, Administrative Counties and County Boroughs
Total No. Registered	Transferred from Area	Transferred to Area	Net Number	Total No. Registered	Transferred from Area	Transferred to Area	Net Number		
1,627	.	.	1,627	37,741	.	.	37,741	25,824	TOTAL
842	120	80	802	16,119	348	65	15,836	13,911	LEINSTER
581	86	41	536	12,031	51	154	12,134	6,814	MUNSTER
94	2	49	141	6,188	25	121	6,284	3,424	CONNACHT
110	1	39	148	3,403	15	99	3,487	1,675	ULSTER (part of)

## LEINSTER

12	.	19	31	465	21	42	486	311	Carlow
356	188	42	210	6,853	1,182	174	5,845	5,909	Dublin Co. Borough
4	.	12	16	423	44	158	537	375	Dún Laoghaire Borough
108	80	49	77	864	250	406	1,020	1,819	Dublin Co. (remainder)
28	.	26	54	637	4	86	719	975	Kildare
34	3	28	59	841	13	34	862	478	Kilkenny
13	.	18	31	650	25	31	656	326	Laoighis
9	.	11	20	469	4	34	499	201	Longford
25	3	19	41	836	17	53	872	666	Louth
27	2	24	49	774	6	83	851	574	Meath
10	.	27	37	611	8	62	665	482	Offaly
125	90	13	48	734	55	27	706	561	Westmeath
62	1	28	89	1,234	11	33	1,256	761	Wexford
29	.	11	40	728	10	144	862	473	Wicklow

## MUNSTER

23	.	33	56	1,101	3	50	1,148	528	Clare
200	46	4	158	3,683	371	324	3,636	1,655	Cork Co.
15	5	17	27	1,009	300	331	1,040	603	Cork Co. Borough
32	.	14	46	1,665	5	34	1,694	807	Kerry
96	11	20	105	1,290	168	151	1,273	920	Limerick Co.
10	1	7	16	497	146	175	526	643	Limerick Co. Borough
132	112	6	26	687	22	33	698	565	Tipperary, N.R.
29	2	26	53	1,055	25	33	1,063	633	Tipperary, S.R.
24	3	8	29	547	18	122	651	202	Waterford Co.
20	3	3	20	497	116	24	405	258	Waterford Co. Borough

## CONNACHT

68	16	15	67	1,997	49	60	2,008	1,485	Galway
3	.	7	10	545	6	46	585	123	Leitrim
5	.	20	25	1,874	10	48	1,912	1,063	Mayo
5	1	12	16	953	42	64	975	243	Roscommon
13	1	11	23	819	29	14	804	510	Sligo

## ULSTER (PART OF)

17	1	27	43	977	4	71	1,044	207	Cavan
71	.	6	77	1,690	5	28	1,713	1,104	Donegal
22	.	6	28	736	33	27	730	364	Monaghan



TABLE 12.—MARRIAGES, BIRTHS AND DEATHS CLASSIFIED BY SEX, REGISTERED DURING 1950 SHOWING ILLEGITIMATE BIRTHS AND DEATHS FROM SOME PRINCIPAL CAUSES SEPARATELY, IN EACH COUNTY AND COUNTY BOROUGH.

PROVINCES AND COUNTIES	Marri- ages	BIRTHS						DEATHS						
		Total (including illegitimate)			Illegitimate			Total			Under 1 year of age	Prin- cipal Epi- demic Dis- eases *	Tuber- culosis	Malig- nant Neo- plasms
		Males	Fe- males	Total	Males	Fe- males	Total	Males	Fe- males	Total				
TOTAL ...	16,018	32,867	30,698	63,565	799	828	1,627	20,026	17,715	37,741	2,922	374	2,380	4,077
Carlow ...	165	418	379	797	15	16	31	246	240	486	45	6	30	42
Dublin Co. Boro'	4,267	6,115	5,639	11,754	97	113	210	2,887	2,958	5,845	592	76	483	709
Dún Laoghaire Boro'	293	464	448	912	9	7	16	232	305	537	30	2	32	81
Dublin Co. (re- mainder)	569	1,532	1,307	2,839	34	43	77	548	472	1,020	115	12	94	117
Kildare ...	285	881	813	1,694	29	25	54	396	323	719	77	16	50	89
Kilkenny ...	302	695	645	1,340	26	33	59	462	400	862	81	18	48	76
Laoighis ...	201	495	487	982	14	17	31	368	288	656	52	3	33	57
Longford ...	150	359	341	700	12	8	20	264	235	499	32	3	30	54
Louth ...	405	787	751	1,538	25	16	41	468	404	872	69	9	63	103
Meath ...	293	709	716	1,425	31	18	49	448	403	851	53	11	48	106
Offaly ...	237	573	574	1,147	18	19	37	363	302	665	50	5	47	88
Westmeath ...	280	652	615	1,267	21	27	48	384	322	706	53	4	48	88
Wexford ...	407	1,023	994	2,017	38	51	89	687	569	1,256	97	14	85	126
Wicklow ...	321	725	610	1,335	19	21	40	476	386	862	68	5	54	86
LEINSTER ...	8,175	15,428	14,319	29,747	388	414	802	8,229	7,607	15,836	1,414	184	1,145	1,822
Clare ...	301	876	800	1,676	24	32	56	621	527	1,148	73	6	97	112
Cork Co. ...	1,082	2,693	2,598	5,291	74	84	158	1,954	1,682	3,636	207	30	198	414
Cork Co. Boro'	726	837	806	1,643	18	9	27	503	537	1,040	93	22	80	94
Kerry ...	568	1,300	1,201	2,501	24	22	46	929	765	1,694	96	9	110	172
Limerick Co. ...	384	1,121	1,072	2,193	50	55	105	726	547	1,273	141	24	66	136
Limerick Co. Boro'	485	622	547	1,169	9	7	16	250	276	526	48	17	41	42
Tipperary, N.R.	316	664	599	1,263	11	15	26	363	335	698	61	7	41	67
Tipperary, S.R.	303	847	849	1,696	31	22	53	597	466	1,063	99	14	63	123
Waterford Co. ...	248	436	417	853	14	15	29	367	284	651	41	4	20	81
Waterford Co. Boro'	147	337	326	663	13	7	20	214	191	405	30	5	48	45
MUNSTER ...	4,560	9,733	9,215	18,948	268	268	536	6,524	5,610	12,134	889	138	764	1,286
Galway ...	659	1,794	1,699	3,493	30	37	67	1,098	910	2,008	177	19	108	216
Leitrim ...	213	368	340	708	6	4	10	329	256	585	17	1	19	39
Mayo ...	649	1,557	1,418	2,975	10	15	25	982	930	1,912	101	5	67	185
Roscommon ...	261	653	565	1,218	7	9	16	534	441	975	39	2	48	107
Sligo ...	299	655	659	1,314	13	10	23	429	375	804	50	4	45	97
CONNACHT	2,081	5,027	4,681	9,708	66	75	141	3,372	2,912	6,284	384	31	287	644
Cavan ...	337	659	592	1,251	22	21	43	552	492	1,044	79	8	56	92
Donegal ...	611	1,449	1,368	2,817	39	38	77	928	785	1,713	113	10	89	170
Monaghan ...	254	571	523	1,094	16	12	28	421	309	730	43	3	39	63
ULSTER (part of)	1,202	2,679	2,483	5,162	77	71	148	1,901	1,586	3,487	235	21	184	325

\* Includes Typhoid Fever, Scarlet Fever, Whooping Cough, Diphtheria, Dysentery, Measles, Enteritis and Colitis (under 1 year) and Diarrhoea of Newborn.

TABLE 13.—MARRIAGE, BIRTH AND DEATH RATES IN 1950 IN EACH COUNTY AND COUNTY BOROUGH, SHOWING ALSO THE PROPORTION OF ILLEGITIMATE BIRTHS AND THE DEATH RATES FOR SOME OF THE PRINCIPAL DISEASES.

PROVINCES AND COUNTIES	Marriages per 1,000 Population	BIRTHS		DEATH RATE PER 1,000 POPULATION				Deaths under 1 year per 1,000 Births
		Total Births per 1,000 Pop.	Illegitimate % of total Births	All Causes	Principal Epidemic Diseases	Tuberculosis	Malignant Neoplasms	
<b>TOTAL</b> ... ..	<b>5·4</b>	<b>21·4</b>	<b>2·6</b>	<b>12·71</b>	<b>0·13</b>	<b>0·80</b>	<b>1·37</b>	<b>45·97</b>
Carlow ... ..	4·8	23·2	3·9	14·17	0·17	0·87	1·22	56·46
Dublin Co. Borough ...	8·2	22·5	1·8	11·17	0·15	0·92	1·36	50·37
Dún Laoghaire Borough ...	6·1	19·1	1·8	11·23	0·04	0·67	1·69	32·89
Dublin Co. (remainder) ...	4·9	24·6	2·7	8·85	0·10	0·82	1·01	40·51
Kildare ... ..	4·3	25·6	3·2	10·84	0·24	0·75	1·34	45·45
Kilkenny ... ..	4·6	20·5	4·4	13·20	0·28	0·74	1·16	60·45
Laoighis ... ..	4·1	20·3	3·2	13·53	0·06	0·68	1·18	52·95
Longford ... ..	4·3	20·1	2·9	14·30	0·09	0·86	1·55	45·71
Louth ... ..	6·0	22·6	2·7	12·82	0·13	0·93	1·51	44·86
Meath ... ..	4·4	21·4	3·4	12·76	0·16	0·72	1·59	37·19
Offaly ... ..	4·5	21·8	3·2	12·67	0·10	0·90	1·68	43·59
Westmeath ... ..	5·2	23·3	3·8	13·00	0·07	0·88	1·62	41·83
Wexford ... ..	4·5	22·4	4·4	13·94	0·16	0·94	1·40	48·09
Wicklow ... ..	5·1	21·3	3·0	13·75	0·08	0·86	1·37	50·94
<b>LEINSTER</b> ... ..	<b>6·1</b>	<b>22·4</b>	<b>2·7</b>	<b>11·91</b>	<b>0·14</b>	<b>0·86</b>	<b>1·37</b>	<b>47·53</b>
Clare ... ..	3·7	20·4	3·3	13·95	0·07	1·18	1·36	43·56
Cork Co. ... ..	4·1	19·8	3·0	13·62	0·11	0·74	1·55	39·12
Cork Co. Borough ...	9·7	22·0	1·6	13·90	0·29	1·07	1·26	56·60
Kerry ... ..	4·4	19·5	1·8	13·20	0·07	0·86	1·34	38·38
Limerick Co. ... ..	4·2	24·0	4·8	13·96	0·26	0·72	1·49	64·30
Limerick Co. Borough ...	9·6	23·1	1·4	10·40	0·34	0·81	0·83	41·06
Tipperary, N.R. ... ..	5·5	22·1	2·1	12·25	0·12	0·72	1·18	48·30
Tipperary, S.R. ... ..	4·0	22·2	3·1	13·91	0·18	0·82	1·61	58·37
Waterford Co. ... ..	5·3	18·2	3·4	13·91	0·09	0·43	1·73	48·07
Waterford Co. Borough ...	5·1	23·0	3·0	14·06	0·17	1·67	1·56	45·25
<b>MUNSTER</b> ... ..	<b>5·0</b>	<b>21·0</b>	<b>2·8</b>	<b>13·43</b>	<b>0·15</b>	<b>0·85</b>	<b>1·42</b>	<b>46·92</b>
Galway ... ..	4·1	21·7	1·9	12·45	0·12	0·67	1·34	50·67
Leitrim ... ..	5·1	16·9	1·4	13·96	0·02	0·45	0·93	24·01
Mayo ... ..	4·4	20·4	0·8	13·09	0·03	0·46	1·27	33·95
Roscommon ... ..	3·8	17·7	1·3	14·15	0·03	0·70	1·55	32·02
Sligo ... ..	4·9	21·4	1·8	13·12	0·07	0·73	1·58	38·05
<b>CONNACHT</b> ... ..	<b>4·3</b>	<b>20·2</b>	<b>1·5</b>	<b>13·11</b>	<b>0·06</b>	<b>0·60</b>	<b>1·34</b>	<b>39·56</b>
Cavan ... ..	5·0	18·6	3·4	15·56	0·12	0·83	1·37	63·15
Donegal ... ..	4·6	21·1	2·7	12·81	0·07	0·67	1·27	40·11
Monaghan ... ..	4·6	19·7	2·6	13·15	0·05	0·70	1·14	39·31
<b>ULSTER (part of)</b> ...	<b>4·7</b>	<b>20·1</b>	<b>2·9</b>	<b>13·61</b>	<b>0·08</b>	<b>0·72</b>	<b>1·27</b>	<b>45·52</b>



TABLE 14.—BIRTHS AND DEATHS, CLASSIFIED BY SEX, REGISTERED DURING 1950, SHOWING ILLEGITIMATE BIRTHS AND DEATHS FROM SOME OF THE PRINCIPAL CAUSES SEPARATELY, IN THE PRINCIPAL TOWNS AND IN AGGREGATE URBAN AND AGGREGATE RURAL DISTRICTS.

AREA	BIRTHS						DEATHS					
	Total (including illegitimate)			Illegitimate			Total			Under 1 year of Age	Tuber- culosis	Malignant Neo- plasms
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Total	Total	Total
Dublin Co. Borough and Dún Laoghaire Borough ...	6,579	6,087	12,666	106	120	226	3,119	3,263	6,382	622	515	790
Remaining Co. Boroughs ...	1,796	1,679	3,475	40	23	63	967	1,004	1,971	171	169	181
Galway Borough ...	221	210	431	2	1	3	108	93	201	22	14	25
Dundalk U.D. ...	219	190	409	8	2	10	130	123	253	22	22	35
Drogheda „ ...	175	175	350	2	3	5	91	102	193	17	19	25
Sligo „ ...	131	150	281	3	1	4	69	70	139	11	14	22
Wexford „ ...	133	129	262	•	4	4	84	88	172	14	20	16
Kilkenny „ ...	135	128	263	•	•	•	72	59	131	14	13	8
Bray „ ...	140	114	254	4	•	4	70	77	147	13	18	11
Tralee „ ...	114	97	211	1	•	1	75	64	139	17	13	11
Clonmel „ ...	140	125	265	3	2	5	66	48	114	13	10	19
Total above Principal Towns ...	9,783	9,084	18,867	169	156	325	4,851	4,991	9,842	936	827	1,143
All Other Urban Districts ...	1,869	1,887	3,756	22	33	55	1,178	1,174	2,352	178	198	286
All Rural Districts	21,215	19,727	40,942	608	639	1,247	13,997	11,550	25,547	1,808	1,355	2,648
All Co. Boroughs and Urban Districts:—												
LEINSTER ...	8,059	7,532	15,591	128	141	269	3,988	4,136	8,124	772	633	994
MUNSTER ...	2,872	2,738	5,610	54	44	98	1,618	1,670	3,288	267	274	341
CONNACHT ...	523	519	1,042	5	3	8	281	249	530	53	43	70
ULSTER (part of)	198	182	380	4	1	5	142	110	252	22	25	24
All Rural Districts:—												
LEINSTER ...	7,369	6,787	14,156	260	273	533	4,241	3,471	7,712	642	462	828
MUNSTER ...	6,861	6,477	13,338	214	224	438	4,906	3,940	8,846	622	490	945
CONNACHT ...	4,504	4,162	8,666	61	72	133	3,091	2,663	5,754	331	244	574
ULSTER (part of)	2,481	2,301	4,782	73	70	143	1,759	1,476	3,235	213	159	301
TOTAL ...	32,867	30,698	63,565	799	828	1,627	20,026	17,715	37,741	2,922	2,380	4,077

Note.—Principal Towns referred to in the Report are Dublin County Borough, Dun Laoghaire Borough, Cork County Borough, Limerick County Borough, Waterford County Borough, Galway Borough and the Urban Districts of Dundalk, Drogheda, Sligo, Wexford, Kilkenny, Bray, Tralee and Clonmel.

TABLE 15.—BIRTH AND DEATH RATES IN 1950 IN THE PRINCIPAL TOWNS AND IN AGGREGATE URBAN AND AGGREGATE RURAL DISTRICTS SHOWING ALSO THE PROPORTION OF ILLEGITIMATE BIRTHS AND THE DEATH RATES FOR SOME OF THE PRINCIPAL DISEASES.

AREA	Births		Death Rate per 1,000 population			Deaths under 1 year per 1,000 Births
	Total Births per 1,000 population	Illegitimate % of Total Births	All Causes	Tuberculosis	Malignant Neoplasms	
Dublin Co. Borough and Dún Laoghaire Boroughs	22·19	1·78	11·18	0·90	1·38	49·11
Remaining Co. Boroughs ... ..	22·54	1·81	12·78	1·10	1·17	49·21
Galway Borough ... ..	21·16	0·70	9·87	0·69	1·23	51·04
Dundalk U.D. ... ..	22·03	2·44	13·63	1·19	1·89	53·79
Drogheda U.D. ... ..	22·27	1·43	12·28	1·21	1·59	48·57
Sligo U.D. ... ..	21·75	1·42	10·76	1·08	1·70	39·15
Wexford U.D. ... ..	21·31	1·53	13·99	1·63	1·30	53·44
Kilkenny U.D. ... ..	25·56	·	12·73	1·26	0·78	53·23
Bray U.D. ... ..	22·91	1·57	13·26	1·62	0·99	51·18
Tralee U.D. ... ..	21·12	0·47	13·91	1·39	1·10	80·57
Clonmel U.D. ... ..	26·88	1·89	11·57	1·01	1·93	49·06
Total above Principal Towns*	22·30	1·72	11·63	0·98	1·35	49·61
All Other Urban Districts ... ..	20·20	1·46	12·65	1·07	1·54	47·39
All Rural Districts ... ..	21·14	3·05	13·19	0·70	1·37	44·16
All Co. Boroughs and Urban Districts.						
LEINSTER ... ..	22·21	1·73	11·57	0·97	1·42	49·52
MUNSTER ... ..	21·94	1·75	12·86	1·07	1·33	47·59
CONNACHT ... ..	19·66	0·77	10·00	0·81	1·32	50·86
ULSTER (part of) ... ..	17·84	1·32	11·83	1·17	1·13	57·89
All Rural Districts.						
LEINSTER ... ..	22·54	3·77	12·28	0·74	1·32	45·35
MUNSTER ... ..	20·60	3·28	13·66	0·76	1·46	46·63
CONNACHT ... ..	20·32	1·53	13·49	0·57	1·35	38·20
ULSTER (part of) ... ..	20·35	2·99	13·77	0·68	1·28	44·54
Total ... ..	21·41	2·56	12·71	0·80	1·37	45·97

\* See footnote to Table 14.



TABLE 16.—MARRIAGES REGISTERED IN EACH

PROVINCES AND COUNTIES	Total Marriages	Catholic Marriages	Marriages other than Catholic						
			Total	Protestant Episcopalian	In Registered Presbyterian Meeting Houses	In Registered Buildings	In the Registrar's Office	Society of Friends	Jews
TOTAL ...	16,018	15,049	969	671	145	64	70	3	16
LEINSTER ...	8,175	7,579	596	438	30	50	61	2	15
MUNSTER ...	4,560	4,456	104	85	3	7	7	1	1
CONNACHT ...	2,081	2,043	38	36	1	1	.	.	.
ULSTER (part of)	1,202	971	231	112	111	6	2	.	.

PROVINCE OF									
Carlow ...	165	158	7	7	.	.	.	.	.
Dublin Co. Borough	4,267	3,942	325	187	24	43	56	.	15
Dún Laoghaire Borough ...	293	279	14	14	.	.	.	.	.
Dublin Co. (remainder) ...	569	489	80	77	.	1	.	2	.
Kildare ...	285	275	10	10	.	.	.	.	.
Kilkenny ...	302	291	11	10	.	.	1	.	.
Laoighis ...	201	174	27	24	1	1	1	.	.
Longford ...	150	138	12	11	.	1	.	.	.
Louth ...	405	395	10	9	1	.	.	.	.
Meath ...	293	286	7	6	1	.	.	.	.
Offaly ...	237	224	13	11	.	1	1	.	.
Westmeath ...	280	268	12	8	3	1	.	.	.
Wexford ...	407	381	26	26	.	.	.	.	.
Wicklow ...	321	279	42	38	.	2	2	.	.

PROVINCE OF									
Clare ...	301	300	1	.	.	.	1	.	.
Cork Co. ...	1,082	1,026	56	50	1	3	1	.	1
Cork Co. Borough ...	726	723	3	3	.	.	.	.	.
Kerry ...	568	560	8	8	.	.	.	.	.
Limerick Co. ...	384	376	8	3	.	3	1	1	.
Limerick Co. Borough	485	478	7	4	1	1	1	.	.
Tipperary, N.R. ...	316	302	14	13	.	.	1	.	.
Tipperary, S.R. ...	303	299	4	4	.	.	.	.	.
Waterford Co. ...	248	248	.	.	.	.	.	.	.
Waterford Co. Borough ...	147	144	3	.	1	.	2	.	.

PROVINCE OF									
Galway ...	659	655	4	4	.	.	.	.	.
Leitrim ...	213	200	13	13	.	.	.	.	.
Mayo ...	649	644	5	4	1	.	.	.	.
Roscommon ...	261	259	2	2	.	.	.	.	.
Sligo ...	299	285	14	13	.	1	.	.	.

PROVINCE OF									
Cavan ...	337	286	51	41	7	3	.	.	.
Donegal ...	611	485	126	51	72	2	1	.	.
Monaghan ...	254	200	54	20	32	1	1	.	.

## COUNTY AND COUNTY BOROUGH DURING 1950.

Total Marriages Registered in the Quarter ending the last day of				MARRIAGES						PROVINCES AND COUNTIES
March	June	Sept.	Dec.	Contracted between				Of Persons not of Full Age		
				Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	Men	Women	
3,429	3,813	5,410	3,366	15,440	156	328	94	197	1,079	TOTAL
1,493	1,865	3,087	1,730	7,861	81	181	52	134	616	LEINSTER
1,160	1,082	1,368	950	4,381	56	98	25	41	282	MUNSTER
523	598	551	409	2,028	11	31	11	11	97	CONNACHT
253	268	404	277	1,170	8	18	6	11	84	ULSTER (part of)

## LEINSTER

29	47	46	43	158	2	5	.	4	25	Carlow
786	937	1,711	833	4,077	45	109	36	84	291	Dublin Co. Borough
42	70	132	49	285	.	6	2	.	10	Dún Laoghaire Borough
69	106	267	127	555	2	11	1	5	46	Dublin Co. (remainder)
43	63	105	74	273	6	5	1	6	28	Kildare
57	82	98	65	298	.	4	.	2	15	Kilkenny
53	39	64	45	190	5	6	.	4	16	Laoighis
27	55	32	36	146	.	3	1	1	6	Longford
72	83	143	107	398	1	4	2	6	39	Louth
59	73	97	64	284	3	4	2	3	22	Meath
52	54	79	52	230	3	3	1	3	20	Offaly
56	77	71	76	269	2	6	3	3	20	Westmeath
84	113	125	85	390	7	8	2	10	55	Wexford
64	66	117	74	303	5	7	1	3	23	Wicklow

## MUNSTER

109	72	69	51	293	4	2	2	2	15	Clare
248	291	318	225	1,039	18	18	7	2	47	Cork Co.
182	111	268	165	701	7	14	4	10	41	Cork Co. Borough
160	140	149	119	547	5	14	2	2	17	Kerry
94	111	98	81	364	3	15	2	2	19	Limerick Co.
118	103	164	100	465	7	11	2	3	27	Limerick Co. Borough
102	79	87	48	308	2	5	1	5	30	Tipperary, N.R.
72	74	94	63	292	3	5	3	7	29	Tipperary, S.R.
49	69	69	61	231	5	10	2	2	31	Waterford Co.
26	32	52	37	141	2	4	.	6	26	Waterford Co. Borough

## CONNACHT

163	210	140	146	641	3	11	4	2	29	Galway
53	73	52	35	206	1	3	3	.	9	Leitrim
159	162	190	138	632	7	9	1	5	32	Mayo
71	77	70	43	255	.	4	2	3	14	Roscommon
77	76	99	47	294	.	4	1	1	13	Sligo

## ULSTER (PART OF)

64	75	119	79	326	3	6	2	2	19	Cavan
131	136	204	140	597	4	6	4	7	49	Donegal
58	57	81	58	247	1	6	.	2	16	Monaghan



TABLE 17.—DEATHS, CLASSIFIED BY SEX AND AGE, REGISTERED

AREA			TOTAL DEATHS	AGE AT								
				Under 1 year	1 and under 2	2 and under 3	3 and under 4	4 and under 5	Total under 5 years	5-9	10-14	15-19
TOTAL	Males	...	20,026	1,676	142	73	59	45	1,995	129	89	138
	Females	...	17,715	1,246	101	60	52	48	1,507	113	95	178
	Persons	...	37,741	2,922	243	133	111	93	3,502	242	184	316
LEINSTER	Males	...	8,229	797	73	38	27	23	958	59	41	52
	Females	...	7,607	617	54	32	25	15	743	57	48	85
	Persons	...	15,836	1,414	127	70	52	38	1,701	116	89	137
MUNSTER	Males	...	6,524	519	45	17	22	13	616	39	36	48
	Females	...	5,610	370	28	17	17	24	456	36	22	40
	Persons	...	12,134	889	73	34	39	37	1,072	75	58	88
CONNAUGHT	Males	...	3,372	230	11	10	6	6	263	21	5	23
	Females	...	2,912	154	15	7	6	7	189	11	14	22
	Persons	...	6,284	384	26	17	12	13	452	32	19	45
ULSTER (part of)	Males	...	1,901	130	13	8	4	3	158	10	7	15
	Females	...	1,586	105	4	4	4	2	119	9	11	31
	Persons	...	3,487	235	17	12	8	5	277	19	18	46
LEINSTER :												
CARLOW	Males	...	246	23	2	.	2	.	27	.	.	1
	Females	...	240	22	1	.	.	.	23	1	1	.
	Persons	...	486	45	3	.	2	.	50	1	1	1
DUBLIN Co. (Excluding Dún Laoghaire Borough)	Males	...	548	67	3	2	1	2	75	4	5	2
	Females	...	472	48	3	5	1	3	60	8	5	11
	Persons	...	1,020	115	6	7	2	5	135	12	10	13
DUBLIN CO. BOROUGH	Males	...	2,887	321	29	11	12	11	384	28	16	30
	Females	...	2,958	271	16	16	6	5	314	19	21	31
	Persons	...	5,845	592	45	27	18	16	698	47	37	61
DÚN LAOGHAIRE BOROUGH	Males	...	232	20	3	2	.	.	25	.	1	.
	Females	...	305	10	2	.	.	1	13	.	1	2
	Persons	...	537	30	5	2	.	1	38	.	2	2
KILDARE	Males	...	396	50	8	4	1	2	65	1	3	2
	Females	...	323	27	3	1	1	.	32	1	.	7
	Persons	...	719	77	11	5	2	2	97	2	3	9
KILKENNY	Males	...	462	49	4	2	1	1	57	7	2	1
	Females	...	400	32	6	1	3	.	42	.	5	3
	Persons	...	862	81	10	3	4	1	99	7	7	4
LAOIGHIS	Males	...	368	29	3	.	.	.	32	4	.	1
	Females	...	288	23	4	1	1	.	29	4	2	1
	Persons	...	656	52	7	1	1	.	61	8	2	2
LONGFORD	Males	...	264	19	.	3	.	2	24	.	1	.
	Females	...	235	13	.	1	2	.	16	2	3	6
	Persons	...	499	32	.	4	2	2	40	2	4	6
LOUTH	Males	...	468	30	.	4	3	1	38	9	1	5
	Females	...	404	39	.	.	1	1	41	1	2	7
	Persons	...	872	69	.	4	4	2	79	10	3	12
MEATH	Males	...	448	26	4	2	1	.	33	1	5	1
	Females	...	403	27	1	2	2	.	32	5	1	3
	Persons	...	851	53	5	4	3	.	65	6	6	4
OFFALY	Males	...	363	28	1	1	1	.	31	.	2	1
	Females	...	302	22	3	2	1	2	30	4	1	5
	Persons	...	665	50	4	3	2	2	61	4	3	6
WESTMEATH	Males	...	384	30	5	2	2	1	40	1	2	.
	Females	...	322	23	4	.	.	.	27	5	.	1
	Persons	...	706	53	9	2	2	1	67	6	2	1
WEXFORD	Males	...	687	61	5	4	3	2	75	2	1	3
	Females	...	569	36	7	3	3	1	50	1	4	6
	Persons	...	1,256	97	12	7	6	3	125	3	5	9
WICKLOW	Males	...	476	44	6	1	.	1	52	2	2	5
	Females	...	386	24	4	.	4	2	34	6	2	2
	Persons	...	862	68	10	1	4	3	86	8	4	7

DURING 1950, FOR EACH COUNTY AND COUNTY BOROUGH.

## DEATH

20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 and over
259	258	270	333	429	567	880	1,097	1,514	2,118	3,095	3,210	2,360	949	288	58	10
241	272	310	367	377	421	663	782	1,252	1,665	2,694	2,830	2,259	1,156	403	112	13
500	530	580	700	806	988	1,543	1,879	2,766	3,783	5,789	6,040	4,619	2,105	676	170	23
120	118	129	147	192	278	422	525	684	914	1,261	1,139	772	320	74	21	3
106	138	159	174	165	208	295	369	604	786	1,154	1,064	833	440	138	38	3
226	256	288	321	357	486	717	894	1,288	1,700	2,415	2,203	1,605	760	212	59	6
77	79	77	108	158	187	292	359	515	715	1,011	1,110	727	280	78	9	3
68	84	98	114	114	126	224	253	401	542	862	956	680	356	141	36	1
145	163	175	222	272	313	516	612	916	1,257	1,873	2,066	1,407	636	219	45	4
39	36	44	55	52	64	103	134	212	315	494	617	573	234	70	16	2
45	28	37	49	58	60	98	106	143	209	435	529	501	255	87	31	5
84	64	81	104	110	124	201	240	355	524	929	1,146	1,074	489	157	47	7
23	25	20	23	27	38	63	79	103	174	329	344	288	115	46	12	2
22	22	16	30	40	27	46	54	104	123	243	281	245	105	42	7	4
45	47	36	53	67	65	109	133	207	302	572	625	533	220	88	19	6
1	2	7	3	2	9	9	12	7	25	43	47	30	14	5	1	1
2	4	9	4	4	10	10	10	17	27	31	39	25	18	5	.	.
3	6	16	7	6	19	19	22	24	52	74	86	55	32	10	1	1
19	9	13	11	15	22	27	37	39	53	77	66	49	17	5	2	1
10	10	11	7	14	15	16	22	35	36	68	67	42	23	10	2	.
29	19	24	18	29	37	43	59	74	89	145	133	91	40	15	4	1
49	42	40	51	88	125	212	237	292	343	387	302	166	75	17	3	.
41	52	60	78	74	93	130	158	236	325	436	371	287	153	62	16	1
90	94	100	129	162	218	342	395	528	668	823	673	453	228	79	19	1
2	4	1	4	8	7	11	12	23	31	36	24	27	12	4	.	.
2	1	2	3	2	6	12	20	32	37	41	47	42	30	8	4	.
4	5	3	7	10	13	23	32	55	68	77	71	69	42	12	4	.
9	8	4	5	8	17	24	26	30	42	52	45	35	14	3	3	.
3	13	11	13	7	8	17	12	22	33	53	42	33	11	4	1	.
12	21	15	18	15	25	41	38	52	75	105	87	68	25	7	4	.
6	4	8	4	6	14	20	22	34	48	74	89	43	17	2	3	1
3	6	8	7	7	4	9	17	27	45	76	59	46	25	6	4	1
9	10	16	11	13	18	29	39	61	93	150	148	89	42	8	7	2
3	5	7	7	5	7	15	25	15	32	81	66	36	20	5	2	.
6	6	6	4	2	3	7	23	28	31	40	43	36	10	5	2	.
9	11	13	11	7	10	22	48	43	63	121	109	72	30	10	4	.
2	2	4	11	5	10	5	10	18	24	51	42	35	14	5	1	.
2	5	1	5	4	5	11	8	16	21	33	35	37	17	7	.	1
4	7	5	16	9	15	16	18	34	45	84	77	72	31	12	1	1
10	11	9	13	13	11	22	27	36	57	80	62	43	17	3	1	.
15	8	8	8	8	12	16	24	34	27	67	51	45	21	7	2	.
25	19	17	21	21	23	38	51	70	84	147	113	88	38	10	3	.
4	9	11	12	9	11	21	22	34	51	76	81	48	15	3	1	.
7	6	8	6	7	14	10	16	34	43	73	65	44	20	8	1	.
11	15	19	18	16	25	31	38	68	94	149	146	92	35	11	2	.
2	7	6	8	7	10	8	12	29	41	59	64	51	17	7	1	.
4	8	6	8	7	8	8	9	20	29	40	53	43	17	1	1	.
6	15	12	16	14	18	16	21	49	70	99	117	94	34	8	2	.
4	4	4	3	4	8	11	22	30	38	61	71	53	22	5	1	.
2	7	4	12	4	10	11	11	25	41	43	56	32	27	3	1	.
6	11	8	15	8	18	22	33	55	79	104	127	85	49	8	2	.
5	8	7	8	11	12	22	36	67	63	112	120	88	39	7	1	.
9	6	16	10	13	10	27	23	51	53	92	83	75	33	6	1	.
14	14	23	18	24	22	49	59	118	116	204	203	163	72	13	2	.
4	3	8	7	11	15	15	25	30	66	72	60	68	27	3	1	.
4	6	9	9	12	10	11	16	27	38	61	53	46	35	6	3	.
4	9	17	16	23	25	26	41	57	104	133	113	114	62	9	4	.



TABLE 17 (contd.)—DEATHS, CLASSIFIED BY SEX AND AGE,

AREA			TOTAL DEATHS	AGE AT								
				Under 1 year	1 and under 2	2 and under 3	3 and under 4	4 and under 5	Total under 5 years	5-9	10-14	15-19
MUNSTER :												
CLARE	Males	...	621	41	6	3	1	1	52	5	4	5
	Females	...	527	32	6		1	5	44	2	2	4
	Persons	...	1,148	73	12	3	2	6	96	7	6	9
CORK CO.	Males	...	1,954	127	9	2	5	3	146	12	12	9
	Females	...	1,682	80	5	5	6	6	102	10	4	11
	Persons	...	3,636	207	14	7	11	9	248	22	16	20
CORK CO. BOROUGH	Males	...	503	53	7		4	1	65	4	1	3
	Females	...	537	40	2	3	1	1	47	5	3	1
	Persons	...	1,040	93	9	3	5	2	112	9	4	4
KERRY	Males	...	929	53	5	2	2		62	5	5	9
	Females	...	765	43	2	1	1	4	51	8	5	3
	Persons	...	1,694	96	7	3	3	4	113	13	10	12
LIMERICK CO.	Males	...	726	83	7		5	2	97	4	7	5
	Females	...	547	58	3		2	1	64	2	3	5
	Persons	...	1,273	141	10		7	3	161	6	10	10
LIMERICK CO. BOROUGH	Males	...	250	27		2		1	30	1		4
	Females	...	276	21	2	2	2	1	28		2	4
	Persons	...	526	48	2	4	2	2	58	1	2	8
TIPPERARY, N.R.	Males	...	363	33	3	1		2	39	2	1	3
	Females	...	335	28	1	1	3	1	34	1	1	2
	Persons	...	698	61	4	2	3	3	73	3	2	5
TIPPERARY, S.R.	Males	...	597	61	7	3	3	3	77	5	5	5
	Females	...	466	38	2	3		4	47	4	2	1
	Persons	...	1,063	99	9	6	3	7	124	9	7	6
WATERFORD CO.	Males	...	367	23		1			24			1
	Females	...	284	18	3	1	1		23	3		3
	Persons	...	651	41	3	2	1		47	3		4
WATERFORD CO. BOROUGH	Males	...	214	18	1	3	2		24	1	1	4
	Females	...	191	12	2	1		1	16	1		6
	Persons	...	405	30	3	4	2	1	40	2	1	10
CONNACHT :												
GALWAY	Males	...	1,098	106	2	4	4	2	118	8	2	4
	Females	...	910	71	3	3	3	2	82	4	6	10
	Persons	...	2,008	177	5	7	7	4	200	12	8	14
LEITRIM	Males	...	329	13		1		1	15			4
	Females	...	256	4	2			1	7	1	1	2
	Persons	...	585	17	2	1		2	22	1	1	6
MAYO	Males	...	982	62	5	3	2	3	75	7	3	6
	Females	...	930	39	7		2	2	50	3	3	5
	Persons	...	1,912	101	12	3	4	5	125	10	6	11
ROSCOMMON	Males	...	534	18	2	1			21	4		4
	Females	...	441	21	2	2		2	27	1	2	2
	Persons	...	975	39	4	3		2	48	5	2	6
SLIGO	Males	...	429	31	2	1			34	2		5
	Females	...	375	19	1	2	1		23	2	2	3
	Persons	...	804	50	3	3	1		57	4	2	8
ULSTER (part of)												
CAVAN	Males	...	552	44	1	1	1	2	49	2	1	3
	Females	...	492	35	1	1	2	1	40	2	4	10
	Persons	...	1,044	79	2	2	3	3	89	4	5	13
DONEGAL	Males	...	928	63	8	4	2	1	78	6	6	7
	Females	...	785	50	3	2	2	1	58	2	6	15
	Persons	...	1,713	113	11	6	4	2	136	8	12	22
MONAGHAN	Males	...	421	23	4	3	1		31	2		5
	Females	...	304	20		1			21	5	1	6
	Persons	...	730	43	4	4	1		52	7	1	11

## REGISTERED DURING 1950, FOR EACH COUNTY AND COUNTY BOROUGH.

## DEATH

20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 and over
7	8	11	13	16	19	23	20	37	63	93	116	79	32	14	3	1
10	8	7	8	8	9	21	24	24	38	93	89	78	40	12	6	.
17	16	18	21	24	28	44	44	61	101	186	205	157	72	26	9	1
25	32	18	37	35	47	92	116	154	209	315	336	241	96	18	3	1
15	19	25	29	33	34	70	77	129	163	270	301	219	113	50	8	.
40	51	43	66	68	81	162	193	283	372	585	637	460	209	68	11	1
9	2	9	5	18	28	21	40	58	76	67	52	31	11	3	.	.
3	12	10	9	12	12	16	26	57	66	98	86	41	26	5	2	.
12	14	19	14	30	40	37	66	115	142	165	138	72	37	8	2	.
10	8	14	20	28	25	34	46	73	102	142	161	123	48	12	2	.
9	12	10	17	21	15	27	38	48	72	100	138	109	57	22	3	.
19	20	24	37	49	40	61	84	121	174	242	299	232	105	34	5	.
6	5	10	7	12	22	23	40	59	53	122	140	73	30	10	1	.
15	9	8	20	12	16	17	21	37	52	66	83	55	37	19	6	.
21	14	18	27	24	38	40	61	96	105	188	223	128	67	29	7	.
1	4	4	3	7	10	19	17	23	35	35	32	17	8	.	.	.
5	3	12	9	9	11	18	21	23	26	36	32	24	8	5	.	.
6	7	16	12	16	21	37	38	46	61	71	64	41	16	5	.	.
6	9	4	7	14	5	18	14	22	43	55	59	46	13	2	.	1
1	5	6	5	5	6	14	13	26	28	49	52	48	22	13	4	.
7	14	10	12	19	11	32	27	48	71	104	111	94	35	15	4	1
7	10	4	6	13	13	27	26	47	54	97	104	68	21	8	.	.
4	11	5	9	5	9	22	15	24	51	83	88	51	25	7	3	.
11	21	9	15	18	22	49	41	71	105	180	192	119	46	15	3	.
5	1	2	6	5	11	16	20	30	50	54	80	36	15	11	.	.
5	1	5	2	6	9	11	6	26	29	39	54	32	21	6	3	.
10	2	7	8	11	20	27	26	56	79	93	134	68	36	17	3	.
1	.	1	4	10	7	19	20	12	30	31	30	13	6	.	.	.
1	4	10	6	3	5	8	12	7	17	28	33	23	7	2	1	1
2	4	11	10	13	12	27	32	19	47	59	63	36	13	2	1	1
12	9	20	19	21	26	36	49	64	89	160	188	174	67	24	8	.
13	14	14	14	19	22	29	30	47	75	119	140	154	78	27	10	3
25	23	34	33	40	48	65	79	111	164	279	328	328	145	51	18	3
.	7	1	8	6	4	8	10	22	35	49	73	57	25	4	1	.
4	4	7	6	2	4	9	11	15	12	47	55	42	19	5	3	.
4	11	8	14	8	8	17	21	37	47	96	128	99	44	9	4	.
13	7	11	13	9	15	31	30	63	87	151	191	172	78	17	3	.
14	3	10	16	20	17	26	36	47	69	134	181	165	91	32	7	1
27	10	21	29	29	32	57	66	110	156	285	372	337	169	49	10	1
8	6	6	7	9	10	16	24	34	57	84	88	101	36	16	2	1
7	4	4	7	7	11	13	14	18	30	82	83	65	41	15	7	1
15	10	10	14	16	21	29	38	52	87	166	171	166	77	31	9	2
6	7	6	8	7	9	12	21	29	47	50	77	69	28	9	2	1
7	3	2	6	10	6	21	15	16	23	53	70	75	26	8	4	.
13	10	8	14	17	15	33	36	45	70	103	147	144	54	17	6	1
4	9	9	5	6	10	15	22	22	54	107	99	87	32	13	3	.
5	9	9	8	14	9	12	14	27	38	80	88	83	25	10	4	1
9	18	18	13	20	19	27	36	49	92	187	187	170	57	23	7	1
12	10	8	8	10	20	30	45	51	81	162	166	135	58	28	5	2
11	12	5	12	18	13	26	31	50	60	113	135	122	65	25	3	3
23	22	13	20	28	33	56	76	101	141	275	301	257	123	53	8	5
7	6	3	10	11	8	18	12	30	39	60	79	66	25	5	4	.
6	1	2	10	8	5	8	9	27	30	50	58	40	15	7	.	.
13	7	5	20	19	13	26	21	57	69	110	137	106	40	12	4	.



TABLE 18.—DEATHS IN 1950 AT EACH YEAR OF AGE IN THE AGGREGATE URBAN DISTRICTS AND IN THE AGGREGATE RURAL DISTRICTS.

AGE	AGGREGATE U.D.s			AGGREGATE R.D.s			TOTAL		
	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons
0	617	497	1,114	1,059	749	1,808	1,676	1,246	2,922
1	54	34	88	88	67	155	142	101	243
2	30	27	57	43	33	76	73	60	133
3	30	17	47	29	35	64	59	52	111
4	19	16	35	26	32	58	45	48	93
5	11	10	21	19	29	48	30	39	69
6	6	9	15	12	13	25	18	22	40
7	18	9	27	16	14	30	34	23	57
8	17	7	24	13	11	24	30	18	48
9	3	5	8	14	6	20	17	11	28
10	7	8	15	11	13	24	18	21	39
11	4	5	9	15	7	22	19	12	31
12	4	5	9	14	15	29	18	20	38
13	8	7	15	9	16	25	17	23	40
14	5	11	16	12	8	20	17	19	36
15	5	15	20	13	16	29	18	31	49
16	12	9	21	16	18	34	28	27	55
17	10	14	24	14	23	37	24	37	61
18	14	19	33	14	25	39	28	44	72
19	13	16	29	27	23	50	40	39	79
20	15	14	29	35	29	64	50	43	93
21	19	14	33	31	26	57	50	40	90
22	16	11	27	22	26	48	38	37	75
23	20	24	44	37	37	74	57	61	118
24	25	21	46	39	39	78	64	60	124
25	13	19	32	37	28	65	50	47	97
26	15	16	31	35	28	63	50	44	94
27	19	23	42	35	36	71	54	59	113
28	16	26	42	37	35	72	53	61	114
29	17	26	43	34	35	69	51	61	112
30	19	26	45	42	34	76	61	60	121
31	19	26	45	26	25	51	45	51	96
32	19	37	56	44	38	82	63	75	138
33	18	26	44	36	34	70	54	60	114
34	14	27	41	33	37	70	47	64	111
35	24	41	65	51	43	94	75	84	159
36	24	24	48	33	44	77	57	68	125
37	23	21	44	37	38	75	60	59	119
38	20	38	58	59	51	110	79	89	168
39	18	29	47	44	38	82	62	67	129
40	50	35	85	59	63	122	109	98	207
41	24	16	40	33	35	68	57	51	108
42	42	31	73	45	57	102	87	88	175
43	31	34	65	47	41	88	78	75	153
44	38	28	66	60	37	97	98	65	163
45	52	33	85	70	36	106	122	69	191
46	40	28	68	50	45	95	90	73	163
47	48	33	81	48	45	93	96	78	174
48	61	35	96	75	64	139	136	99	235
49	54	44	98	69	58	127	123	102	225
50	83	78	161	114	107	221	197	185	382
51	62	29	91	• 69	43	112	131	72	203
52	81	56	137	101	75	176	182	131	313
53	95	51	146	99	77	176	194	128	322

TABLE 18 (contd.)—DEATHS IN 1950 AT EACH YEAR OF AGE IN THE AGGREGATE URBAN DISTRICTS  
AND IN THE AGGREGATE RURAL DISTRICTS.

AGE	AGGREGATE U.D.s			AGGREGATE R.D.s			TOTAL		
	Males	Females	Persons	Males	Females	Persons	Males	Females	Persons
54	81	66	147	95	81	176	176	147	323
55	75	42	117	125	89	214	200	131	331
56	89	61	150	121	117	238	210	178	388
57	86	69	155	132	63	195	218	132	350
58	120	87	207	125	91	216	245	178	423
59	101	69	170	123	94	217	224	163	387
60	139	117	256	198	188	386	337	305	642
61	91	65	156	132	95	227	223	160	383
62	114	115	229	187	142	329	301	257	558
63	113	99	212	186	149	335	299	248	547
64	130	122	252	224	160	384	354	282	636
65	157	126	283	289	206	495	446	332	778
66	116	126	242	226	158	384	342	284	626
67	109	123	232	221	175	396	330	298	628
68	148	163	311	330	235	565	478	398	876
69	179	132	311	343	221	564	522	353	875
70	199	208	407	431	342	773	630	550	1,180
71	133	159	292	334	294	628	467	453	920
72	182	164	346	498	342	840	680	506	1,186
73	140	189	329	516	382	898	656	571	1,227
74	163	199	362	499	415	914	662	614	1,276
75	178	207	385	532	449	981	710	656	1,366
76	165	182	347	500	402	902	665	584	1,249
77	123	151	274	510	373	883	633	524	1,157
78	146	152	298	525	432	957	671	584	1,255
79	95	152	247	436	330	766	531	482	1,013
80	128	184	312	556	463	1,019	684	647	1,331
81	85	90	175	341	274	615	426	364	790
82	84	125	209	404	349	753	488	474	962
83	64	103	167	304	267	571	368	370	738
84	66	110	176	328	294	622	394	404	798
85	41	91	132	214	271	485	255	362	617
86	49	84	133	216	216	432	265	300	565
87	30	57	87	173	166	339	203	223	426
88	22	44	66	94	101	195	116	145	261
89	23	29	52	87	97	184	110	126	236
90	18	38	56	99	108	207	117	146	263
91	5	22	27	47	60	107	52	82	134
92	8	25	33	42	45	87	50	70	120
93	4	12	16	23	53	76	27	65	92
94	3	13	16	19	32	51	22	45	67
95	2	14	16	15	28	43	17	42	59
96	2	4	6	15	17	32	17	21	38
97	1	9	10	11	18	29	12	27	39
98	1	2	3	5	9	14	6	11	17
99	.	1	1	6	10	16	6	11	17
100	.	2	2	5	8	13	5	10	15
101	.	.	.	1	.	1	1	.	1
102	.	1	1	1	2	3	1	3	4
103	.	.	.	2	.	2	2	.	2
104	.	.	.	.	.	.	.	.	.
105	.	.	.	1	.	1	1	.	1
TOTAL	6,029	6,165	12,194	13,997	11,550	25,547	20,026	17,715	37,741









TABLE 19 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTER

Detailed Inter- national List Nos.	CAUSES OF DEATH	TOTAL DEATHS	AGE AT							
			All Ages	Under 1 year	1 and under 2	2 and under 3	3 and under 4	4 and under 5	Total under 5 years	5-9
045	Bacillary Dysentery ... {M. F.	2	1 1	1	.	.	.	.	1	.
046	Amoebiasis ... {M. F.	1	1	.	.	.	.	.	.	.
048	Unspecified Forms of Dysentery ... {M. F.	1	1	.	.	.	.	.	.	.
050	Scarlet Fever ... {M. F.	8	3 5	1	.	.	.	1	2	1 1
051	Streptococcal Sore Throat ... {M. F.	2	1 1	.	1	.	.	1	1	.
052	Erysipelas ... {M. F.	2	2	.	.	.	.	.	.	.
053	Septicaemia and Pyaemia ... {M. F.	28	18 10	3 4	.	1	.	.	3 5	.
055	Diphtheria ... {M. F.	5	2 3	.	.	2	.	.	2	1 1
056	Whooping Cough ... {M. F.	65	35 30	25 17	5 6	3 1	1 3	1 1	35 28	. 2
057	Meningococcal Infections ... {M. F.	18	12 6	5 3	.	1 1	.	.	6 4	1
061	Tetanus ... {M. F.	15	12 3	.	.	1 1	.	.	1 1	4
070	Vincent's Infection ... {M. F.	2	1 1	.	1	.	.	.	1	.
072	Leptospirosis Icterohaemorrhagica (Weil's Disease) {M. F.	12	10 2	.	.	.	.	.	.	1
074	Other Spirochaetal and Leptospiro-chaetal Infections {M. F.	1	1	.	.	.	.	.	.	.
080	Acute Poliomyelitis ... {M. F.	30	14 16	1	.	1	3	1	1 5	2 1
081	Late Effects of Acute Poliomyelitis {M. F.	1	1	.	.	.	.	.	.	.
082	Acute Infectious Encephalitis ... {M. F.	5	2 3	1	.	.	.	.	1	1
083	Late Effects of Acute Infectious Encephalitis {M. F.	3	2 1	.	.	.	.	.	.	.
085	Measles ... {M. F.	35	18 17	6 11	7 3	1	3 1	1	16 17	1
089	Mumps ... {M. F.	2	2	.	.	.	.	.	.	1
092	Infectious Hepatitis ... {M. F.	20	12 8	1 1	.	.	.	1	1 2	1 2
096	Other Diseases attributable to Viruses {M. F.	1	1	.	.	.	.	.	.	.
116	Other and Unspecified Forms of Malaria {M. F.	1	1	.	.	.	.	.	.	.
130	Infestation with Worms of Other, Mixed and Unspecified Type {M. F.	4	3 1	.	.	2 1	.	1	3 1	.
131	Dermatophytosis ... {M. F.	2	1 1	.	.	.	.	.	.	.
132	Actinomycosis ... {M. F.	2	1 1	.	.	.	.	.	.	.
138	Other Infective and Parasitic Diseases {M. F.	1	1	.	.	.	.	.	.	.

## NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

## DEATH

10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Detailed International List Nos.
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	045
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	046
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	048
.	1	1	.	.	1	.	.	.	.	.	.	1	.	.	.	050
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	051
.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	052
.	1	.	.	.	1	.	1	.	5	3	2	1	.	1	2	053
.	.	.	.	.	1	.	.	.	1	1	1	.	.	.	.	055
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	056
1	.	.	1	2	.	.	.	1	1	.	.	.	.	.	.	057
1	1	.	.	1	.	1	1	.	3	.	.	.	.	.	1	061
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	070
.	.	.	1	1	.	3	.	.	.	2	2	1	.	.	.	072
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	074
1	4	3	2	1	1	.	1	1	2	.	1	.	1	.	.	080
.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	081
.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	082
.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	083
1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	085
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	089
.	.	.	1	.	1	1	.	1	1	2	1	1	.	1	1	092
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	096
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	116
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	130
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	131
.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	132
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	138



TABLE 19 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTER

Detailed Inter- national List Nos.	CAUSES OF DEATH	TOTAL DEATHS	AGE AT							
			All Ages	Under 1 year	1 and under 2	2 and under 3	3 and under 4	4 and under 5	Total under 5 years	5-9
140- 239	II. Neoplasms ... {M. F.	4,371	2,328 2,043	1 3	1 1	2 6	7 1	2 4	13 15	10 9
140	Malignant Neoplasm of Lip ... {M. F.	41	34 7	.	.	.	.	.	.	.
141	Malignant Neoplasm of Tongue ... {M. F.	68	55 13	.	.	.	.	.	.	.
142	Malignant Neoplasm of Salivary Gland {M. F.	10	7 3	.	.	.	.	.	.	.
143	Malignant Neoplasm of Floor of Mouth {M. F.	12	12	.	.	.	.	.	.	.
144	Malignant Neoplasm of Other Parts of Mouth and Mouth Unspecified {M. F.	38	32 6	.	.	.	.	.	.	.
145	Malignant Neoplasm of Oral Mesopharynx {M. F.	13	12 1	.	.	.	.	.	.	.
146	Malignant Neoplasm of Nasopharynx {M. F.	3	3	.	.	.	.	.	.	.
147	Malignant Neoplasm of Hypopharynx {M. F.	2	2	.	.	.	.	.	.	.
148	Malignant Neoplasm of Pharynx, Unspecified {M. F.	73	53 20	.	.	.	.	.	.	.
150	Malignant Neoplasm of Oesophagus {M. F.	143	73 70	.	.	.	.	.	.	.
151	Malignant Neoplasm of Stomach {M. F.	993	545 448	.	.	.	1	.	1	.
152	Malignant Neoplasm of Small Intestine, including Duodenum {M. F.	21	8 13	.	.	.	.	.	.	.
153	Malignant Neoplasm of Large Intestine, except Rectum {M. F.	475	258 217	.	.	.	.	.	.	.
154	Malignant Neoplasm of Rectum ... {M. F.	251	149 102	.	.	.	.	.	.	.
155	Malignant Neoplasm of Biliary Passages and of Liver (stated to be primary site) {M. F.	47	14 33	.	.	.	.	.	.	.
156	Malignant Neoplasm of Liver (secondary and unspecified) {M. F.	182	94 88	.	.	1	.	.	1	.
157	Malignant Neoplasm of Pancreas {M. F.	117	63 54	.	.	.	.	.	.	.
158	Malignant Neoplasm of Peritoneum {M. F.	15	7 8	.	.	.	.	.	.	.
160	Malignant Neoplasm of Nose, Nasal Cavities, Middle Ear and Accessory Sinuses {M. F.	11	7 4	.	.	.	.	.	.	.
161	Malignant Neoplasm of Larynx ... {M. F.	65	48 17	.	.	.	.	.	.	.
162	Malignant Neoplasm of Trachea, and of Bronchus and Lung Specified as primary {M. F.	38	30 8	.	.	.	.	.	.	.
163	Malignant Neoplasm of Lung and Bronchus, Unspecified as to whether primary or secondary {M. F.	186	140 46	.	.	.	.	.	.	.
164	Malignant Neoplasm of Mediastinum {M. F.	9	8 1	.	.	.	.	.	.	.
170	Malignant Neoplasm of Breast ... {M. F.	317	5 312	.	.	.	.	.	.	.
171	Malignant Neoplasm of Cervix Uteri F.	26	26	.	.	.	.	.	.	.
172	Malignant Neoplasm of Corpus Uteri F.	7	7	.	.	.	.	.	.	.
173	Malignant Neoplasm of Other parts of Uterus, including Chorionepithelioma F.	2	2	.	.	.	.	.	.	.
174	Malignant Neoplasm of Uterus, Unspecified F.	118	118	.	.	.	.	.	.	.
175	Malignant Neoplasm of Ovary Fallopian Tube and Broad Ligament F.	74	74	.	.	.	.	1	1	1

## NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																Detailed Inter- national List Nos.
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
8 7	9 7	7 6	16 13	23 30	34 52	64 76	105 120	142 173	221 192	297 275	440 309	420 339	343 238	134 129	42 53	140 239
.	.	.	.	.	.	1	.	.	4	7	1 1	10 1	2 2	5 2	4 1	140
.	.	.	.	.	.	.	.	3	6 1	8 1	10 1	11 4	13 2	2 3	2 1	141
.	.	.	.	.	.	.	.	.	.	1 1	2	2	1	1 1	1	142
.	.	.	.	.	.	.	.	.	2	1	4	1	3	1	.	143
.	.	.	.	.	.	.	.	.	1 1	5 1	8 1	10 1	7 1	1 1	.	144
.	.	.	.	.	.	.	.	.	2	1 1	2	3	2	2	.	145
.	.	.	.	.	.	.	2	.	.	.	.	.	1	.	.	146
.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	147
.	.	.	.	.	.	.	1	1 1	4 2	6 5	7 6	16 3	14 3	4	.	148
.	.	.	1	1	1 1	1 3	1 6	5 8	9 9	7 9	15 11	17 13	12 5	4 3	1	150
.	.	1	2	3 3	7 3	15 10	24 17	33 28	62 40	78 64	136 87	93 89	66 70	18 28	9 6	151
.	.	.	1	.	1	.	.	1	2 1	2 1	.	1 2	1 2	2 2	.	152
.	.	.	1	.	5 3	5 5	12 9	6 14	15 21	27 28	52 32	57 46	55 34	18 19	5 4	153
.	.	.	.	2	1 2	2 5	6 3	8 8	15 9	15 13	32 20	36 13	25 15	9 7	5	154
.	.	.	.	.	1 1	.	.	1 1	.	1 4	6 5	2 8	2 5	.	1	155
.	.	1	.	.	2 4	2 1	3 2	6 4	11 5	15 7	19 16	21 24	12 14	2 9	1	156
.	.	.	.	1	1 1	.	3 5	5 2	11 4	10 10	12 9	9 11	7 7	3 2	2 2	157
.	.	1	.	1	1	.	.	1	.	2 2	1 1	1 2	1	.	.	158
.	.	.	.	.	.	.	1	.	1	1	2 2	.	1 1	.	1	160
.	.	.	.	1 1	2	1	2	3	3 2	12 4	4 4	6 3	10 3	4	.	161
.	.	1 1	.	.	1	3	2 1	5	7	6 1	2 2	3 2	1	.	.	162
.	.	.	.	3 2	4	6 3	17 2	21 3	26 8	25 6	19 13	14 7	3 1	1	1	163
.	1	.	.	.	.	.	1	1	2	.	.	.	2	2	.	164
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	170
.	.	1	1	3	14	19	29	38	35	48	33	38	22	18	13	171
.	.	.	.	2	2	2	3	5	4	2	1	3	.	2	.	172
.	.	.	.	1	.	.	.	.	.	1	2	1	1	1	.	173
.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	174
.	.	.	1	3	5	5	12	17	15	11	21	11	8	4	5	175
.	.	.	1	.	3	7	7	12	6	15	5	8	5	3	.	176



TABLE 19 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTER

Detailed Inter- national List Nos.	CAUSES OF DEATH	TOTAL DEATHS	AGE AT							
			All Ages	Under 1 year	1 and under 2	2 and under 3	3 and under 4	4 and under 5	Total under 5 years	5-9
176	Malignant Neoplasm of Other and Unspecified Female Genital Organs F.	11	11	.	.	.	.	.	.	.
177	Malignant Neoplasm of Prostate ... M.	165	165	.	.	.	.	.	.	.
178	Malignant Neoplasm of Testis ... M.	6	6	.	.	.	.	.	.	.
179	Malignant Neoplasm of Other and Unspecified Male Genital Organs M.	8	8	.	.	.	1	.	1	.
180	Malignant Neoplasm of Kidney ... {M. F.	32	21 11	.	.	1	.	1	1 1	2 1
181	Malignant Neoplasm of Bladder and Other Urinary Organs {M. F.	70	43 27	.	.	.	.	.	.	.
190	Malignant Melanoma of Skin ... {M. F.	7	3 4	.	.	.	.	.	.	.
191	Other Malignant Neoplasm of Skin {M. F.	92	53 34	.	.	.	.	.	.	.
192	Malignant Neoplasm of Eye ... {M. F.	12	8 4	.	.	1	.	.	1	.
193	Malignant Neoplasm of Brain and Other parts of Nervous System {M. F.	33	23 10	.	.	.	2	.	2	3 1
194	Malignant Neoplasm of Thyroid Gland {M. F.	14	3 11	.	.	.	.	.	.	.
195	Malignant Neoplasm of Other Endocrine Glands {M. F.	4	3 1	.	.	1	.	.	1	.
196	Malignant Neoplasm of Bone (including Jaw Bone) {M. F.	66	50 16	.	.	1	.	.	1	.
197	Malignant Neoplasm of Connective Tissue {M. F.	3	3	.	.	.	.	.	.	.
198	Secondary and Unspecified Malignant Neoplasm of Lymph Nodes {M. F.	23	16 7	.	.	.	.	1	1	.
199	Malignant Neoplasm of Other and Unspecified Sites {M. F.	174	96 78	.	.	.	.	.	.	.
200	Lymphosarcoma and Reticulosarcoma {M. F.	18	12 6	.	.	.	.	.	.	1
201	Hodgkin's Disease ... {M. F.	37	23 14	.	.	.	.	.	.	.
203	Multiple Myeloma (Plasmocytoma) {M. F.	2	1 1	.	.	.	.	.	.	.
204	Leukaemia and Aleukaemia ... {M. F.	77	45 32	1	1	1	3	1 2	4 5	4 3
205	Mycosis Fungoides ... {M. F.	2	2	.	.	.	.	.	.	.
211	Benign Neoplasm of Other Parts of Digestive System {M. F.	1	1	.	.	.	.	.	.	.
212	Benign Neoplasm of Respiratory System {M. F.	3	3	.	.	.	.	.	.	.
214	Uterine Fibromyoma ... F.	2	2	.	.	.	.	.	.	.
216	Benign Neoplasm of Ovary ... F.	3	3	.	.	.	.	.	.	.
218	Benign Neoplasm of Male Genital Organs M.	1	1	.	.	.	.	.	.	.
219	Benign Neoplasm of Kidney and Other Urinary Organs {M. F.	7	6 1	.	.	.	.	.	.	.
223	Benign Neoplasm of Brain and Other Parts of Nervous System {M. F.	6	4 2	.	.	.	.	.	.	.
224	Benign Neoplasm of Endocrine Glands {M. F.	3	2 1	.	.	.	.	.	.	.
225	Benign Neoplasm of Bone and Cartilage {M. F.	1	1	.	.	.	.	.	.	.
227	Other Benign Neoplasm of Muscular and Connective Tissue {M. F.	1	1	.	.	.	.	.	.	.

## NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

## DEATH

10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Detailed International List Nos.
.	.	.	.	.	.	.	2	.	1	1	1	2	2	2	.	176
.	.	.	.	.	.	.	.	3	3	14	32	39	43	24	7	177
.	.	.	1	1	1	1	.	1	.	.	1	.	.	.	.	178
.	.	.	.	.	.	.	2	.	1	.	1	2	1	.	.	179
.	.	.	.	.	1	1	2	3	3	2	2	1	3	.	.	180
.	.	.	.	.	.	.	.	1	1	1	3	3	.	1	.	181
.	.	1	.	.	.	.	1	5	1	9	8	3	11	4	.	181
.	.	.	.	1	.	.	.	3	.	5	7	7	3	1	.	181
.	.	.	1	.	.	.	1	.	.	.	.	1	.	.	.	190
.	.	.	.	.	.	.	.	1	1	.	.	1	1	.	.	190
.	.	.	.	.	.	.	1	2	5	5	11	14	9	6	5	191
.	.	.	.	.	.	.	.	.	1	4	1	4	9	8	7	191
.	.	.	.	.	.	.	1	1	.	.	1	1	.	3	.	192
.	.	.	.	.	.	.	1	.	.	1	.	1	1	.	.	192
4	.	.	1	2	1	1	3	2	3	1	.	.	.	.	.	193
.	1	.	1	1	1	1	2	.	1	1	.	.	.	.	.	193
.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	.	194
.	.	.	.	1	.	.	1	4	.	2	2	.	1	.	.	194
.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	195
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	195
.	2	.	.	1	.	1	3	7	2	4	10	5	4	9	2	196
.	.	.	1	.	1	1	.	3	1	.	4	1	1	2	.	196
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	197
.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	197
.	1	.	.	2	.	.	1	2	2	.	4	1	3	.	.	198
.	.	.	1	.	.	1	1	.	.	.	1	.	2	.	.	198
.	.	.	.	1	.	6	1	5	6	11	13	20	23	7	3	199
2	1	.	2	1	2	2	4	10	4	11	5	13	13	5	3	199
.	1	.	.	1	1	2	2	.	.	1	2	1	.	.	.	200
1	.	.	.	.	.	.	1	.	1	2	.	1	.	.	.	200
1	1	1	4	.	.	2	3	3	.	1	5	3	.	.	.	201
.	1	.	1	.	1	2	2	.	2	.	2	2	.	1	.	201
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	203
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	203
2	3	1	4	3	.	3	.	1	2	6	8	3	1	.	.	204
3	1	.	.	3	.	.	4	2	4	2	2	2	1	.	.	204
.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	205
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	211
.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	212
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	214
.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	.	216
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	218
.	.	.	.	.	.	.	1	.	.	.	1	3	1	.	.	219
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	223
.	1	.	.	.	1	1	.	1	.	1	.	.	.	.	.	223
.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	224
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	224
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	225
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	227



TABLE 19 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTER

Detailed Inter- national List Nos.	CAUSES OF DEATH	TOTAL DEATHS	AGE AT							
			All Ages	Under 1 year	1 and under 2	2 and under 3	3 and under 4	4 and under 5	Total under 5 years	5-9
228	Haemangioma and Lymphangioma {M. F.	2	1 1	1 1	.	.	.	.	1 1	.
230	Neoplasm of Unspecified Nature of {M. Digestive Organs {F.	21	11 10	.	.	.	.	.	.	.
231	Neoplasm of Unspecified Nature of {M. Respiratory Organs {F.	16	11 5	.	.	.	.	.	.	.
232	Neoplasm of Unspecified Nature of {M. Breast {F.	1	1	.	.	.	.	.	.	.
233	Neoplasm of Unspecified Nature of F. Uterus	1	1	.	.	.	.	.	.	.
234	Neoplasm of Unspecified Nature of F. Ovary	6	6	.	.	.	.	.	.	.
236	Neoplasm of Unspecified Nature of {M. Other Genito-urinary Organs {F.	6	5 1	.	.	.	.	.	.	.
237	Neoplasm of Unspecified Nature of {M. Brain and Other Parts of Nervous {F. System	61	34 27	.	1	2	.	.	1 2	3
238	Neoplasm of Unspecified Nature of {M. Skin and Musculoskeletal System {F.	3	1 2	.	.	.	.	.	.	.
239	Neoplasm of Unspecified Nature of {M. Other and Unspecified Organs {F.	13	4 9	1	.	.	1	.	2	.
240- 289	III. Allergic Endocrine System, Meta- bolic and Nutritional Diseases {M. F.	584	305 279	5 8	10 4	3 1	4	3	18 20	3 5
241	Asthma ... {M. F.	236	159 77	.	1	.	.	.	1	1
242	Angioneurotic Oedema ... {M. F.	1	1	.	.	.	.	.	.	.
250	Simple Goitre ... {M. F.	10	1 9	.	.	.	.	.	.	.
251	Nontoxic Nodular Goitre ... {M. F.	1	1	.	.	.	.	.	.	.
252	Thyrotoxicosis with or without {M. Goitre {F.	28	4 24	.	.	.	.	.	.	.
253	Myxoedema and Cretinism ... {M. F.	12	2 10	.	1 2	.	.	.	1 2	.
254	Other Diseases of Thyroid Gland {M. F.	3	3	.	.	.	.	.	.	.
260	Diabetes Mellitus ... {M. F.	220	105 115	.	.	.	1	.	1	1
270	Disorders of Pancreatic Internal {M. Secretion other than Diabetes {F. Mellitus	1	1	.	.	.	.	.	.	.
272	Diseases of Pituitary Gland ... {M. F.	6	2 4	.	.	.	.	.	.	.
273	Diseases of Thymus Gland ... {M. F.	14	6 8	3 3	2	1	1	.	5 5	1 2
274	Diseases of Adrenal Glands ... {M. F.	10	3 7	.	.	.	.	.	.	.
282	Scurvy ... {M. F.	1	1	.	.	.	.	.	.	.
283	Active Rickets ... {M. F.	11	5 6	1	3 2	2	1	1	5 5	1
286	Other Avitaminoses and Nutritional {M. Deficiency States {F.	23	13 10	2 4	3	1	1	2	6 7	1 1
287	Obesity, not specified as of Endocrine {M. Origin {F.	2	2	.	.	.	.	.	.	.
289	Other Metabolic Diseases ... {M. F.	5	1 4	.	.	.	.	.	.	.

NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																Detailed Inter- national List Nos.
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	228
.	.	.	.	1	1	1	1	.	2	1	1	1	2	.	.	230
.	.	.	.	.	.	2	2	.	1	2	2	3	.	1	1	231
.	.	.	.	1	1	.	1	.	2	4	1	1	1	.	.	232
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	233
.	.	.	.	.	1	1	.	1	.	1	.	1	.	.	1	234
.	.	.	.	.	.	.	2	1	1	.	.	.	.	1	.	236
1	1	1	3	2	2	2	3	6	4	4	1	2	.	1	.	237
1	.	.	.	1	5	4	2	4	2	1	1	.	1	.	.	238
.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	239
.	.	.	.	1	.	1	.	.	.	1	1	1	.	1	.	240-
2	3	11	5	6	8	15	16	23	31	33	30	44	40	11	6	289
2	4	5	7	17	11	16	8	17	16	24	38	46	30	9	4	241
.	1	2	2	2	4	8	11	13	23	18	20	19	21	8	6	242
.	.	.	2	6	3	5	3	3	6	11	9	11	10	3	4	250
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	251
.	.	.	.	1	1	1	.	2	.	2	1	1	1	.	.	252
.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	253
.	.	.	2	3	3	1	1	.	2	4	6	2	.	.	.	254
.	.	1	1	.	1	.	1	.	.	.	.	3	1	1	.	260
.	.	1	.	.	1	.	.	.	1	.	.	.	.	.	.	270
1	3	7	2	4	4	4	3	10	5	11	8	23	18	2	.	272
2	2	3	1	4	1	5	2	11	6	5	20	28	17	6	.	273
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	274
.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	282
.	.	.	1	.	.	.	1	1	.	1	.	.	.	.	.	283
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	286
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	287
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	289
.	.	.	1	.	.	.	.	.	2	2	1	.	1	.	.	
.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	
.	.	.	.	.	1	1	.	.	1	.	1	1	.	.	.	



TABLE 19 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTER

Detailed Inter- national List Nos.	CAUSES OF DEATH	TOTAL DEATHS	AGE AT							
			All Ages	Under 1 year	1 and under 2	2 and under 3	3 and under 4	4 and under 5	Total under 5 years	5-9
290- 299	IV. Diseases of the Blood and Blood- forming Organs {M. F.	332	144 188	3 4	1	2	.	1	7 4	2 1
290	Pernicious and Other Hyperchronic {M. Anaemias F.	182	82 100	.	.	.	.	.	.	.
291	Iron Deficiency Anaemias (Hypo- {M. chronic Anaemias) F.	5	1 4	.	.	.	.	.	.	.
292	Other Anaemias of Specified Type {M. F.	34	17 17	1	1	.	.	1	3	2 1
293	Anaemia of Unspecified Type ... {M. F.	59	22 37	.	.	.	.	.	.	.
294	Polycythaemia ... ... {M. F.	5	3 2	.	.	.	.	.	.	.
296	Purpura and Other Haemorrhagic {M. Conditions F.	28	11 17	2 4	.	2	.	.	4 4	.
297	Agranulocytosis ... ... {M. F.	5	2 3	.	.	.	.	.	.	.
298	Diseases of the Spleen ... ... {M. F.	11	5 6	.	.	.	.	.	.	.
299	Other Diseases of Blood and Blood- {M. forming Organs F.	3	1 2	.	.	.	.	.	.	.
300- 326	V. Mental, Psychoneurotic and Per- {M. sonality Disorders F.	125	53 72	8 3	1	.	1	2	9 6	2
300	Schizophrenic Disorders (Dementia {M. Praecox) F.	1	1	.	.	.	.	.	.	.
301	Manic-depressive Reaction ... {M. F.	25	12 13	.	.	.	.	.	.	.
304	Senile Psychosis ... ... {M. F.	49	14 35	.	.	.	.	.	.	.
309	Other and Unspecified Psychoses {M. F.	9	7 2	.	.	.	.	.	.	.
311	Hysterical Reaction without mention {M. of Anxiety Reaction F.	1	1	.	.	.	.	.	.	.
316	Psychoneurosis with Somatic Symp- {M. toms (Somatization Reactions) F.	1	1	.	.	.	.	1	1	.
318	Psychoneurotic Disorders, Other, {M. Mixed and Unspecified Types F.	11	4 7	.	.	.	.	.	.	.
322	Alcoholism ... ... {M. F.	3	2 1	.	.	.	.	.	.	.
325	Mental Deficiency ... ... {M. F.	25	14 11	8 3	1	.	1	1	9 5	2
330- 398	VI. Diseases of the Nervous System {M. and Sense Organs F.	3,656	1,675 1,981	21 24	10 8	4 3	9 4	1 2	45 41	9 6
330	Subarachnoid Haemorrhage ... {M. F.	67	37 30	.	.	1	1	.	1 1	.
331	Cerebral Haemorrhage ... ... {M. F.	1,450	657 793	3 2	.	1	1	.	3 4	.
332	Cerebral Embolism and Thrombosis {M. F.	766	332 434	.	.	.	.	.	.	.
334	Other and Ill-defined Vascular {M. Lesions affecting Central Nervous F.	378	170 208	1	.	.	1	.	2	1
340	Meningitis, except Meningococcal {M. and Tuberculous F.	100	52 48	11 19	6 3	.	8 1	1	26 23	5 4
341	Phlebitis and Thrombophlebitis of {M. Intracranial Venous Sinuses F.	2	1 1	1	.	.	.	.	1	.

NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																Detailed Inter- national List Nos.
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
2 2	1	6	9	1 6	4 6	4 3	3 10	9 18	9 11	14 19	34 27	31 33	21 23	3 6	3	290- 299
.	.	1	2	1 2	2 4	2 1	1 6	2 12	3 4	12 11	22 16	24 20	11 16	2 3	2	290
.	.	.	1	.	.	.	1	.	.	.	.	1	1	1	.	291
1	1	1	2	2	.	1	2 1	3 1	1 1	1 2	2 2	2 2	.	.	.	292
.	.	.	2	1	.	2	.	1 2	2 4	.	6 6	4 9	6 6	1 2	1	293
.	.	.	.	.	.	.	.	.	1	1	1	1	1	.	.	294
1 2	.	3	1	1	1	.	.	1 1	1 .	.	2 1	1 .	1 1	.	.	296
.	.	1	.	.	1	.	.	1	.	1	.	.	.	.	.	297
.	.	.	1	.	1	.	.	1	2	1	2	.	1	.	.	298
.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	.	299
1	1	1	3 2	2 3	1	4 2	3 2	6 4	3 2	5 6	1	4 14	6 8	3 12	3 5	300- 326
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	300
.	.	1	1	2 1	.	2 1	1	1 4	3 1	2 2	.	1	1	.	.	301
.	.	.	.	.	.	.	.	.	.	1 2	1	3 8	5 8	2 12	3 4	304
.	.	.	1	.	.	2	.	3	.	.	.	2	.	1	.	309
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	311
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	316
.	.	.	1	2	.	.	1	1	.	1 2	.	1 2	.	.	.	318
.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	1	322
1	1	.	1	.	1	1	1	1	.	1	.	.	.	.	.	325
13 9	13 11	18 14	10 11	14 23	25 32	34 28	46 42	74 101	78 110	139 197	218 278	359 394	328 368	201 214	51 102	330- 398
1	2 1	4	1	3 3	4 2	2 2	3 1	6 3	1 2	2 6	5 3	1 3	1	1	1	330
2	.	2	1 4	3 1	3 9	13 10	7 14	24 50	41 51	60 87	79 121	168 160	142 157	84 79	25 46	331
.	.	1 1	1	1 3	1 4	2 2	6 3	10 14	13 20	26 49	37 57	78 96	86 95	59 58	12 32	332
.	.	.	.	1	1	2 4	2 4	4 6	8 14	12 16	24 33	47 46	37 42	25 29	6 11	334
4 4	2 4	1 5	2 1	2	1 1	2 2	2 1	1 1	1	1	3	1	.	.	.	340
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	341



TABLE 19 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTER

Detailed Inter- national List Nos.	CAUSES OF DEATH	TOTAL DEATHS	AGE AT							
			All Ages	Under 1 year	1 and under 2	2 and under 3	3 and under 4	4 and under 5	Total under 5 years	5-9
342	Intracranial and Intrasplinal Abscess {M. F.	14	10 4	1	.	1	.	.	2	.
343	Encephalitis, Myelitis and Encephalo- myelitis except Acute Infections {M. F.	24	10 14	.	1 2	1	.	1	2 4	.
344	Late Effects of Intracranial Abscess {M. or Pyogenic Infection F.	5	4 1	.	1 1	.	.	.	1 1	2
345	Multiple Sclerosis ... {M. F.	73	45 28	.	.	.	.	.	.	.
350	Paralysis Agitans ... {M. F.	98	47 51	.	.	.	.	.	.	.
351	Cerebral Spastic Infantile Paralysis {M. F.	12	9 3	.	1	.	.	.	1	.
352	Other Cerebral Paralysis ... {M. F.	462	192 270	.	.	.	.	.	.	.
353	Epilepsy ... {M. F.	115	63 52	2	2	1	.	2	4 3	1 1
355	Other Diseases of Brain ... {M. F.	13	10 3	.	1	.	.	.	1	.
356	Motor Neurone Disease and Muscu- lar Atrophy {M. F.	42	21 21	.	.	.	.	.	.	.
357	Other Diseases of Spinal Cord ... {M. F.	9	3 6	.	.	.	.	.	.	.
362	Brachial Neuritis ... {M. F.	2	2	.	.	.	.	.	.	.
364	Polyneuritis and Polyradiculitis ... {M. F.	5	2 3	.	.	.	.	.	.	.
365	Erythraedema Polyneuritica ... {M. F.	1	1	.	.	1	.	.	1	.
366	Other and Unspecified Forms of {M. Neuralgia and Neuritis F.	4	1 3	.	.	.	.	.	.	.
367	Other Diseases of Cranial Nerves {M. F.	1	1	.	.	.	.	.	.	.
379	Other Inflammatory Diseases of Eye {M. F.	1	1	.	.	.	.	.	.	.
390	Otitis Externa ... {M. F.	1	1	.	.	.	.	.	.	.
391	Otitis Media without mention of {M. Mastoiditis F.	8	5 3	3 1	.	.	.	.	3 1	.
392	Otitis Media with Mastoiditis ... {M. F.	1	1	.	.	1	.	.	1	.
393	Mastoiditis without mention of Otitis {M. Media F.	2	1 1	.	.	.	.	.	.	1
400- 468	VII. Diseases of the Circulatory {M. System F.	11,887	6,419 5,468	5 1	2	1	2 1	2 3	12 5	11 6
400	Rheumatic Fever without mention {M. of Heart Involvement F.	12	6 6	.	.	.	.	.	.	.
401	Rheumatic Fever with Heart In- {M. volvement F.	61	31 30	.	.	.	1	1	1 2	2 3
410	Diseases of Mitral Valve ... {M. F.	12	8 4	.	.	.	.	.	.	.
411	Diseases of Aortic Valve Specified {M. as Rheumatic F.	5	3 2	.	.	.	.	.	.	.
412	Diseases of Tricuspid Valve ... {M. F.	1	1	.	.	.	.	.	.	.





TABLE 19 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTER

Detailed Inter- national List Nos.	CAUSES OF DEATH	TOTAL DEATHS	AGE AT							
			All Ages	Under 1 year	1 and under 2	2 and under 3	3 and under 4	4 and under 5	Total under 5 years	5-9
413	Diseases of Pulmonary Valve Specified as Rheumatic {M. F.	1	1	.	.	.	.	.	.	.
414	Other Endocarditis Specified as Rheumatic {M. F.	56	29 27	.	.	.	.	.	.	2
415	Other Myocarditis Specified as Rheumatic {M. F.	21	14 7	.	.	.	.	.	.	.
416	Other Heart Disease Specified as Rheumatic {M. F.	49	27 22	.	.	.	.	.	.	1
420.0	Arteriosclerotic Heart Disease ... {M. F.	49	32 17	.	.	.	.	.	.	.
420.1	Heart Disease Specified as Involving Coronary Arteries {M. F.	1,721	1,141 580	.	.	.	.	.	.	.
420.2	Angina Pectoris without mention of Coronary Disease {M. F.	136	95 41	.	.	.	.	.	.	.
421	Chronic Endocarditis not Specified as Rheumatic {M. F.	1,030	545 485	.	.	1	.	1	1 1	1 1
422 0	Fatty Degeneration ... {M. F.	29	14 15	.	.	.	.	.	.	.
422.1	Myocardial Degeneration with Arteriosclerosis {M. F.	328	198 130	1	1	.	.	.	2	.
422 2	Other Myocardial Degeneration ... {M. F.	5,706	2,885 2,821	1	.	.	.	1	1 1	4
430	Acute and Subacute Endocarditis ... {M. F.	38	27 11	.	.	.	1	.	1	1 1
431	Acute Myocarditis not Specified as Rheumatic {M. F.	55	23 32	1	.	.	.	.	1	.
432	Acute Pericarditis Specified as Non-rheumatic {M. F.	5	3 2	.	.	.	1	.	1	.
433	Functional Disease of Heart ... {M. F.	528	251 277	.	.	.	.	.	.	.
434	Other and Unspecified Diseases of Heart {M. F.	693	389 304	2 1	1	.	.	1	4 1	1
440	Essential Benign Hypertension with Heart Disease {M. F.	12	3 9	.	.	.	.	.	.	.
441	Essential Malignant Hypertension with Heart Disease {M. F.	6	2 4	.	.	.	.	.	.	.
442	Hypertensive Heart Disease with Arteriolar Nephrosclerosis {M. F.	17	5 12	.	.	.	.	.	.	.
443	Other and Unspecified Hypertensive Heart Disease {M. F.	317	156 161	.	.	.	.	.	.	.
444	Essential Benign Hypertension without Mention of Heart {M. F.	352	163 189	.	.	.	.	.	.	.
445	Essential Malignant Hypertension without Mention of Heart {M. F.	41	22 19	.	.	.	.	.	.	.
446	Hypertension with Arteriolar Nephrosclerosis without Mention of Heart {M. F.	32	16 16	.	.	.	.	.	.	.
447	Other Hypertensive Disease without Mention of Heart {M. F.	45	22 23	.	.	.	.	.	.	.
450	General Arteriosclerosis ... {M. F.	345	200 145	.	.	.	.	.	.	.
452	Other Aneurysm, except of Heart and Aorta {M. F.	4	3 1	.	.	.	.	.	.	.
453	Peripheral Vascular Disease ... {M. F.	2	1 1	.	.	.	.	.	.	.
454	Arterial Embolism and Thrombosis {M. F.	2	2	.	.	.	.	.	.	.

NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																Detailed Inter- national List Nos.
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	413
2 1	1 1	2 1	.	3 1	.	1 2	2 1	1 2	3 2	1 1	3 3	1 4	5 3	1 4	1	414
.	.	.	.	.	.	1	.	.	.	.	4	2 4	3 2	3 1	1	415
3 3	1 1	1	2 1	1 4	.	2 2	5 1	2	.	1 1	2 2	1	3 1	2	1	416
.	.	.	.	.	.	.	1	3	2 1	4	7 2	5 3	3 5	4 4	3 2	420.0
.	.	.	2 1	9 4	17 4	24 6	53 17	103 24	151 57	147 100	203 104	197 104	142 81	67 52	26 26	420.1
.	.	1	.	.	.	4	2	4 2	13 10	16 3	14 4	20 13	16 3	5 5	.	420.2
1 3	7 7	12 10	6 9	2 16	18 17	12 17	14 30	28 30	29 32	65 38	69 56	117 97	89 63	55 39	19 19	421
.	.	.	.	.	1	.	.	1	2 1	.	5 1	2 3	3 7	.	.	422.0
.	.	.	.	.	.	.	.	1 1	5 2	18 4	27 15	43 30	54 34	32 23	16 21	422.1
1	1	6 6	2 4	7 6	7 12	12 26	28 24	74 63	90 100	193 180	360 307	680 604	678 700	489 466	252 322	422.2
1	1 3	3 2	2	1	4 1	1	2	3 1	1	1 2	1	2	2 1	.	.	430
1	.	.	.	1 1	1	1 2	2 2	2 2	1	5 5	4 4	1 3	.	2 3	1 6	431
1	.	.	1	.	.	.	.	.	.	1	1	.	.	.	.	432
.	.	2	.	1 4	.	2 11	.	10 9	10 15	25 30	41 30	63 56	62 51	25 38	10 24	433
1	1	2 2	2 4	.	2 2	7 2	10 6	19 13	22 18	36 32	56 48	82 59	77 52	45 37	23 23	434
.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	440
.	.	.	.	.	.	.	.	1	1	.	2	1	2	2	.	441
.	.	1	.	.	.	.	1	1	1	.	.	.	.	.	.	442
.	.	.	.	1	.	.	.	.	1	1	1	1	2 5	1 2	1	443
.	.	.	.	.	.	3 1	1 3	9 8	10 10	18 18	32 27	40 42	26 31	14 16	3 5	444
.	.	.	.	.	1	6 3	2 8	9 9	22 15	22 18	21 32	39 51	21 33	15 15	5 4	445
.	.	1 1	1	1	5 2	2 4	1 2	3	5 1	4 3	.	1	1	1	.	446
.	.	.	1	1	1	1	.	3 1	1 2	3	3 1	1 5	1 2	.	1	447
.	.	.	.	.	.	1	.	.	1	3 2	2 4	5 5	8 3	1 7	2 1	450
.	.	.	.	.	1	.	.	3 2	8 1	11 12	20 12	50 36	53 39	27 20	28 22	452
1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	453
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	454



TABLE 19 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTER

Detailed Inter- national List Nos.	CAUSES OF DEATH	TOTAL DEATHS	AGE AT							
			All Ages	Under 1 year	1 and under 2	2 and under 3	3 and under 4	4 and under 5	Total under 5 years	5-9
455	Gangrene of Unspecified Cause ... {M. F.	88	59 29	.	.	.	.	.	.	.
456	Other Diseases of Arteries ... {M. F.	4	2 2	.	.	.	.	.	.	.
460	Varicose Veins of Lower Extremities {M. F.	14	5 9	.	.	.	.	.	.	.
461	Haemorrhoids ... {M. F.	1	1	.	.	.	.	.	.	.
462	Varicose Veins of Other Specified Sites {M. F.	1	1	.	.	.	.	.	.	.
463	Phlebitis and Thrombophlebitis of Lower Extremities {M. F.	3	1 2	.	.	.	.	.	.	.
464	Phlebitis and Thrombophlebitis of Other Sites {M. F.	13	6 7	.	.	.	.	.	.	.
465	Pulmonary Embolism and Infarction {M. F.	37	23 14	.	.	.	.	.	.	.
466	Other Venous Embolism and Thrombosis {M. F.	7	4 3	.	.	.	.	.	.	.
467	Other Diseases of Circulatory System {M. F.	4	4	.	.	.	.	.	.	.
468	Certain Diseases of Lymph Nodes and Lymph Channels {M. F.	4	1 3	.	.	.	.	.	.	.
470-527	VIII. Diseases of the Respiratory System {M. F.	2,856	1,541 1,315	254 189	44 37	16 10	10 7	5 7	329 250	10 16
470	Acute Nasopharyngitis (Common Cold) {M. F.	2	2	.	.	.	.	.	.	1
473	Acute Tonsillitis ... {M. F.	1	1	.	.	.	.	.	.	.
474	Acute Laryngitis and Tracheitis ... {M. F.	5	2 3	1	1	1	.	.	1 2	.
475	Acute Upper Respiratory Infection of Multiple or Unspecified Sites {M. F.	5	3 2	3 2	.	.	.	.	3 2	.
480	Influenza with Pneumonia ... {M. F.	52	28 24	4 7	2 1	.	1	.	7 8	1
481	Influenza with Other Respiratory Manifestations and Influenza Unqualified {M. F.	259	110 149	9 15	.	1	1	.	10 16	1 1
482	Influenza with Digestive Manifestations, but without Respiratory Symptoms {M. F.	11	5 6	.	1	.	.	2	1 2	.
483	Influenza with Nervous Manifestations but without Digestive or Respiratory Symptoms {M. F.	3	2 1	.	.	1	.	.	1	.
490	Lobar Pneumonia ... {M. F.	175	95 80	15 13	2 4	.	.	1	18 17	3 1
491	Bronchopneumonia ... {M. F.	610	321 289	133 78	28 23	5 5	4 3	2 3	172 112	6
492	Primary Atypical Pneumonia {M. F.	19	12 7	1 2	.	.	.	.	1 2	.
493	Pneumonia, Other and Unspecified {M. F.	367	220 147	55 38	8 4	6 2	4 1	1 1	74 46	3 4
500	Acute Bronchitis {M. F.	162	70 92	9 9	.	1	1 1	1	12 10	.
501	Bronchitis Unqualified ... {M. F.	427	227 200	20 16	2 2	.	.	1	22 19	.
502	Chronic Bronchitis .... {M. F.	404	253 151	.	.	1	.	.	1	.
510	Hypertrophy of Tonsils and Adenoids {M. F.	4	2 2	.	1	.	.	.	1	1





TABLE 19 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTER

Detailed Inter- national List Nos.	CAUSES OF DEATH	TOTAL DEATHS	AGE AT							
			All Ages	Under 1 year	1 and under 2	2 and under 3	3 and under 4	4 and under 5	Total under 5 years	5-9
511	Peritonsillar Abscess (Quinsy) ... {M. F.	2	1 1	.	.	.	.	.	.	.
513	Chronic Sinusitis ... {M. F.	1	1	.	.	1	.	.	1	.
516	Chronic Laryngitis ... {M. F.	1	1	1	.	.	.	.	1	.
517	Other Diseases of Upper Respiratory Tract {M. F.	8	4 4	1 1	1	.	.	.	2 1	1
518	Empyema ... {M. F.	13	10 3	.	.	.	.	.	.	1
519	Pleurisy ... {M. F.	28	17 11	.	1	.	.	.	1	.
520	Spontaneous Pneumothorax ... {M. F.	1	1	.	.	.	.	.	.	.
521	Abscess of Lung ... {M. F.	10	6 4	.	.	.	.	.	.	.
522	Pulmonary Congestion and Hypo- {M. F.	182	88 94	2 4	1	.	.	.	2 5	.
523	Pneumoconiosis due to Silica and Silicates (Occupational) {M. F.	1	1	.	.	.	.	.	.	.
525	Other Chronic Interstitial Pneumonia {M. F.	13	10 3	.	.	.	.	.	.	.
526	Bronchiectasis ... {M. F.	51	27 24	.	.	1	.	.	1	1
527	Other Diseases of Lung and Pleural Cavity {M. F.	39	22 17	.	3	1	1	.	1 4	.
530- 587	IX. Diseases of the Digestive System {M. F.	1,187	681 506	138 106	13 10	6 7	6 7	7 5	170 135	8 7
533	Disorders of Occlusion, Eruption and Tooth Development {M. F.	1	1	.	1	.	.	.	1	.
536	Stomatitis ... {M. F.	3	3	1	.	.	.	.	1	.
537	Diseases of Salivary Glands ... {M. F.	1	1	.	.	.	.	.	.	.
539	Diseases of Oesophagus ... {M. F.	7	1 6	.	.	.	.	.	.	.
540	Ulcer of Stomach ... {M. F.	148	111 37	.	.	.	.	.	.	.
541	Ulcer of Duodenum ... {M. F.	77	61 16	.	.	.	.	.	.	.
542	Gastrojejunal Ulcer ... {M. F.	3	3	.	.	.	.	.	.	.
543	Gastritis and Duodenitis ... {M. F.	48	24 24	5 5	2	3	.	.	10 5	.
544	Disorders of Function of Stomach {M. F.	4	2 2	1 1	.	.	.	.	1 1	.
545	Other Diseases of Stomach and Duodenum ... {M. F.	16	10 6	.	.	.	.	.	.	.
550	Acute Appendicitis ... {M. F.	55	32 23	.	1	1 1	.	1 1	2 4	5 4
551	Appendicitis Unqualified ... {M. F.	8	7 1	1	1	.	.	.	1 1	.
552	Other Appendicitis ... {M. F.	1	1	.	.	.	.	.	.	.
553	Other Diseases of Appendix ... {M. F.	8	5 3	.	.	.	.	1	1	.

NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																Detailed Inter- national List Nos.
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	511
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	513
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	516
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	517
.	.	.	.	.	1	.	1	1	.	.	3	1	2	1	.	518
.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	519
.	1	2	.	1	2	.	.	3	1	1	2	4	2	1	1	520
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	521
1	.	.	.	2	.	.	.	3	1	.	1	.	.	1	.	522
.	.	.	1	1	2	2	3	3	3	5	8	12	20	16	11	523
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	525
.	.	.	.	.	1	.	1	3	1	2	.	.	1	1	.	526
1	.	1	.	1	2	.	.	2	5	3	5	3	5	.	.	527
1	.	1	.	.	.	1	1	4	4	5	1	1	2	1	1	530
5	10	10	8	13	18	31	32	47	43	47	73	77	52	26	11	587
5	7	2	3	6	20	15	14	36	23	38	46	59	51	24	15	533
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	536
.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	537
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	539
.	.	.	.	.	.	.	.	1	.	1	.	2	2	.	.	540
.	2	3	2	4	5	4	10	17	15	7	17	12	12	.	1	541
.	.	.	.	1	2	2	.	2	3	5	10	6	5	1	.	542
.	.	.	2	2	4	8	6	6	4	4	7	6	8	4	.	543
.	.	.	.	1	.	1	1	4	2	.	4	2	1	.	.	544
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	545
1	.	.	.	.	.	.	.	1	1	1	2	3	5	.	.	550
.	.	.	.	.	.	.	.	1	1	3	3	4	2	3	1	551
.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	552
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	553
2	4	1	1	2	1	4	.	3	1	3	2	2	.	1	.	554
.	.	.	.	.	1	2	.	.	.	.	.	2	.	.	1	555
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	556
.	1	2	.	.	1	.	.	1	.	.	.	1	.	.	.	557



TABLE 19 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTER

Detailed Inter- national List Nos.	CAUSES OF DEATH	TOTAL DEATHS	AGE AT							
			All Ages	Under 1 year	1 and under 2	2 and under 3	3 and under 4	4 and under 5	Total under 5 years	5-9
560	Hernia of Abdominal Cavity without {M. Mention of Obstruction {F.	9	6 3	1	.	.	.	.	1	.
561	Hernia of Abdominal Cavity with {M. Obstruction ... {F.	70	40 30	3 1	.	.	.	.	3 1	.
570	Intestinal Obstruction, without {M. Mention of Hernia {F.	136	73 63	4 7	3 1	.	2 2	1	10 10	2
571	Gastro-enteritis and Colitis, except {M. Ulcerative, Age 4 Weeks and Over {F.	272	158 114	117 86	8 6	2 4	4 2	4 2	135 100	1 2
572	Chronic Enteritis and Ulcerative {M. Colitis {F.	38	18 20	1 1	.	.	1	.	1 2	.
573	Functional Disorders of Intestines ... {M. {F.	6	2 4	.	.	1	.	.	1	.
574	Anal Fissure and Fistula ... {M. {F.	1	1	.	.	.	.	.	.	.
575	Abscess of Anal and Rectal Regions {M. {F.	3	3	.	.	.	.	.	.	.
576	Peritonitis ... {M. {F.	26	13 13	2 2	.	.	1	1	2 4	.
577	Peritoneal Adhesion ... {M. {F.	5	1 4	.	.	.	.	.	.	.
578	Other Diseases of Intestines and {M. Peritoneum {F.	23	14 9	2	.	.	.	.	2	1
580	Acute and Subacute Yellow Atrophy {M. of Liver {F.	12	5 7	.	.	1	.	.	1	.
581	Cirrhosis of Liver ... {M. {F.	61	37 24	.	.	.	.	.	.	.
583	Other Diseases of Liver ... {M. {F.	11	5 6	.	.	.	.	.	.	.
584	Cholelithiasis ... {M. {F.	29	9 20	.	.	.	.	.	.	.
585	Cholecystitis without Mention of {M. Calculi {F.	56	14 42	.	.	.	.	.	.	.
586	Other Diseases of Gallbladder and {M. Biliary Ducts {F.	24	7 17	1	.	.	.	.	1	.
587	Diseases of Pancreas ... {M. {F.	25	14 11	1	.	.	1	1	2 1	.
590- 637	X. Diseases of the Genito-Urinary {M. System {F.	1,010	687 323	7 1	2	2	1	1	12 2	2 1
590	Acute Nephritis ... {M. {F.	80	44 36	1 1	.	1	1	1	3 2	.
591	Nephritis with Oedema, including {M. Nephrosis {F.	22	18 4	1	.	1	.	.	2	.
592	Chronic Nephritis ... {M. {F.	366	186 180	.	.	.	.	.	.	2 1
593	Nephritis not Specified as Acute or {M. Chronic {F.	166	98 68	2	.	.	.	.	2	.
594	Other Renal Sclerosis ... {M. {F.	2	1 1	.	.	.	.	.	.	.
600	Infections of Kidney ... {M. {F.	30	22 8	3	1	.	.	.	4	.
601	Hydronephrosis ... {M. {F.	7	6 1	.	.	.	.	.	.	.
602	Calculi of Kidney and Ureter ... {M. {F.	7	4 3	.	.	.	.	.	.	.
603	Other Diseases of Kidney and Ureter {M. {F.	11	8 3	.	.	.	.	.	.	.

## NATIONAL DETAILED LIST, 6TH REVISION, 1948) ABD BY SEX AND AGE.

EATH																Detailed Inter- national List Nos.
0-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	1	.	1	2	1	.	.	.	.	.	560
.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	561
.	.	.	.	.	1	2	1	1	1	5	2	13	3	7	1	561
3	2	1	1	.	.	4	4	6	3	6	9	7	9	3	3	570
1	2	.	.	.	3	2	4	4	1	7	7	6	9	3	5	570
1	.	.	.	.	1	.	.	.	2	2	3	6	5	2	.	571
1	.	.	.	.	1	.	.	2	.	.	2	2	3	.	1	571
1	.	.	.	3	.	1	.	.	1	3	3	5	1	.	.	572
.	.	.	.	.	1	.	2	1	3	2	1	3	2	1	1	572
.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1	573
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	574
.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	575
.	1	1	.	.	.	1	1	1	1	1	4	2	.	.	.	576
.	1	.	1	.	.	.	1	.	1	.	.	2	.	1	.	577
.	1	1	.	.	1	1	1	.	1	1	1	1	2	2	1	578
.	.	.	.	.	2	1	1	1	1	1	.	1	.	1	.	580
1	.	.	.	1	1	2	2	6	6	4	7	6	2	2	.	581
.	1	.	.	1	2	2	1	4	2	5	1	3	1	1	.	581
.	.	.	.	.	1	1	.	1	.	.	.	1	.	.	.	583
.	.	.	.	1	.	1	1	.	.	2	1	2	1	1	.	584
.	.	.	.	.	.	1	1	.	2	1	4	3	4	4	.	584
.	.	.	.	.	2	1	1	5	3	3	4	2	1	1	1	585
.	.	.	.	.	2	1	1	.	2	1	2	8	11	5	3	585
.	.	.	.	1	2	.	1	4	2	1	2	4	.	2	.	586
.	.	1	3	.	1	1	.	2	1	1	2	2	1	.	.	587
.	.	.	.	.	1	.	1	.	.	2	2	.	1	.	.	587
2	4	8	7	6	14	9	13	24	39	72	74	139	141	82	39	590-637
6	5	6	6	12	12	18	18	18	25	39	39	43	40	28	5	590-637
5	1	3	2	.	2	1	2	1	3	3	4	10	7	2	.	590
1	.	1	1	1	1	.	1	.	4	3	.	3	1	.	.	591
1	2	3	4	4	4	4	7	9	16	30	28	22	26	14	10	592
1	3	3	1	3	6	7	11	12	15	23	23	27	25	15	4	592
.	1	.	.	.	5	3	2	9	6	17	8	19	12	12	2	593
.	2	2	3	5	2	5	4	3	5	6	7	9	7	8	.	593
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	594
.	.	.	.	1	1	1	.	2	.	1	1	5	4	2	1	600
.	.	.	.	.	1	.	1	.	.	.	2	.	3	.	.	601
.	.	1	.	.	1	.	.	.	1	1	.	.	.	.	.	602
.	.	.	.	1	1	.	.	.	.	.	.	1	.	.	.	602
.	.	.	.	.	.	.	.	1	1	1	1	2	2	1	.	603
.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	603



TABLE 19 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTER

Detailed Inter- national List Nos.	CAUSES OF DEATH	TOTAL DEATHS	AGE AT							
			All Ages	Under 1 year	1 and under 2	2 and under 3	3 and under 4	4 and under 5	Total under 5 years	5-9
604	Calculi of Other Parts of Urinary System {M. F.	2	2	.	.	.	.	.	.	.
605	Cystitis ... .. {M. F.	25	21 4	.	1	.	.	.	1	.
606	Other Diseases of Bladder ... {M. F.	2	2	.	.	.	.	.	.	.
608	Stricture of Urethra ... .. {M. F.	1	1	.	.	.	.	.	.	.
609	Other Diseases of Urethra ... {M. F.	1	1	.	.	.	.	.	.	.
610	Hyperplasia of Prostate ... .. M.	224	224	.	.	.	.	.	.	.
611	Prostatitis ... .. M.	22	22	.	.	.	.	.	.	.
612	Other Diseases of Prostate ... M.	26	26	.	.	.	.	.	.	.
615	Redundant Perpuce and Phimosis ... M.	1	1	.	.	.	.	.	.	.
621	Other Diseases of Breast . F.	1	1	.	.	.	.	.	.	.
626	Diseases of Parametrium and Pelvic Peritoneum (Female) F.	2	2	.	.	.	.	.	.	.
631	Uterovaginal Prolapse ... .. F.	2	2	.	.	.	.	.	.	.
633	Other Diseases of Uterus ... F.	6	6	.	.	.	.	.	.	.
635	Menopausal Symptoms ... .. F.	1	1	.	.	.	.	.	.	.
637	Other Diseases of Female Genital Organs F.	3	3	.	.	.	.	.	.	.
640- 689	<b>XI. Deliveries and Complications of Pregnancy, Childbirth and the Puerperium</b> F.	99	99	.	.	.	.	.	.	.
642	Toxaemias of Pregnancy ... .. F.	16	16	.	.	.	.	.	.	.
643	Placenta Praevia ... .. F.	3	3	.	.	.	.	.	.	.
644	Other Haemorrhage of Pregnancy F.	4	4	.	.	.	.	.	.	.
645	Ectopic Pregnancy ... .. F.	3	3	.	.	.	.	.	.	.
646	Anaemia of Pregnancy ... .. F.	1	1	.	.	.	.	.	.	.
648	Other Complications arising from Pregnancy F.	1	1	.	.	.	.	.	.	.
651	Abortion with Sepsis ... .. F.	1	1	.	.	.	.	.	.	.
652	Abortion with Toxaemia, without mention of Sepsis F.	1	1	.	.	.	.	.	.	.
670	Delivery complicated by Placenta Praevia or Antepartum Haemorrhage F.	10	10	.	.	.	.	.	.	.
671	Delivery complicated by Retained Placenta F.	7	7	.	.	.	.	.	.	.
672	Delivery complicated by Other Postpartum Haemorrhage F.	14	14	.	.	.	.	.	.	.
674	Delivery complicated by Disproportion or Malposition of Foetus F.	2	2	.	.	.	.	.	.	.
675	Delivery complicated by Prolonged Labour of Other Origin F.	2	2	.	.	.	.	.	.	.
677	Delivery with Other Trauma ... F.	3	3	.	.	.	.	.	.	.
678	Delivery with Other Complications of Childbirth F.	11	11	.	.	.	.	.	.	.
681	Sepsis of Childbirth and the Puerperium F.	4	4	.	.	.	.	.	.	.
682	Puerperal Phlebitis and Thrombosis F.	1	1	.	.	.	.	.	.	.
684	Puerperal Pulmonary Embolism ... F.	8	8	.	.	.	.	.	.	.
685	Puerperal Eclampsia ... .. F.	2	2	.	.	.	.	.	.	.
686	Other Forms of Puerperal Toxaemia F.	3	3	.	.	.	.	.	.	.
687	Cerebral Haemorrhage in the Puerperium F.	1	1	.	.	.	.	.	.	.
688	Other and Unspecified Complications of the Puerperium F.	1	1	.	.	.	.	.	.	.





TABLE 19 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTER

Detailed Inter- national List Nos.	CAUSES OF DEATH	TOTAL DEATHS	AGE AT							
			All Ages	Under 1 year	1 and under 2	2 and under 3	3 and under 4	4 and under 5	Total under 5 years	5-9
<b>690- 716</b>	<b>XII. Diseases of the Skin and Cellular Tissue</b> { M. F.	<b>58</b>	<b>29 29</b>	<b>3 4</b>	<b>2</b>	.	.	.	<b>5 4</b>	<b>1</b>
690	Boil and Carbuncle ... { M. F.	<b>6</b>	<b>4 2</b>	<b>1</b>	.	.	.	.	<b>1</b>	.
692	Other Cellulitis and Abscess without Mention of Lymphangitis ... { M. F.	<b>11</b>	<b>6 5</b>	<b>1 1</b>	.	.	.	.	<b>1 1</b>	<b>1</b>
693	Other Cellulitis and Abscess with Lymphangitis { M. F.	<b>3</b>	<b>3</b>	.	.	.	.	.	.	.
698	Other Local Infections of Skin and Subcutaneous Tissue { M. F.	<b>2</b>	<b>2</b>	<b>1</b>	.	.	.	.	<b>1</b>	.
701	Eczema ... { M. F.	<b>5</b>	<b>3 2</b>	<b>2</b>	<b>2</b>	.	.	.	<b>2 2</b>	.
703	Other Dermatitis ... { M. F.	<b>2</b>	<b>2</b>	.	.	.	.	.	.	.
704	Pemphigus ... { M. F.	<b>3</b>	<b>2 1</b>	<b>1</b>	.	.	.	.	<b>1</b>	.
705	Erythematous Conditions ... { M. F.	<b>7</b>	<b>2 5</b>	.	.	.	.	.	.	.
706	Psoriasis and Similar Disorders ... { M. F.	<b>2</b>	<b>1 1</b>	.	.	.	.	.	.	.
715	Chronic Ulcer of Skin ... { M. F.	<b>17</b>	<b>9 8</b>	.	.	.	.	.	.	.
<b>720- 749</b>	<b>XIII. Diseases of the Bones and Organs of Movement</b> { M. F.	<b>237</b>	<b>114 123</b>	<b>1</b>	.	<b>1</b>	.	<b>1</b>	<b>2 1</b>	.
720	Acute Arthritis due to Pyogenic Organisms { M. F.	<b>6</b>	<b>5 1</b>	.	.	.	.	.	.	.
722	Rheumatoid Arthritis and Allied Conditions { M. F.	<b>96</b>	<b>33 63</b>	.	.	.	.	.	.	.
723	Osteo-arthritis (Arthrosis) and Allied Conditions { M. F.	<b>15</b>	<b>6 9</b>	.	.	.	.	.	.	.
724	Other Specified Forms of Arthritis ... { M. F.	<b>2</b>	<b>1 1</b>	.	.	.	.	.	.	.
725	Arthritis, Unspecified ... { M. F.	<b>19</b>	<b>11 8</b>	.	.	.	.	.	.	.
726	Muscular Rheumatism ... { M. F.	<b>2</b>	<b>1 1</b>	.	.	.	.	.	.	.
727	Rheumatism Unspecified ... { M. F.	<b>53</b>	<b>25 28</b>	.	.	.	.	<b>1</b>	<b>1</b>	.
730	Osteomyelitis and Periostitis ... { M. F.	<b>26</b>	<b>20 6</b>	<b>1</b>	.	<b>1</b>	.	.	<b>2</b>	.
731	Osteitis Deformans ... { M. F.	<b>5</b>	<b>4 1</b>	.	.	.	.	.	.	.
733	Other Diseases of Bone ... { M. F.	<b>4</b>	<b>2 2</b>	.	.	.	.	.	.	.
738	Other Diseases of Joint ... { M. F.	<b>1</b>	<b>1</b>	.	.	.	.	.	.	.
744	Other Diseases of Muscle, Tendon and Fascia { M. F.	<b>7</b>	<b>6 1</b>	.	.	.	.	.	.	.
745	Curvature of Spine ... { M. F.	<b>1</b>	<b>1</b>	.	.	.	.	.	.	.
<b>750- 759</b>	<b>XIV. Congenital Malformations</b> ... { M. F.	<b>381</b>	<b>205 176</b>	<b>170 146</b>	<b>5 2</b>	<b>6 5</b>	.	<b>1 2</b>	<b>182 162</b>	<b>6 3</b>
750	Monstrosity ... { M. F.	<b>16</b>	<b>8 8</b>	<b>7 8</b>	.	.	.	.	<b>7 8</b>	.
751	Spina Bifida and Meningocele ... { M. F.	<b>81</b>	<b>32 49</b>	<b>29 45</b>	<b>2 1</b>	.	<b>1</b>	.	<b>31 47</b>	<b>2</b>

## NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																Detailed Inter- national List Nos.
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	1	1	1	.	1	.	1	2	2	1	3	7	6	3	610-716
.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	1	690
.	.	.	.	.	.	.	.	1	.	1	.	1	1	2	1	692
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	693
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	698
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	701
.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	703
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	704
.	.	1	1	1	.	.	.	.	1	.	1	.	2	.	.	705
.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	706
.	.	.	.	.	.	.	.	.	2	.	.	2	3	2	.	715
.	.	3	.	1	2	3	4	6	6	11	15	32	15	11	3	720-749
.	.	1	.	1	1	.	2	6	6	18	17	30	23	14	3	720
.	.	.	.	.	1	.	.	.	.	.	2	2	.	.	.	722
.	.	1	.	1	1	3	1	2	4	4	2	10	4	4	2	723
.	.	.	.	.	.	.	1	5	4	15	8	13	10	4	2	724
.	.	.	.	.	.	.	.	1	.	.	.	2	2	1	1	725
.	.	.	.	.	.	.	.	1	.	.	1	3	1	3	.	726
.	.	.	.	.	.	.	1	.	.	1	3	3	3	.	.	727
.	.	.	.	.	.	.	.	.	.	5	2	10	3	5	.	730
.	.	1	.	.	1	.	1	2	3	1	6	9	6	4	1	731
.	.	.	.	.	.	.	.	.	.	.	4	3	2	1	.	733
.	.	.	.	.	.	.	.	.	1	1	1	1	1	.	.	738
.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	744
.	.	1	.	.	.	.	2	1	2	.	.	.	.	.	.	745
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	750-759
2	2	1	3	3	2	2	1	1	.	.	1	.	.	.	.	750
2	3	2	1	.	.	1	.	.	.	.	.	.	.	.	.	751



TABLE 19 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTER

Detailed Inter- national List Nos.	CAUSES OF DEATH	TOTAL DEATHS	AGE AT							
			All Ages	Under 1 year	1 and under 2	2 and under 3	3 and under 4	4 and under 5	Total under 5 years	5-9
752	Congenital Hydrocephalus ... {M. F.	42	23 19	20 17	1 .	. 1	. 1	. .	21 19	1 .
753	Other Congenital Malformations of {M. Nervous System and Sense Organs {F.	7	3 4	1 2	. 1	1 .	. .	. .	2 3	. .
754	Congenital Malformations of Circu- {M. latory System {F.	149	83 66	66 51	2 .	3 3	. 4	1 2	72 60	5 1
755	Cleft Palate and Harelip ... {M. F.	6	4 2	4 2	. .	. .	. .	. .	4 2	. .
756	Congenital Malformations of Diges- {M. tive System {F.	54	41 13	37 13	. .	2 .	. .	. .	39 13	. .
757	Congenital Malformations of Genito- {M. urinary System {F.	10	7 3	3 1	. .	1 .	. .	. .	3 2	. .
758	Congenital Malformations of Bone {M. and Joint {F.	3	1 2	1 .	. .	. .	. .	. .	1 .	. .
759	Other and Unspecified Congenital {M. Malformations, not Elsewhere {F. (Classified	13	3 10	2 7	. .	. .	1 .	. .	2 8	. .
760- 776	XV. Certain Diseases of Early {M. Infancy {F.	1,502	881 621	879 619	1 .	. 1	. 1	1 .	881 621	. .
760·0	Intracranial and Spinal Injury at {M. Birth without Mention of Imma- {F. turity	115	70 45	70 45	. .	. .	. .	. .	70 45	. .
760·5	Intracranial and Spinal Injury at {M. Birth with Immaturity {F.	15	11 4	11 4	. .	. .	. .	. .	11 4	. .
761·0	Other Birth Injury without Mention {M. of Immaturity {F.	26	11 15	11 15	. .	. .	. .	. .	11 15	. .
761·5	Other Birth Injury with Immaturity {M. {F.	2	1 1	1 1	. .	. .	. .	. .	1 1	. .
762·0	Postnatal Asphyxia and Atelectasis {M. without Mention of Immaturity {F.	118	61 57	61 57	. .	. .	. .	. .	61 57	. .
762·5	Postnatal Asphyxia and Atelectasis {M. with Immaturity {F.	25	19 6	19 6	. .	. .	. .	. .	19 6	. .
763·0	Pneumonia of Newborn without {M. Mention of Immaturity {F.	82	55 27	55 27	. .	. .	. .	. .	55 27	. .
763·5	Pneumonia of Newborn with Imma- {M. turity {F.	7	5 2	5 2	. .	. .	. .	. .	5 2	. .
764·0	Diarrhoea of Newborn without Men- {M. tion of Immaturity {F.	42	27 15	27 15	. .	. .	. .	. .	27 15	. .
764·5	Diarrhoea of Newborn with Imma- {M. turity {F.	2	2 .	2 .	. .	. .	. .	. .	2 .	. .
766·0	Pemphigus Neonatorum without {M. Mention of Immaturity {F.	2	1 1	1 1	. .	. .	. .	. .	1 1	. .
767·0	Umbilical Sepsis without Mention {M. of Immaturity {F.	3	3 .	3 .	. .	. .	. .	. .	3 .	. .
768·0	Other Sepsis of Newborn without {M. Mention of Immaturity {F.	11	6 5	6 5	. .	. .	. .	. .	6 5	. .
768·5	Other Sepsis of Newborn with {M. Immaturity {F.	1	1 .	1 .	. .	. .	. .	. .	1 .	. .
769·0	Toxaemia of Pregnancy without {M. Mention of Immaturity {F.	7	2 5	2 5	. .	. .	. .	. .	2 5	. .
769·5	Toxaemia of Pregnancy with Imma- {M. turity {F.	1	1 .	1 .	. .	. .	. .	. .	1 .	. .
769·9	Other or Unspecified Maternal Tox- {M. aemia with Immaturity {F.	3	2 1	2 1	. .	. .	. .	. .	2 1	. .
770·0	Erythroblastosis, without Mention {M. of Nervous Affection or Imma- {F. turity	36	23 13	23 13	. .	. .	. .	. .	23 13	. .
770·1	Kernicterus, without Mention of {M. Immaturity {F.	7	4 3	4 3	. .	. .	. .	. .	4 3	. .

NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																Detailed Inter- national List Nos.
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	752
1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	753
.	1 2	1	1	1	.	2 1	1	.	.	.	.	.	.	.	.	754
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	755
1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	756
1	.	.	1	1	.	.	1	1	.	.	.	.	.	.	.	757
.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	758
.	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	759
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	760
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	776
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	760.0
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	760.5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	761.0
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	761.5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	762.0
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	762.5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	763.0
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	763.5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	764.0
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	764.5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	766.0
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	767.0
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	768.0
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	768.5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	769.0
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	769.5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	769.9
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	770.0
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	770.1



TABLE 19 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTER

Detailed Inter- national List Nos.	CAUSES OF DEATH	TOTAL DEATHS	AGE AT							
			All Ages	Under 1 year	1 and under 2	2 and under 3	3 and under 4	4 and under 5	Total under 5 years	5-9
770·5	Erythroblastosis without Mention of {M. Nervous Affection but with Im- {F. maturity	2	1 1	1 1	· ·	· ·	· ·	· ·	1 1	·
770·6	Kernicterus with Immaturity ... {M. F.	1	1	1	·	·	·	·	1	·
770·7	Erythroblastosis with Disorder of {M. Liver other than Icterus Gravis {F. with Immaturity	1	1	1	·	·	·	·	1	·
771·0	Haemorrhagic Disease of Newborn {M. without Mention of Immaturity {F.	17	6 11	6 11	· ·	· ·	· ·	· ·	6 11	·
771·5	Haemorrhagic Disease of Newborn {M. with Immaturity {F.	3	2 1	2 1	· ·	· ·	· ·	· ·	2 1	·
772·0	Nutritional Maladjustment without {M. Mention of Immaturity {F.	21	9 12	9 12	· ·	· ·	· ·	· ·	9 12	·
773·0	Ill-defined Diseases Peculiar to Early {M. Infancy without Mention of Im- {F. maturity	353	206 147	204 145	1 ·	· 1	· 1	1 ·	206 147	·
773·5	Ill-defined Diseases Peculiar to Early {M. Infancy with Immaturity {F.	131	84 47	84 47	· ·	· ·	· ·	· ·	84 47	·
774	Immaturity with Mention of any {M. Other Subsidiary Condition {F.	45	31 14	31 14	· ·	· ·	· ·	· ·	31 14	·
776	Immaturity Unqualified ... {M. F.	423	235 188	235 188	· ·	· ·	· ·	· ·	235 188	·
780 795	XVI. Symptoms, Senility and Ill- {M. defined Conditions {F.	5,842	2,918 2,924	88 55	9 9	4 4	1 1	3 1	105 70	2 3
780	Certain Symptoms referable to {M. Nervous System and Special {F. Senses	144	86 58	75 45	6 6	2 3	· ·	· 1	83 55	1 ·
782	Symptoms referable to Cardiovas- {M. cular and Lymphatic System {F.	633	360 273	3 3	· ·	· ·	· ·	1 ·	4 3	· ·
783	Symptoms referable to Respiratory {M. System {F.	4	3 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·
784	Symptoms referable to Upper {M. Gastro-intestinal Tract {F.	32	17 15	· ·	· ·	· ·	· ·	· ·	· ·	· 1
785	Symptoms referable to Abdomen {M. and Lower Gastro-intestinal {F. System	16	7 9	2 3	· ·	· ·	· ·	· ·	2 3	1 ·
786	Symptoms referable to Genito- {M. urinary System {F.	21	19 2	· ·	· ·	· ·	1 ·	· ·	1 ·	· ·
788	Other General Symptoms ... {M. F.	9	5 4	2 1	· ·	· ·	1 ·	· ·	3 1	· 2
789	Abnormal Urinary Constituents of {M. Unspecified Cause {F.	1	1	·	·	·	·	·	·	·
790	Nervousness and Debility ... {M. F.	14	8 6	· ·	· 2	· ·	· ·	· ·	· 2	· ·
792	Uraemia Unqualified ... {M. F.	126	90 36	· ·	· ·	· ·	· ·	· ·	· ·	· ·
794	Senility without Mention of {M. Psychosis {F.	4,734	2,260 2,474	· ·	· ·	· ·	· ·	· ·	· ·	· ·
795	Ill-defined and Unknown Causes of {M. Morbidity and Mortality {F.	108	62 46	6 3	3 1	2 1	· ·	2 ·	13 5	· ·
E 800- 999	E.XVII. Accidents, Poisonings and {M. Violence (External Cause) {F.	905	576 329	23 24	9 5	8 5	7 5	9 5	56 44	28 19
E 800	Railway Accident involving Rail- {M. road Employee {F.	3	2 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·
E 801	Railway Accident involving {M. Passenger {F.	1	1	·	·	·	·	·	·	·
E 802	Railway Accident involving Other {M. and Unspecified Person {F.	10	9 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·

NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																Detailed Inter- national List Nos.
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	770.5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	770.6
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	770.7
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	771.0
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	771.5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	772.0
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	773.0
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	773.5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	774
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	776
1 1	3	5 1	5	6 4	4 2	6 5	16 8	26 12	33 13	55 37	90 65	324 304	694 657	895 853	648 889	780 795
.	1	.	.	1	.	1	.	.	.	.	.	1	.	.	.	780
1	1	5	1	2 1	2 2	4 2	11 4	15 5	22 11	29 26	39 30	74 66	81 57	48 36	21 30	782
.	.	.	.	.	.	.	.	.	2	.	1 1	.	.	.	.	783
.	.	.	1	1 1	1	.	1	2	2 1	5	4 3	2	1 2	2	2	784
.	1	.	.	1	.	.	.	1	.	1	1	1	1	2	.	785
.	.	.	.	.	.	.	.	1	.	1	4 1	5	3	4	1	786
.	.	.	.	.	.	1 1	.	1	.	.	.	.	.	.	.	788
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	789
.	.	1	1	.	.	.	1 1	1 2	1	4	.	.	.	.	.	790
.	.	.	2	2	1	1	2 2	4 1	3	5 3	10 7	18 8	18 8	17 5	7 2	792
.	.	.	.	.	.	.	.	.	.	4 2	24 18	216 218	576 581	824 806	616 849	794
1	.	.	.	1	.	1	2	2 3	3 1	7 5	7 4	10 8	13 9	2 2	3 6	795
15 6	17 7	41 9	25 5	28 7	26 7	28 5	33 7	39 10	35 6	40 15	36 23	54 43	34 43	27 49	14 24	E 800 999
.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	E 800
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	E 801
.	.	1	.	.	.	.	1	3	1	1	1	1	.	.	1	E 802



TABLE 19 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTER

Detailed Inter- national List Nos.	CAUSES OF DEATH	TOTAL DEATHS	AGE AT							
			All Ages	Under 1 year	1 and under 2	2 and under 3	3 and under 4	4 and under 5	Total under 5 years	5-9
E 811	Motor Vehicle Traffic Accident in- volving Collision with Street Car {M. F.	1	1	.	.	.	.	.	.	.
E 812	Motor Vehicle Traffic Accident to {M. Pedestrian {F.	86	71 15	.	1 1	.	2 1	3	6 2	14 2
E 813	Motor Vehicle Traffic Accident to {M. Pedal Cyclist {F.	13	10 3	.	.	.	.	.	.	1
E 814	Motor Vehicle Traffic Accident to {M. Rider or Passenger of Motorcycle {F. in Collision with Non-motor Vehicle or Object	3	3	.	.	.	.	.	.	.
E 815	Motor Vehicle Traffic Accident to {M. Rider or Passenger of Motorcycle {F. in Collision with other Motor Vehicle	1	1	.	.	.	.	.	.	.
E 816	Other Motor Vehicle Traffic Accident {M. involving two or more Motor {F. Vehicles	8	7 1	.	.	.	1	.	1	.
E 819	Motor Vehicle Traffic Accident in- {M. volving Collision with Fixed or {F. Unspecified Object	4	3 1	.	.	.	.	.	.	.
E 820	Motor Vehicle Traffic Accident while {M. Boarding and Alighting {F.	1	1	.	.	.	.	.	.	.
E 821	Motor Vehicle Traffic Accident to {M. Rider of Motorcycle not involving {F. Collision	6	4 2	.	.	.	.	.	.	.
E 824	Other Non-collision Motor Vehicle {M. Traffic Accident {F.	7	5 2	.	.	.	.	.	.	.
E 825	Motor Vehicle Traffic Accident of {M. Unspecified Nature {F.	9	7 2	1	.	.	.	.	1	.
E 830	Motor Vehicle Non-traffic Accident {M. to Pedestrian {F.	6	5 1	.	.	.	.	.	.	1
E 831	Motor Vehicle Non-traffic Accident {M. to Pedal Cyclist {F.	1	1	.	.	.	.	.	.	.
E 835	Motor Vehicle Non-traffic Accident {M. of Other and Unspecified Nature {F.	4	4	.	.	.	.	.	.	2
E 842	Accident to Pedestrian Caused by {M. Pedal Cycle {F.	5	3 2	.	.	.	.	.	.	.
E 843	Accident to Rider of Pedal Cycle not {M. Involving Collision with a Motor {F. Vehicle	19	13 6	.	.	.	.	.	.	.
E 844	Accident to Pedestrian Caused by {M. Other Non-motor Road Vehicle {F.	3	3	.	.	1	.	.	1	.
E 845	Other Non-motor Road Vehicle {M. Accidents {F.	24	21 3	.	.	.	.	1	1	1
E 855	Unspecified Falls in Water Transport {M. F.	1	1	.	.	.	.	.	.	.
E 857	Other Specified Accidents in Water {M. Transport {F.	2	2	.	.	.	.	.	.	.
E 874	Accidental Poisoning by Other {M. Analgesic and Soporific Drugs {F.	1	1	.	.	.	.	.	.	.
E 877	Accidental Poisoning by Belladonna {H. Hyoscine and Atropine {F.	1	1	.	.	.	.	.	.	.
E 881	Accidental Poisoning by Petroleum {M. Products {F.	1	1	.	.	1	.	.	1	.
E 883	Accidental Poisoning by Corrosive {M. Aromatics, Acids and Caustic {F. Alkalis	3	3	.	.	.	.	.	.	.
E 886	Accidental Poisoning by Arsenic and {M. Antimony and their Compounds {F.	1	1	.	.	.	.	.	.	.
E 888	Accidental Poisoning by Other and {M. Unspecified Solid and Liquid {F. Substances	1	1	.	.	.	.	1	1	.
E 890	Accidental Poisoning by Utility {M. (Illuminating) Gas {F.	2	2	.	.	.	.	.	.	.
E 892	Accidental Poisoning by Other {M. Carbon Monoxide Gas {F.	5	2 3	.	.	.	.	.	.	.

## NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																Detailed Inter- national List Nos.
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	E 811
2 3	3 2	4	1 1	3	3 1	3	4	3 1	4	2 1	5	4 1	7	3	1	E 812
2	1 1	1	1	.	.	.	.	1 1	1	1	1	.	1	.	.	E 813
.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	E 814
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	E 815
.	.	2	1	1	.	1	1	.	.	1	.	.	.	.	.	E 816
.	1 1	.	.	.	.	.	.	1	.	1	.	.	.	.	.	E 819
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	E 820
.	.	1	1	2	.	.	1	.	.	.	.	.	.	.	.	E 821
.	1	1	1 1	.	.	1	1	.	1	.	.	.	.	.	.	E 824
.	.	1 1	1	1	.	2	2	.	.	.	.	.	.	.	.	E 825
.	.	.	1	.	.	.	.	1	.	1	.	.	1	.	1	E 830
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	E 831
.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	E 835
.	.	.	.	1	.	.	.	.	1	.	1	.	.	2	.	E 842
1	.	1	.	2	1 1	1 1	1	2	1 1	1	3	1	.	.	.	E 843
.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	E 844
2	1 1	.	1	.	.	.	.	2	6 1	1	2	4	.	.	.	E 845
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	E 855
.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	E 857
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	E 874
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	E 877
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E 881
.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	E 883
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	E 886
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E 888
.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	E 890
.	.	.	.	1	1	1	.	1	.	.	.	.	1	.	.	E 892



TABLE 19 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTER

Detailed Inter- national List Nos.	CAUSES OF DEATH	TOTAL DEATHS	AGE AT							
			All Ages	Under 1 year	1 and under 2	2 and under 3	3 and under 4	4 and under 5	Total under 5 years	5-9
E 900	Fall on Stairs ... {M. F.	9	6 3	.	.	1	.	.	1	.
E 901	Fall from Ladders ... {M. F.	1	1	.	.	.	.	.	.	.
E 902	Other Falls from One Level to Another {M. F.	25	19 6	.	.	.	.	.	.	1
E 903	Fall on Same Level ... {M. F.	30	9 21	.	.	.	.	.	.	1
E 904	Unspecified Falls ... {M. F.	56	31 25	.	.	.	.	.	.	1
E 910	Blow from Falling Object ... {M. F.	11	11	1	.	.	.	.	1	.
E 911	Accident Caused by Vehicle ... {M. F.	2	2	.	.	.	.	.	.	.
E 912	Accident Caused by Machinery ... {M. F.	12	10 2	.	.	.	.	.	.	1
E 914	Accident Caused by Electric Current {M. F.	4	4	.	.	.	.	1	1	.
E 916	Accident Caused by Fire and Ex- plosion of Combustible Material {M. F.	44	17 27	.	.	2 1	.	1 1	3 2	6
E 917	Accident Caused by Hot Substance, Corrosive Liquid and Steam {M. F.	62	24 38	.	5 3	2 3	2 1	2 1	11 9	2 3
E 919	Accident Caused by Firearm ... {M. F.	12	12	.	.	.	.	.	.	.
E 921	Inhalation and Ingestion of Food, Causing Obstruction or Suffo- {M. F.	8	4 4	2 4	.	.	.	.	2 4	.
E 922	Inhalation and Ingestion of Other Object Causing Obstruction or {M. F.	4	2 2	2	.	.	.	.	2	.
E 923	Foreign Body entering Other Orifice {M. F.	3	2 1	.	2	.	.	.	2	1
E 924	Accidental Mechanical Suffocation {M. F.	17	10 7	9 7	.	.	.	.	9 7	.
E 925	Accidental Mechanical Suffocation {M. F.	2	1 1	.	.	.	.	.	1	.
E 926	Lack of Care of Infants under One Year of Age {M. F.	10	3 7	3 7	.	.	.	.	3 7	.
E 928	Other Accidents Caused by Animals {M. F.	4	3 1	.	1	.	1	.	1 1	.
E 929	Accidental Drowning and Sub- mersion {M. F.	101	79 22	1	.	1 1	3 1	.	5 4	3 2
E 931	Excessive Heat and Insolation ... {M. F.	2	2	1	.	.	.	.	1	.
E 932	Excessive Cold ... {M. F.	1	1	.	.	.	.	.	.	.
E 933	Hunger, Thirst and Exposure ... {M. F.	5	1 4	.	.	.	.	1	1	.
E 936	Other and Unspecified Accidents {M. F.	146	55 91	.	.	.	.	.	1	.
E 945	Complications of Anaesthesia for Nontherapeutic Purpose {M. F.	1	1	.	.	.	.	.	.	.
E 946	Other Complications due to Non- therapeutic Medical and Surgical {M. F.	1	1	.	.	.	.	.	.	.
E 954	Therapeutic Misadventure in Anaesthesia {M. F.	5	2 3	.	.	.	.	.	.	.
E 955	Other and Unspecified Therapeutic Misadventure {M. F.	1	1	1	.	.	.	.	1	.
E 965	Late Effects of Injuries due to War Operations {M. F.	1	1	.	.	.	.	.	.	.

## NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

## DEATH

10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Detailed International List Nos.
.	.	1	.	.	.	.	.	1	.	.	2	1	.	.	1	E 900
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	E 901
1	.	.	2	.	1	1	1	5	.	1	1	5	1	.	.	E 902
.	.	.	.	.	1	.	.	.	1	2	.	1	1	.	1	E 903
.	.	.	.	.	.	.	.	.	.	1	3	6	3	1	2	E 904
.	.	2	.	1	3	.	.	1	.	2	1	6	5	7	3	E 904
.	.	.	2	1	.	2	.	1	.	1	2	1	.	.	.	E 910
.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	E 911
.	1	1	1	.	2	1	1	.	1	.	.	1	1	.	.	E 912
1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	E 914
1	1	1	.	1	1	1	.	1	1	2	2	3	3	1	.	E 916
1	.	.	.	2	1	1	.	1	.	1	3	1	3	4	2	E 917
.	1	1	2	2	1	.	1	.	2	2	.	.	.	.	.	E 919
.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	E 921
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	E 922
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E 923
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	E 924
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	E 925
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E 926
.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	E 928
6	4	9	5	7	5	1	6	4	6	5	1	6	.	1	.	E 929
1	1	1	.	1	.	2	3	1	1	2	.	2	1	.	.	E 929
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	E 931
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	E 932
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	E 933
.	2	5	1	.	1	3	1	3	2	2	4	10	9	9	3	E 936
1	1	.	.	1	.	.	.	.	.	2	11	16	23	27	10	E 936
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	E 945
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E 946
.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	E 954
.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	E 954
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E 955
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	E 965



TABLE 19 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTER

Detailed Inter- national List Nos.	CAUSES OF DEATH	TOTAL DEATHS	AGE AT							
			All Ages	Under 1 year	1 and under 2	2 and under 3	3 and under 4	4 and under 5	Total under 5 years	5-9
E 970	Suicide and Self-inflicted Poisoning {M. by Analgesic and Soporific Sub- stances {F.	1	1	.	.	.	.	.	.	.
E 971	Suicide and Self-inflicted Poisoning {M. by Other Solid and Liquid Sub- stances {F.	4	2 2	.	.	.	.	.	.	.
E 972	Suicide and Self-inflicted Poisoning {M. by Gases in Domestic Use {F.	2	1 1	.	.	.	.	.	.	.
E 973	Suicide and Self-inflicted Poisoning {M. by Other Gases {F.	1	1	.	.	.	.	.	.	.
E 974	Suicide and Self-inflicted Injury by {M. Hanging and Strangulation {F.	25	27 1	.	.	.	.	.	.	.
E 975	Suicide and Self-inflicted Injury by {M. Submersion (Drowning) {F.	21	14 7	.	.	.	.	.	.	.
E 976	Suicide and Self-inflicted Injury by {M. Firearms and Explosives {F.	5	5	.	.	.	.	.	.	.
E 977	Suicide and Self-inflicted Injury by {M. Cutting and Piercing Instruments {F.	10	10	.	.	.	.	.	.	.
E 978	Suicide and Self-inflicted Injury by {M. Jumping from High Place {F.	3	2 1	.	.	.	.	.	.	.
E 979	Suicide and Self-inflicted Injury by {M. Other and Unspecified Means {F.	1	1	.	.	.	.	.	.	.
E 980	Non-accidental Poisoning by {M. Another Person {F.	1	1	.	.	.	.	.	.	.
E 981	Assault by Firearm and Explosive ... {M. {F.	1	1	.	.	.	.	.	.	.
E 982	Assault by Cutting and Piercing {M. Instruments {F.	2	2	1	.	.	.	.	1	.
E 983	Assault by Other Means ... {M. {F.	7	3 4	1 3	.	.	.	1	1 4	.
E 990	Injury due to War Operations by {M. Gas and Chemicals {F.	1	1	.	.	.	.	.	.	.
E 993	Injury due to War Operations by {M. Bomb {F.	1	1	.	.	.	.	.	.	.
E 998	Injury due to War Operations by {M. Other and Unspecified Means {F.	1	1	.	.	.	.	.	.	.
E 999	Injury due to War Operations but {M. Occurring after Cessation of {F. Hostilities	2	2	.	.	.	.	.	.	.
N 800- 999	N.XVII. Accidents, Poisonings and {M. Violence (Nature of Injury) {F.	905	576 329	23 24	9 5	8 5	7 5	9 5	56 44	28 19
N 800	Fracture of Vault of Skull ... {M. {F.	12	11 1	1	.	.	.	.	1	1
N 801	Fracture of Base of Skull ... {M. {F.	22	27 5	.	.	.	.	2	2	1 1
N 803	Other and Unqualified Skull {M. Fractures {F.	81	67 14	.	.	1	1	1	3	5 2
N 804	Multiple Fractures involving Skull {M. or Face with Other Bones ... {F.	4	2 2	.	.	.	1	.	1	.
N 805	Fracture and Fracture Dislocation {M. of Vertebral Column without men- tion of Spinal Cord Lesion {F.	24	22 2	1	.	1	.	.	2	1
N 806	Fracture and Fracture Dislocation {M. of Vertebral Column with Spinal {F. Cord Lesion	9	8 1	.	.	.	.	.	.	.
N 807	Fracture of Rib(s) and Sternum ... {M. {F.	3	2 1	.	.	.	.	.	.	.
N 808	Fracture of Pelvis ... {M. {F.	4	3 1	.	.	.	.	.	.	.
N 809	Multiple, and Ill-defined Fractures {M. of Trunk {F.	1	1	.	.	.	.	.	.	.

NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																Detailed Inter- national List Nos.
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	E 970
.	.	1	.	.	.	.	1	1	.	.	.	.	1	.	.	E 971
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	E 972
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	E 973
.	.	2	.	2	1	7	3	4	2	3	1	1	.	.	1	E 974
.	.	1	.	1	1	.	2	1	2	3	2	.	.	.	.	E 975
.	.	1	.	1	.	.	1	1	.	1	1	.	1	.	.	E 976
.	.	.	1	.	.	.	2	1	.	.	1	.	.	.	.	E 977
.	.	1	.	.	.	.	1	2	.	3	2	1	.	.	.	E 978
.	.	1	.	.	.	.	1	.	.	.	.	1	.	.	.	E 979
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	E 980
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	E 981
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E 982
.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	E 983
.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	E 984
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	E 985
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	E 986
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	E 987
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E 988
.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	E 989
15 6	17 7	41 9	25 5	28 7	26 7	28 5	33 7	39 10	35 6	40 15	36 23	54 43	34 43	27 49	14 24	N 800- 999
1	.	3	.	.	1	2	.	.	.	2	.	.	.	.	.	N 800
1	1	2	.	2	4	2	1	4	2	1	4	.	.	1	.	N 801
4	4	8	6	5	2	4	5	7	4	3	4	1	2	.	1	N 803
.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	N 804
.	1	1	1	2	3	3	.	.	2	1	1	2	2	.	.	N 805
.	1	.	.	1	.	1	2	.	.	2	1	1	.	.	.	N 806
.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	N 807
.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	N 808
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	N 809



TABLE 19 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTER

Detailed Inter- national List Nos.	CAUSES OF DEATH	TOTAL DEATHS	AGE AT							
			All Ages	Under 1 year	1 and under 2	2 and under 3	3 and under 4	4 and under 5	Total under 5 years	5-9
N 810	Fracture of Clavicle ... {M. F.	1	1	.	.	.	.	.	.	.
N 812	Fracture of Humerus ... {M. F.	3	2 1	.	.	.	.	.	.	.
N 813	Fracture of Radius and Ulna ... {M. F.	4	2 2	.	.	.	.	.	.	.
N 820	Fracture of Neck of Femur ... {M. F.	58	19 39	.	.	.	.	.	.	.
N 821	Fracture of Other and Unspecified {M. Parts of Femur F.	106	30 76	.	.	.	.	.	.	.
N 823	Fracture of Tibia and Fibula ... {M. F.	2	2	.	.	.	.	.	.	.
N 827	Other, Multiple, and Ill-defined {M. Fractures of Lower Limb F.	1	1	.	.	.	.	.	.	.
N 831	Dislocation of Shoulder ... {M. F.	1	1	.	.	.	.	.	.	.
N 835	Dislocation of Hip ... {M. F.	1	1	.	.	.	.	.	.	.
N 836	Dislocation of Knee ... {M. F.	1	1	.	.	.	.	.	.	.
N 839	Other, Multiple, and Ill-defined {M. Dislocations F.	4	4	.	.	.	.	.	.	.
N 852	Concussion ... {M. F.	3	3	.	.	.	.	.	.	1
N 853	Cerebral Laceration and Contusion {M. F.	32	23 9	.	1	.	.	1	1 1	1 2
N 854	Subarachnoid, Subdural, and Extra- {M. dural Haemorrhage following F. Injury (without Mention of Cere- bral Laceration or Contusion)	5	4 1	.	.	.	.	.	.	1
N 855	Other and Unspecified Intracranial {M. Haemorrhage Following Injury F. (without Mention of Cerebral Laceration or Contusion)	17	16 1	.	.	.	.	.	.	2
N 856	Head Injury of Other and Unspeci- {M. fied Nature F.	11	8 3	1	.	.	.	.	1	.
N 861	Injury to Heart and Lung ... {M. F.	4	2 2	.	.	.	.	.	.	.
N 862	Injury to Other and Unspecified {M. Intrathoracic Organs F.	3	3	.	.	.	.	.	.	.
N 863	Injury to Gastro-Intestinal Tract {M. F.	2	2	.	.	.	.	.	.	.
N 864	Injury to Liver ... {M. F.	7	2 5	.	1	.	2	1	1 3	.
N 868	Injury to Other and Unspecified {M. Intra-Abdominal Organs F.	3	3	.	1	.	.	.	1	.
N 869	Internal Injury Unspecified or in- {M. volving Intrathoracic with Intra- F. Abdominal Organs	20	18 2	.	.	.	.	.	.	3 1
N 874	Open Wound of Neck ... {M. F.	9	9	1	.	.	.	.	1	.
N 875	Open Wound of Chest ... {M. F.	1	1	.	.	.	.	.	.	.
N 879	Multiple and Unspecified Open {M. Wounds of Face, Neck, and Trunk F.	2	2	.	.	.	.	.	.	.
N 888	Traumatic Amputation of Arm and {M. Hand F.	2	1 1	.	.	.	.	.	.	.
N 891	Open Wound of Knee, Leg (except {M. Thigh) and Ankle not Involving F. Tendons	1	1	.	.	.	.	.	.	.





TABLE 19 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTER

Detailed Inter- national List Nos.	CAUSES OF DEATH	TOTAL DEATHS	AGE AT							
			All Ages	Under 1 year	1 and under 2	2 and under 3	3 and under 4	4 and under 5	Total under 5 years	5-9
N 908	Multiple Open Wounds of Un- specified Location {M. F.	11	11	.	.	.	.	.	.	.
N 910	Superficial Injury of Face and Neck {M. F.	1	1	.	.	.	.	.	.	.
N 916	Superficial Injury of Hip, Thigh, {M. Leg, and Ankle {F.	2	1 1	.	.	.	.	.	.	.
N 918	Superficial Injury of Other, Multiple, {M. and Unspecified Sites {F.	1	1	.	.	.	.	.	.	.
N 920	Contusion of Face and Neck, except {M. Eye(s) {F.	1	1	.	.	.	.	.	.	.
N 933	Foreign Body in Pharynx and {M. Larynx {F.	9	5 4	2 3	1	.	.	.	3 3	.
N 934	Foreign Body in Bronchus and Lung {M. F.	2	1 1	1 1	.	.	.	.	1 1	.
N 935	Foreign Body in Digestive Tract {M. F.	3	1 2	.	1	.	.	.	1	1
N 941	Burn Confined to Face, Head, and {M. Neck {F.	3	1 2	.	.	.	.	.	.	.
N 942	Burn Confined to Trunk {M. F.	3	1 2	.	.	.	.	1	1	2
N 944	Burn, Confined to Wrist(s) and {M. Hand {F.	1	1	.	.	.	.	.	.	.
N 945	Burn Confined to Lower Limb(s) {M. F.	1	1	.	.	.	.	.	.	.
N 946	Burn involving Face, Head, and {M. Neck, with Limb(s) {F.	4	1 3	.	1	.	.	.	1	.
N 947	Burn involving Trunk with Limb(s) {M. F.	11	3 8	.	1	.	1	1 1	2 2	1
N 948	Burn involving Face, Head, and {M. Neck, with Trunk and Limb(s) {F.	12	7 5	.	.	.	.	.	.	1 3
N 949	Burn involving Other and Unspeci- {M. fied Parts {F.	65	23 42	1	3 3	4 4	2	1	9 9	1 3
N 958	Spinal Cord Lesion, without Evi- {M. dence of Spinal Bone Injury {F.	3	2 1	.	.	.	.	.	.	.
N 962	Poisoning by Petroleum Products ... {M. F.	1	1	.	.	1	.	.	1	.
N 964	Poisoning by Corrosive Aromatics, {M. Acids, and Caustic Alkalis {F.	3	2 1	.	.	.	.	.	.	.
N 965	Poisoning by Mercury and its Com- {M. pounds {F.	1	1	.	.	.	.	.	.	.
N 967	Poisoning by Arsenic and Antimony, {M. and their Compounds {F.	2	2	.	.	.	.	.	.	.
N 968	Poisoning by Carbon Monoxide ... {M. F.	10	5 5	.	.	.	.	.	.	.
N 969	Poisoning by Other Gases and {M. Vapours {F.	5	3 2	.	.	.	.	.	.	.
N 973	Poisoning by Bromides ... {M. F.	1	1	.	.	.	.	.	.	.
N 974	Poisoning by Other Analgesic and {M. Soporific Drugs {F.	2	1 1	.	.	.	.	.	.	.
N 976	Poisoning by Strychnine ... {M. F.	1	1	.	.	.	.	.	.	.
N 977	Poisoning by Belladonna, Hyoscine, {M. and Atropine {F.	1	1	.	.	.	.	.	.	.
N 979	Poisoning by Other and Unspecified {M. Substances {F.	2	1 1	.	.	.	.	1	1	.

NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH

0-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	Detailed International List Nos.
.	.	.	.	1	.	1	1	.	2	1	3	1	1	.	.	N 908
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	N 910
.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	N 916
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	N 918
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	N 920
.	.	1	.	.	.	1	.	1	.	.	.	.	.	.	.	N 933
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	N 934
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	N 935
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	N 941
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	N 942
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	N 944
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	N 945
.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	N 946
.	.	.	.	.	.	.	.	1	.	1	.	1	1	1	1	N 947
.	.	.	.	2	1	.	.	.	.	1	3	1	.	.	.	N 948
1	1	1	.	.	.	1	.	.	2	2	2	4	.	.	1	N 949
1	.	.	.	.	2	.	.	.	2	3	2	5	5	5	1	N 958
.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	N 962
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	N 964
.	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	N 965
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	N 967
.	.	.	.	.	2	.	.	1	.	.	1	.	1	1	.	N 968
.	.	.	.	1	1	1	.	.	.	1	1	.	1	.	.	N 969
.	.	1	.	.	.	.	.	.	1	1	.	.	.	1	.	N 973
.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	N 974
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	N 976
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	N 977
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	N 979



TABLE 19 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTER

Detailed Inter- national List Nos.	CAUSES OF DEATH	TOTAL DEATHS	AGE AT							
			All Ages	Under 1 year	1 and under 2	2 and under 3	3 and under 4	4 and under 5	Total under 5 years	5-9
N 980	Effects of Reduced Temperature ... {M. F.	1	1	.	.	.	.	.	.	.
N 981	Effects of Heat and Insolation ... {M. F.	2	2	1	.	.	.	.	1	.
N 985	Effects of Hunger ... {M. F.	2	2	.	.	.	.	.	.	.
N 987	Effects of Exposure, not Elsewhere {M. Classified F.	3	1 2	.	.	.	.	1	1	.
N 988	Effects of Excessive Exertion ... {M. F.	1	1	.	.	.	.	.	.	.
N 990	Drowning and Non-fatal Submersion {M. F.	123	92 31	1 2	.	1 1	3 1	.	5 6	8 2
N 991	Asphyxia and Strangulation ... {M. F.	46	38 8	11 7	.	.	.	.	11 7	.
N 992	Electrocution and Non-fatal Effects {M. of Electric Currents F.	5	5	.	.	.	.	1	1	.
N 994	Other General Effects of External {M. Causes F.	12	4 8	3 8	.	.	.	.	3 8	.
N 995	Certain Early Complications of {M. Traumax F.	6	3 3	.	.	.	.	.	1	.
N 996	Injury of Other and Unspecified {M. Nature F.	62	47 15	.	.	.	1	1	2	2 1
N 998	Adverse Reactions to Injections, {M. Infusions, and Transfusions for {F. Therapeutic Purposes	2	2	.	.	.	.	.	.	.
N 999	Adverse Reaction to Other Thera- {M. peutic Procedure F.	4	1 3	1	.	.	.	.	1	.

NATIONAL DETAILED LIST, 6TH REVISION, 1948) AND BY SEX AND AGE.

DEATH																Detailed Inter- national List Nos.
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 and over	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	N 980
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	N 981
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	N 985
.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	N 987
.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	N 988
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	N 990
6 1	4 1	10 2	5 .	9 2	5 .	1 2	8 4	6 2	8 1	7 3	3 1	6 2	2 2	1 .	.	N 991
.	.	2	.	2	2	5	2	5 1	2	3	1	1	1	.	1	N 992
1 .	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	N 994
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	N 995
.	.	.	.	.	.	.	.	.	.	1	1	2	1	.	.	N 996
.	3	2	2	2	1 1	3	3	3 1	1	5 2	4 2	7 1	4 4	2 1	1 2	N 998
.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	N 999
.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	



TABLE 20.—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED  
NUMBER OF UNCERTIFIED DEATHS FOR

NOTE.—The Classification of Cause of Death in this Table is based on the Abbreviated International List,  
list of causes is shown in the

IRE-

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	<b>ALL CAUSES</b> ... .. {M. F.	<b>37,741</b>	<b>2,493 2,092</b>	<b>604 600</b>	<b>4,780 3,547</b>	<b>12,149 11,476</b>	<b>2,154 2,110</b>
B.1	Tuberculosis of Respiratory System ... {M. F.	1,876	341 315	90 70	215 166	389 290	9 7
B.2	Tuberculosis, Other Forms ... {M. F.	504	84 87	11 6	107 113	41 55	1
B.3	Syphilis and its Sequelae ... {M. F.	47	9 3	7 3	3 5	12 5	1
B.4	Typhoid Fever ... {M. F.	8	.	1	5 2	.	.
B.5	Cholera ... {M. F.	.	.	.	.	.	.
B.6	Dysentery, All Forms ... {M. F.	4	1	1	1 1	.	.
B.7a	Scarlet Fever ... {M. F.	8	1	.	3	3 1	1
B.7b	Streptococcal Sore Throat ... {M. F.	2	.	.	.	1 1	.
B.8	Diphtheria ... {M. F.	5	.	1	1 3	.	.
B.9	Whooping Cough ... {M. F.	65	4 10	.	5 2	26 18	2 1
B.10	Meningococcal Infections ... {M. F.	18	4 3	1	4 3	3	.
B.11	Plague ... {M. F.	.	.	.	.	.	.
B.12	Acute Poliomyelitis ... {M. F.	30	2 8	.	8 8	4	.
B.17a	Acute Infectious Encephalitis ... {M. F.	5	2 2	.	.	1	.
B.13	Smallpox ... {M. F.	.	.	.	.	.	.
B.14	Measles ... {M. F.	35	8 7	.	3 5	7 5	.
B.15	Typhus and Other Rickettsial Diseases {M. F.	.	.	.	.	.	.
B.16	Malaria ... {M. F.	1	.	.	.	1	.
B.17b	All other Diseases classified as Infective and Parasitic {M. F.	101	15 11	2 2	25 11	23 12	1
B.18a	Malignant Neoplasms ... {M. F.	4,077	375 366	26 39	658 438	1,101 1,074	24 31
B.18b	Neoplasms of Lymphatic and Haema- topoietic Tissues {M. F.	136	28 16	3	18 16	34 21	1
B.19	Benign and Unspecified Neoplasms ... {M. F.	158	36 17	1 2	30 27	18 27	2 2
B.20	Diabetes Mellitus ... {M. F.	220	17 11	1 1	28 39	59 64	2 2
B.21	Anaemias ... {M. F.	280	14 17	1 7	53 43	54 91	4 7

IST) AND BY SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE EACH COUNTY AND COUNTY BOROUGH.

948. *In counties where there were no deaths from particular causes, those causes are not listed. The full table relating to the whole country.*

AND.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
20,026 17,715	1,676 1,246	319 261	218 208	397 419	528 582	762 744	1,447 1,084	2,611 2,034	5,213 4,359	6,855 6,778
1,035 841	2 .	9 3	5 10	115 177	230 254	200 186	214 95	159 65	80 43	21 8
243 261	25 17	42 34	36 49	34 68	29 24	33 21	18 15	13 18	11 10	2 5
31 16	1 4	1 .	. .	1 .	. .	3 3	4 .	12 4	4 4	5 1
5 3	. .	. .	1 1	. .	1 1	1 .	. .	1 1	. .	1 .
. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
3 1	1 .	. .	. .	. .	2 .	. .	. .	. .	1 .	. .
3 5	. 1	. 1	1 1	2 .	. .	1 .	. .	. .	1 .	. .
1 1	. .	1 1	. .	. .	. .	. .	. .	. .	. .	. .
2 3	. .	. 2	1 1	. .	. .	. .	. .	1 .	. .	. .
35 30	25 17	10 11	. 2	. .	. .	. .	. .	. .	. .	. .
12 6	5 3	1 1	2 .	. .	2 1	. .	1 .	1 1	. .	. .
. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
14 16	1 .	. 5	3 1	4 5	1 3	. 1	1 1	2 .	1 .	1 .
2 3	. 1	. .	1 .	. .	. .	. .	. .	1 1	. .	. 1
. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
18 17	6 11	10 6	2 .	. .	. .	. .	. .	. .	. .	. .
. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .
1 .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .
65 36	4 5	5 4	5 6	2 .	5 2	7 3	5 2	18 1	9 5	5 8
2,160 1,917	. .	7 5	9 5	6 10	19 36	77 112	221 272	488 444	822 622	511 411
83 53	. 1	4 4	8 7	6 2	13 4	9 3	9 10	10 11	23 9	1 2
85 73	1 2	1 3	1 4	4 1	7 3	12 13	17 11	20 12	15 17	7 7
105 115	. .	. 1	1 3	10 5	6 5	8 6	13 13	16 11	31 48	20 23
122 158	1 .	2 .	3 1	. 3	1 12	6 6	9 25	19 24	60 56	21 31



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

IRE

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.22	Vascular Lesions affecting Central Nervous System {M. F.	2,661	110 128	32 30	305 258	749 1,049	58 58
B.23	Nonmeningococcal Meningitis ... {M. F.	100	10 11	· ·	25 28	17 9	1 ·
B.24	Rheumatic Fever... {M. F.	73	4 3	· ·	14 7	19 26	1 1
B.25	Chronic Rheumatic Heart Disease ... {M. F.	145	8 3	1 1	24 16	50 42	2 2
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	8,999	229 199	235 239	1,060 814	3,386 2,837	120 76
B.27	Other Diseases of the Heart ... {M. F.	1,319	70 60	18 15	138 105	467 446	85 61
B.28	Hypertension with Heart Disease ... {M. F.	352	20 6	4 1	70 83	72 96	· 1
B.29	Hypertension without mention of Heart {M. F.	470	23 31	3 1	66 46	131 169	4 7
B.46a	Other Circulatory Diseases ... {M. F.	529	33 21	13 11	98 59	163 131	10 4
B.30	Influenza ... {M. F.	325	4 14	1 1	15 11	125 154	17 25
B.31	Pneumonia ... {M. F.	1,171	97 66	12 24	143 102	396 331	20 17
B.32	Bronchitis ... {M. F.	993	42 14	6 7	119 81	383 341	31 29
B.46b	Other Respiratory Diseases ... {M. F.	367	24 27	3 2	43 32	128 108	3 2
B.36a	Gastritis and Duodenitis ... {M. F.	48	2 2	1 ·	4 ·	17 22	2 2
B.33	Ulcer of Stomach and Duodenum ... {M. F.	225	53 13	2 ·	71 14	46 26	2 1
B.46c	Other Digestive Diseases excluding Diseases of Liver and Gall Bladder {M. F.	124	27 20	· 4	19 11	22 21	3 3
B.34	Appendicitis ... {M. F.	72	10 10	· ·	32 15	3 2	2 ·
B.35	Intestinal Obstruction and Hernia ... {M. F.	215	29 24	· 1	54 33	36 38	2 2
B.36b	Enteritis and Colitis except Diarrhoea of the Newborn {M. F.	310	44 33	1 3	54 33	77 65	1 2
B.37	Cirrhosis of Liver ... {M. F.	61	10 8	1 1	8 4	18 11	· ·
B.38	Nephritis and Nephrosis ... {M. F.	636	43 38	7 4	93 77	204 170	13 2
B.39	Hyperplasia of Prostate ... M.	224	43	3	107	71	2
B.40a	Complications of Pregnancy and Childbirth F.	79	21	1	30	27	1
B.40b	Puerperal Sepsis ... F.	4	1	·	2	1	·
B.40c	Other Complications of the Puerperium F.	16	3	·	5	·	1
B.41	Congenital Malformations ... {M. F.	381	66 50	1 ·	57 49	81 77	7 5
B.42	Birth Injuries, Postnatal Asphyxia and Atelectasis {M. F.	301	89 72	2 1	45 25	37 30	3 2
B.42a	Diarrhoea of Newborn ... {M. F.	44	5 2	· ·	7 4	17 9	· ·





TABLE 20 (*contd.*)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

IRE

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.43b	Other Infections of the Newborn ... {M. F.	106	26 7	· ·	12 10	33 18	· ·
B.44	Other Diseases Peculiar to Early Infancy and Immaturity Unqualified {M. F.	1,051	135 103	5 2	215 151	253 187	57 34
B.45a	Senility without mention of Psychosis {M. F.	4,734	5 16	55 59	231 189	1,969 2,210	1,296 1,409
B.45b	Ill-defined and Unknown Causes ... {M. F.	1,108	72 29	1 4	87 24	498 393	299 227
B.46d	All Other Diseases ... {M. F.	2,013	107 118	50 49	282 234	562 611	64 79
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... {M. F.	150	45 14	· ·	20 4	57 10	· ·
BE.48	All other Accidents ... {M. F.	663	65 51	2 5	94 105	218 123	3 5
BE.49	Suicide and Self-inflicted Injury ... {M. F.	76	2 ·	· 3	2 1	59 9	· ·
BE.50	Homicide and Operations of War ... {M. F.	16	1 ·	· ·	2 ·	9 4	· ·

BY SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
**LAND.**

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
71	71	.	.	.	.	.	.	.	.	.
35	35	.	.	.	.	.	.	.	.	.
608	606	2	.	.	.	.	.	.	.	.
443	441	2	.	.	.	.	.	.	.	.
2,260	.	.	.	.	.	.	.	4	240	2,016
2,474	.	.	.	.	.	.	.	2	236	2,236
658	88	17	3	8	11	10	42	84	174	221
450	55	15	4	1	4	7	20	48	133	163
1,001	29	28	17	29	25	61	111	153	290	258
1,012	22	26	14	26	52	70	93	150	292	267
122	1	6	20	17	16	12	14	12	11	13
28	.	3	7	7	4	1	3	1	1	1
379	20	27	23	33	32	32	40	46	66	60
284	21	16	18	8	7	10	9	19	62	114
63	.	.	.	6	5	9	18	14	9	2
13	.	.	.	1	1	1	5	1	3	1
12	2	.	.	2	.	1	.	3	4	.
4	3	1	.	.	.	.	.	.	.	.



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

LEIN-

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	<b>ALL CAUSES</b> ... .. {M. F.	<b>15,836</b>	<b>1,644 1,407</b>	<b>259 288</b>	<b>1,834 1,431</b>	<b>4,492 4,481</b>	<b>431 365</b>
B.1	Tuberculosis of Respiratory System {M. F.	916	200 174	27 21	85 65	185 159	1 1
B.2	Tuberculosis, Other Forms ... {M. F.	229	57 60	5 2	37 34	12 22	.
B.3	Syphilis and its Sequelae ... {M. F.	33	8 2	4 1	. 5	9 4	1
B.4	Typhoid Fever ... {M. F.	3	.	1	2	.	.
B.6	Dysentery, All Forms ... {M. F.	2	1	1	.	.	.
B.7a	Scarlet Fever ... {M. F.	5	1	.	3	1	.
B.8	Diphtheria ... {M. F.	2	.	1	1	.	.
B.9	Whooping Cough ... {M. F.	37	4 10	.	1 1	11 10	.
B.10	Meningococcal Infections ... {M. F.	8	3 2	.	. 1	2	.
B.12	Acute Poliomyelitis ... {M. F.	13	1 7	.	3 1	1	.
B.17a	Acute Infectious Encephalitis ... {M. F.	3	1 2	.	.	.	.
B.14	Measles ... {M. F.	30	8 7	.	2 5	4 4	.
B.16	Malaria ... {M. F.	1	.	.	.	1	.
B.17b	All other Diseases classified as Infective and Parasitic {M. F.	46	11 6	. 2	8 3	8 8	.
B.18a	Malignant Neoplasms ... {M. F.	1,822	226 244	10 18	249 180	452 443	7 7
B.18b	Neoplasms of Lymphatic and Haematopoietic Tissues {M. F.	65	16 10	2	8 7	13 9	.
B.19	Benign and Unspecified Neoplasms ... {M. F.	68	21 8	. 1	7 13	8 10	1
B.20	Diabetes Mellitus ... {M. F.	84	13 9	. 1	9 10	19 23	.
B.21	Anaemias ... {M. F.	101	7 14	. 3	14 18	15 30	4
B.22	Vascular Lesions affecting Central Nervous System {M. F.	1,194	76 84	17 21	155 97	305 439	9 11
B.23	Nonmeningococcal Meningitis ... {M. F.	47	6 7	.	16 9	5 4	.
B.24	Rheumatic Fever ... {M. F.	29	1 2	.	3 1	10 12	1 1
B.25	Chronic Rheumatic Heart Disease ... {M. F.	55	8 3	. 1	8 3	18 14	.
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	4,122	147 139	125 137	434 374	1,436 1,330	37 21
B.27	Other Diseases of the Heart ... {M. F.	532	49 41	7 7	59 56	157 156	26 17
B.28	Hypertension with Heart Disease ... {M. F.	220	12 5	2 1	51 67	31 51	.
B.29	Hypertension without mention of Heart {M. F.	227	18 22	. 1	32 27	63 64	1 2

SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

TER.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
8,229 7,607	797 617	161 126	100 105	172 191	247 297	339 339	700 503	1,209 973	2,175 1,940	2,329 2,516
497 419	1	3 2	4 6	51 80	119 138	95 94	107 42	78 33	27 19	12 5
111 118	12 7	25 15	16 28	15 28	13 12	18 9	8 6	3 6	1 5	2
21 12	1 4	1	.	.	.	2 1	2	9 3	3 3	3 1
2 1	.	.	1	.	.	.	.	1 1	.	.
2	.	.	.	.	2	.	.	.	.	.
1 4	1	1	.	1	.	1	.	.	1	.
2	.	.	1	.	.	.	.	1	.	.
16 21	12 13	4 7	1	.	.	.	.	.	.	.
5 3	3 2	1	.	.	1	.	.	1	.	.
5 8	.	3	3 1	1	2	1	.	1	.	1
1 2	1	.	1	.	.	.	.	1	.	.
14 16	4 11	9 5	1	.	.	.	.	.	.	.
1	.	.	.	.	.	.	.	.	1	.
27 19	4 3	3 1	1 3	.	2	6 3	3	5 1	3 2	6
937 885	.	1 2	3 3	3 6	9 21	39 53	111 134	227 219	354 276	190 171
39 26	1	2 2	6 3	2	8 3	3	3 6	5 4	10 7	.
36 32	1	1 1	1 3	3 1	3 2	5 5	6 7	9 5	5 3	2 5
41 43	.	1	2	3	1	4 2	5 7	7 5	14 19	8 6
36 65	.	.	.	1	1 9	1 3	2 6	4 5	21 24	7 17
553 641	1 1	1 2	2 1	4 2	6 3	13 11	28 47	93 107	210 232	195 235
27 20	5 9	7 2	5 3	2 4	1 1	2 1	2	.	3	.
14 15	.	2	4 2	2 2	3 5	3 2	1	1	.	1 1
34 21	.	.	3 3	6 2	4 1	1 2	6 3	1 4	5 2	8 4
2,142 1,980	1	2 1	1 3	14 13	10 20	38 40	158 87	355 280	768 643	795 893
272 260	3	1	3 2	3 6	2 7	6 8	21 13	41 50	102 80	90 94
96 124	.	.	.	1	.	2	7 9	18 19	42 51	27 44
113 114	.	.	.	1	1 4	5 5	10	34 29	33 49	29 28



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND PLACE OF OCCURRENCE  
DEATHS FOR EACH COUNTY

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.46a	Other Circulatory Diseases ... {M. F.	256	22 16	7 4	35 18	76 78	3
B.30	Influenza ... {M. F.	119	3 12	1	3	38 62	7 7
B.31	Pneumonia ... {M. F.	506	73 49	3 17	58 35	139 132	3 1
B.32	Bronchitis ... {M. F.	463	26 9	3 1	65 37	176 146	3 4
B.46b	Other Respiratory Diseases ... {M. F.	179	15 18	2 1	22 15	49 57	1 1
B.36a	Gastritis and Duodenitis ... {M. F.	15	2	1		6 6	1
B.33	Ulcer of Stomach and Duodenum ... {M. F.	92	34 10	1	27 5	6 9	1
B.46c	Other Digestive Diseases excluding Diseases of Liver and Gall Bladder {M. F.	57	17 14	3	8 1	8 6	
B.34	Appendicitis ... {M. F.	23	4 5		7 4	1 2	
B.35	Intestinal Obstruction and Hernia ... {M. F.	86	17 15	1	19 12	8 14	
B.36b	Enteritis and Colitis except Diarrhoea of the Newborn {M. F.	144	34 26	3	21 8	25 27	1
B.37	Cirrhosis of Liver ... {M. F.	29	9 6	1	3 2	6 2	
B.38	Nephritis and Nephrosis ... {M. F.	261	30 31	4 1	36 24	62 73	3
B.39	Hyperplasia of Prostate ... M.	57	21	2	21	13	
B.40a	Complications of Pregnancy and Childbirth F.	35	13		11	11	
B.40b	Puerperal Sepsis ... F.	1	1				
B.40c	Other Complications of the Puerperium F.	6	3		1	2	1
B.41	Congenital Malformations ... {M. F.	195	46 34		25 24	32 34	1 2
B.42	Birth Injuries, Postnatal Asphyxia and Atelectasis {M. F.	182	71 62		10 9	15 15	2 2
B.43a	Diarrhoea of Newborn ... {M. F.	11	3		1	3 4	
B.43b	Other Infections of the Newborn ... {M. F.	53	20 4		2 2	16 9	
B.44	Other Diseases Peculiar to Early Infancy and Immaturity Unqualified {M. F.	481	107 70		64 49	110 81	15 11
B.45a	Senility without mention of Psychosis {M. F.	1,064	2 8	11 14	69 53	420 487	173 192
B.45b	Ill-defined and Unknown Causes ... {M. F.	417	43 18	1 2	24 11	204 114	126 62
B.46d	All Other Diseases ... {M. F.	821	71 75	20 17	103 93	181 261	8 15
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... {M. F.	94	37 12		3 2	33 7	
BE.48	All Other Accidents ... {M. F.	261	42 35	2 4	23 33	79 43	1
BE.49	Suicide and Self-inflicted Injury ... {M. F.	26	2	1	1 1	16 5	
BE.50	Homicide and Operations of War ... {M. F.	8	1		1	4 2	

BY SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

STER.

## AGE AT DEATH

All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
140	.	.	1	.	.	4	4	14	54	63
116	.	.	.	.	1	4	5	12	46	48
45	2	2	.	.	4	1	3	6	12	15
74	9	2	1	1	1	3	5	10	17	25
273	100	34	1	4	7	5	21	25	37	39
233	70	20	6	3	6	4	12	16	43	53
270	12	2	.	3	1	3	26	52	75	96
193	8	1	.	.	.	3	5	24	67	85
88	4	.	4	2	1	5	13	14	23	22
91	10	5	2	.	2	2	6	20	16	28
7	2	.	.	.	.	.	.	.	2	.
8	2	.	.	.	.	.	2	1	3	.
68	.	.	.	1	6	9	22	13	12	5
24	.	.	.	.	1	1	7	2	9	4
33	2	.	.	2	1	2	6	3	11	6
24	2	2	.	2	1	3	3	4	4	3
12	.	.	1	2	.	2	.	2	4	1
11	.	.	1	.	2	.	2	.	6	.
44	5	2	.	.	1	4	5	4	15	8
42	4	3	.	1	.	2	5	4	11	12
80	54	11	1	.	2	.	.	4	6	2
64	40	6	1	.	.	2	1	3	6	5
18	.	.	.	.	1	1	7	5	3	1
11	.	.	.	.	.	1	3	4	2	1
132	3	2	2	5	7	9	10	31	34	29
129	.	.	3	7	4	7	18	26	35	29
57	.	.	.	.	.	.	.	7	18	32
35	.	.	.	4	13	18	.	.	.	.
1	.	.	.	.	.	1	.	.	.	.
6	.	.	.	1	2	3	.	.	.	.
103	88	8	2	1	1	2	1	.	.	.
92	78	8	2	4	.	.	.	.	.	.
96	96	.	.	.	.	.	.	.	.	.
86	86	.	.	.	.	.	.	.	.	.
6	6	.	.	.	.	.	.	.	.	.
5	5	.	.	.	.	.	.	.	.	.
38	38	.	.	.	.	.	.	.	.	.
15	15	.	.	.	.	.	.	.	.	.
281	280	1	.	.	.	.	.	.	.	.
200	198	2	.	.	.	.	.	.	.	.
502	.	.	.	.	.	.	.	1	55	446
562	.	.	.	.	.	.	.	1	63	498
272	35	9	1	2	3	6	21	44	73	78
145	13	4	3	.	2	4	8	13	43	55
375	12	15	6	14	8	20	48	62	103	87
446	12	14	8	12	26	35	37	61	129	112
73	.	5	17	10	7	6	8	7	6	7
21	.	2	5	5	3	1	3	1	1	.
146	10	9	8	12	10	16	20	18	23	20
115	11	9	9	4	2	3	4	7	21	45
19	.	.	.	2	3	.	6	2	5	1
7	.	.	.	.	1	1	1	1	2	1
6	.	.	.	2	.	1	.	1	2	.
2	1	1	.	.	.	.	.	.	.	.



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	<b>ALL CAUSES</b> ... .. {M. F.	<b>486</b>	<b>20 18</b>	<b>4 13</b>	<b>54 45</b>	<b>168 164</b>	<b>29 40</b>
B.1	Tuberculosis of Respiratory System {M. F.	23	1 1	3	4 5	7 2	.
B.2	Tuberculosis, Other Forms ... {M. F.	7	2	.	1	2 2	.
B.9	Whooping Cough ... .. {M. F.	1	.	.	.	1	.
B.14	Measles ... .. {M. F.	1	.	.	.	1	.
B.18a	Malignant Neoplasms ... .. {M. F.	42	21 3	.	8 5	11 13	1
B.19	Benign and Unspecified Neoplasms ... {M. F.	4	.	1	2	1	1
B.20	Diabetes Mellitus ... .. {M. F.	2	1	.	1	.	.
B.21	Anaemias ... .. {M. F.	1	.	.	.	1	.
B.22	Vascular Lesions affecting Central Nervous System {M. F.	25	.	1	2	9 13	.
B.23	Nonmeningococcal Meningitis ... {M. F.	1	.	.	.	1	.
B.24	Rheumatic Fever ... .. {M. F.	1	.	.	.	1	.
B.25	Chronic Rheumatic Heart Disease ... {M. F.	1	.	.	.	1	.
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	125	2 1	2 5	8 14	48 45	1 1
B.27	Other Diseases of the Heart ... {M. F.	34	.	.	11 6	6 11	2 5
B.28	Hypertension with Heart Disease ... {M. F.	5	.	.	1	2 2	.
B.29	Hypertension without mention of Heart {M. F.	6	.	.	3	2 1	.
B.46a	Other Circulatory Diseases ... {M. F.	3	.	.	3	.	.
B.31	Pneumonia ... .. {M. F.	12	1	2	1	3 5	.
B.32	Bronchitis ... .. {M. F.	12	.	.	.	7 5	1

BY SEX AND SHOWING (i) AGE; (ii) PLACE OF OCCURRENCE; AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
CARLOW.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
246 240	23 22	4 1	2	22	9 13	5 8	15 20	19 27	68 58	98 87
12 11	.	.	.	1	5 4	2 2	5 3	.	1	.
5 2	.	3	1	.	1	1	1	.	.	.
1	1	.	.	.	.	.	.	.	.	.
1	.	1	.	.	.	.	.	.	.	.
21 21	.	.	.	.	1 2	1	2	1 6	9 8	7 2
1 3	.	.	.	.	.	.	2	1	.	1
2	.	.	.	.	.	1	.	.	1	.
1	.	.	.	.	.	.	1	.	.	.
12 13	.	.	.	.	1	.	3	1 2	6 6	5 1
1	1	.	.	.	.	.	.	.	.	.
1	.	.	.	.	1	.	.	.	.	.
1	.	.	.	.	.	.	.	.	1	.
60 65	.	.	.	.	.	.	1 1	3 8	20 18	33 35
17 17	.	.	.	.	.	.	2 1	3 6	6 7	6 3
3 2	.	.	.	.	.	1	1	.	1	1 1
5 1	.	.	.	.	.	.	1	.	2 1	2
3	.	.	.	.	.	.	.	.	2	1
4 8	2 12	.	.	.	.	.	.	1	1	2
7 5	1	.	.	.	.	1	.	1 3	1 1	2



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.46b	Other Respiratory Diseases ... {M. F.	6	.	1	1	2 2	1 1
B.46c	Other Digestive Diseases excluding {M. Diseases of Liver and Gall Bladder {F.	1	1	.	.	.	.
B.35	Intestinal Obstruction and Hernia ... {M. F.	3	1	.	1	1	.
B.36b	Enteritis and Colitis except Diarrhoea {M. of the Newborn {F.	5	2	.	.	2 1	1
B.37	Cirrhosis of Liver ... {M. F.	1	1	.	.	.	.
B.38	Nephritis and Nephrosis ... {M. F.	7	1	.	2	3 1	.
B.39	Hyperplasia of Prostate ... M.	2	1	.	.	1	.
B.40c	Other Complications of the Puerperium F.	1	.	.	.	1	1
B.41	Congenital Malformations ... {M. F.	4	.	.	2	1 1	.
B.42	Birth Injuries, Postnatal Asphyxia and {M. Atelectasis {F.	6	4 2	.	.	.	.
B.44	Other Diseases Peculiar to Early {M. Infancy and Immaturity Unqualified {F.	18	1	.	2 4	6 5	2
B.45a	Senility without mention of Psychosis {M. F.	69	.	.	1	35 33	17 20
B.45b	Ill-defined and Unknown Causes ... {M. F.	24	4 1	.	2	9 8	6 8
B.46d	All Other Diseases ... {M. F.	24	1 2	1 1	4 4	3 8	.
EXTERNAL CAUSES							
BE.48	All Other Accidents ... {M. F.	9	2	.	1	4 2	.

SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
COUNTY BOROUGH.  
LOW.

All ages	AGE AT DEATH									
	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
3	.	.	.	.	.	.	.	.	.	.
3	.	.	.	.	1	.	1	1	2	1
1	.	.	.	.	.	.	1	.	.	.
2	.	.	.	.	.	.	.	.	.	.
1	.	.	.	.	.	.	1	.	12	.
2	.	.	.	.	.	.	.	.	.	.
3	1212	.	.	.	.	1	.	.	.	.
1	.	.	.	.	.	.	1	.	.	.
5	.	.	.	.	.	.	.	.	.	.
2	.	.	.	1	1	.	.	2	.	1
2	.	.	.	.	.	.	.	.	1	1
1	.	.	.	.	.	1	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
3	2	1	.	.	.	.	.	.	.	.
4	4	.	.	.	.	.	.	.	.	.
2	12	.	.	.	.	.	.	.	.	.
8	2	.	.	.	.	.	.	.	.	.
10	10	.	.	.	.	.	.	.	.	.
35	.	.	.	.	.	.	.	.	.	.
34	.	.	.	.	.	.	.	.	3	32
									1	33
15	3	.	.	1	2	.	.	1	4	4
9	12	.	.	.	.	.	.	.	5	2
9	.	.	.	.	.	.	.	.	.	.
15	1	.	.	.	3	2	1	1	5	3
							1		5	2
4	.	.	.	.	.	.	.	.	.	.
5	.	.	1	.	.	.	2	2	1	3



TABLE 20 (*contd.*)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) A

DEATHS FOR EACH COUN

CO. DUBL

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertif Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	ALL CAUSES ... .. {M. F.	1,020	145 130	24 22	77 54	302 266	
B.1	Tuberculosis of Respiratory System ... {M. F.	78	16 14	6 1	4 6	22 9	
B.2	Tuberculosis, Other Forms ... {M. F.	16	5 8	.	2 1	.	
B.3	Syphilis and its Sequelae ... {M. F.	2	.	.	.	1 1	
B.7a	Scarlet Fever ... {M. F.	2	1	.	.	1	
B.9	Whooping Cough ... {M. F.	1	.	.	.	1	
B.14	Measles ... {M. F.	3	1 1	.	.	1	
B.17b	All other Diseases Classified as Infec- tive and Parasitic {M. F.	5	3	.	.	1 1	
B.18a	Malignant Neoplasms ... {M. F.	117	22 24	3	11 8	27 22	
B.18b	Neoplasms of Lymphatic and Haema- topoietic Tissues {M. F.	7	1 2	.	1	3	
B.19	Benign and Unspecified Neoplasms {M. F.	8	3 2	.	2	1	
B.20	Diabetes Mellitus ... {M. F.	6	1 1	.	.	1 3	
B.21	Anaemias ... {M. F.	5	1	.	1	2	
B.22	Vascular Lesions affecting Central Nervous System {M. F.	71	8 3	2	8 3	18 29	
B.23	Nonmeningococcal Meningitis ... {M. F.	2	2	.	.	.	
B.24	Rheumatic Fever ... {M. F.	1	.	.	.	1	
B.25	Chronic Rheumatic Heart Disease ... {M. F.	4	1	.	.	2 1	
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	265	8 10	13 11	21 11	109 82	
B.27	Other Diseases of the Heart ... {M. F.	33	6 7	1	2 2	5 10	
B.28	Hypertension with Heart Disease ... {M. F.	17	.	.	7 2	5 3	
B.29	Hypertension without mention of Heart {M. F.	20	3 2	.	3 2	8 2	
B.46a	Other Circulatory Diseases ... {M. F.	9	2	.	1	3 3	
B.30	Influenza ... {M. F.	3	1	.	.	2	
B.31	Pneumonia ... {M. F.	29	6 4	1	3 1	7 7	
B.32	Bronchitis ... {M. F.	22	1 1	.	3	9 8	
B.46b	Other Respiratory Diseases ... {M. F.	13	4 1	.	1	3 4	

Y SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
ND COUNTY BOROUGH.

EXCLUDING DÚN LAOGHAIRE BOROUGH).

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
548 472	67 48	8 12	9 13	21 21	22 21	26 21	49 31	76 57	130 104	140 144
48 30	.	.	1 1	7 10	11 8	8 4	8 4	9 1	4 2	.
7 9	1	2	1	1 4	2 3	1	1	.	.	.
1 1	.	.	.	.	.	.	.	1	1	.
1 1	.	.	.	1	.	1	.	.	.	.
1	.	1	.	.	.	.	.	.	.	.
1 2	1	1	.	.	.	.	.	.	.	.
4 1	.	.	.	.	2	2	.	.	.	1
60 57	.	1	.	1 1	1	2 4	7 8	16 16	20 16	14 10
2 5	.	1	1 1	.	1	.	1	.	2	.
3 5	1	.	.	.	.	1 2	1 1	1	.	1
2 4	.	.	.	.	1	.	.	.	1 3	1
1 4	.	.	.	.	.	.	.	1	1	2
36 35	1 1	1	1	1	.	2	1 4	3 4	16 13	10 13
2	1	.	1	.	.	.	.	.	.	.
1	.	.	.	.	.	1	.	.	.	.
3 1	.	.	.	1	1	.	1	.	.	1
151 114	.	.	.	1	1	3 2	15 3	23 15	41 31	67 62
13 20	.	.	.	1	.	1	1	3 7	5 4	3 8
12 5	.	.	.	1	.	1	1	1	6 3	3 1
14 6	.	.	.	.	1	1	.	6 2	5 2	2 1
4 5	.	.	.	.	.	.	.	1	1 1	3 3
3	1	.	.	1	.	.	.	.	.	1
16 13	6 3	1 2	1	.	.	.	2	2 1	2 1	3 5
13 9	1	.	.	.	.	.	2	2	5 4	4 4
8 5	1	.	1	.	.	1	1 1	2 2	1 1	2



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY  
CO. DUBLIN

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.33	Ulcer of Stomach and Duodenum ... {M. F.	5	1 1	.	1	1 1	.
B.46c	Other Digestive Diseases excluding {M. Diseases of Liver and Gall Bladder {F.	4	1 2	1	.	.	.
B.35	Intestinal Obstruction and Hernia ... {M. F.	4	1 2	.	1	.	.
B.36b	Enteritis and Colitis except Diarrhoea {M. of the Newborn {F.	13	9 1	.	.	1 2	.
B.37	Cirrhosis of Liver ... {M. F.	3	1	.	.	2	.
B.38	Nephritis and Nephrosis ... {M. F.	12	2 3	.	.	2 5	.
B.39	Hyperplasia of Prostate ... M.	2	1	.	1	.	.
B.40a	Complications of Pregnancy and F. Childbirth	1	.	.	1	.	.
B.40b	Puerperal Sepsis ... F.	1	1	.	.	.	.
B.41	Congenital Malformations ... {M. F.	16	3 2	.	2	2 7	.
B.42	Birth Injuries, Postnatal Asphyxia {M. and Atelectasis {F.	19	9 8	.	.	1 1	.
B.43b	Other Infections of the Newborn ... {M. F.	7	2 1	.	1	3	.
B.44	Other Diseases Peculiar to Early {M. Infancy and Immaturity Unqualified {F.	39	13 7	.	5 3	7 4	2
B.45a	Senility without mention of Psychosis {M. F.	45	.	2 2	.	19 22	2
B.45b	Ill-defined and Unknown Causes ... {M. F.	14	4 1	.	1 1	4 3	.
B.46d	All Other Diseases ... {M. F.	59	4 7	1 2	3 2	22 18	.
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... {M. F.	13	4 1	.	.	6 2	.
BE.48	All Other Accidents ... {M. F.	21	2 5	.	3	6 5	.
BE.49	Suicide and Self-inflicted Injury ... {M. F.	2	.	.	.	2	.
BE.50	Homicide and Operations of War ... {M. F.	1	.	.	.	1	.

SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
ID COUNTY BOROUGH.

EXCLUDING DÚN LAOGHAIRE BOROUGH).

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
2 3	.	.	.	.	.	1	2	1	1	.
1 3	1	1	.	.	.	.	1	.	1	.
1 3	.	.	.	.	.	1	1 2	.	.	.
10 3	5 1	2 1	1	.	.	.	.	.	1	2
2 1	.	.	.	.	.	1	.	2	.	.
4 8	.	.	.	1 1	.	1 1	1	1 1	1 3	1
2	.	.	.	.	.	.	.	.	1	1
1	.	.	.	.	.	1	.	.	.	.
1	.	.	.	.	.	1	.	.	.	.
5 11	5 10	.	1	.	.	.	.	.	.	.
10 9	10 9	.	.	.	.	.	.	.	.	.
5 2	5 2	.	.	.	.	.	.	.	.	.
25 14	25 14	.	.	.	.	.	.	.	.	.
21 24	.	.	.	.	.	.	.	.	4 4	17 20
9 5	4	.	1 2	.	1	1	.	1	2 1	1
30 29	1 1	1	1 3	5 1	2 4	1 1	6 1	2 2	7 7	5 8
10 3	.	1	2 1	1 1	1	.	1	1	3	1
8 13	2 2	2	1	1	2	.	1	3	2 2	3
2	.	.	.	.	.	.	1	.	1	.
1	.	1	.	.	.	.	.	.	.	.



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND BY PLACE OF OCCURRENCE  
DEATHS FOR EACH COUNTY  
DUBLIN CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	ALL CAUSES ... .. {M. F.	5,845	1,049 852	67 106	539 521	1,232 1,479	55 36
B.1	Tuberculosis of Respiratory System {M. F.	390	118 79	9 7	37 16	66 58	· ·
B.2	Tuberculosis, Other Forms ... {M. F.	93	35 35	1 1	4 5	6 6	· ·
B.3	Syphilis and its Sequelae ... {M. F.	16	6 1	2 1	· 2	2 2	· ·
B.6	Dysentery, All Forms ... {M. F.	1	1 ·	· ·	· ·	· ·	· ·
B.7a	Scarlet Fever ... {M. F.	2	· ·	· ·	· 2	· ·	· ·
B.8	Diphtheria ... {M. F.	1	· ·	1 ·	· ·	· ·	· ·
B.9	Whooping Cough ... {M. F.	16	4 10	· ·	· ·	· 2	· ·
B.10	Meningococcal Infections ... {M. F.	8	3 2	· ·	· 1	· 2	· ·
B.12	Acute Poliomyelitis ... {M. F.	8	1 6	· ·	· ·	· 1	· ·
B.17a	Acute Infectious Encephalitis ... {M. F.	3	1 2	· ·	· ·	· ·	· ·
B.14	Measles ... {M. F.	20	6 6	· ·	1 4	2 1	· ·
B.16	Malaria ... {M. F.	1	· ·	· ·	· ·	· 1	· ·
B.17b	All other Diseases Classified as Infective and Parasitic {M. F.	19	6 4	· ·	3 2	2 2	· ·
B.18a	Malignant Neoplasms ... {M. F.	709	130 139	1 3	57 62	145 172	· ·
B.18b	Neoplasms of Lymphatic and Haematopoietic Tissues {M. F.	22	8 3	1 ·	2 4	2 2	· ·
B.19	Benign and Unspecified Neoplasms {M. F.	24	12 2	· ·	4 2	2 2	· ·
B.20	Diabetes Mellitus ... {M. F.	29	7 7	· ·	1 3	5 6	· ·
B.21	Anaemias ... {M. F.	31	4 8	· 1	5 3	· 10	· ·
B.22	Vascular Lesions affecting Central Nervous System {M. F.	393	52 61	5 7	33 27	73 135	· ·
B.23	Nonmeningococcal Meningitis ... {M. F.	13	6 4	· ·	2 ·	1 ·	· ·
B.24	Rheumatic Fever ... {M. F.	12	1 2	· ·	1 ·	1 7	· 1
B.25	Chronic Rheumatic Heart Disease ... {M. F.	27	7 2	· ·	1 2	4 11	· ·
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	1,581	103 90	33 59	160 187	444 505	5 4
B.27	Other Diseases of the Heart ... {M. F.	188	30 24	1 4	13 20	33 43	5 1
B.28	Hypertension with Heart Disease ... {M. F.	159	10 3	2 1	40 63	14 26	· ·
B.29	Hypertension without mention of Heart {M. F.	107	8 19	· 1	16 17	23 23	· ·

Y SEX AND SHOWING (i) AGE; (ii) PLACE OF OCCURRENCE; AND (iii) THE NUMBER OF UNCERTIFIED  
ND COUNTY BOROUGH.  
BOROUGH.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
2,887 2,958	321 271	63 43	44 40	79 72	82 112	139 152	337 223	529 394	730 761	563 890
230 160	1	3 1	3	19 23	42 50	44 40	62 16	45 17	11 7	3 3
46 47	5 5	6 4	9 11	8 13	5 3	6 6	5 2	1 1	1 1	1
10 6	2	.	.	.	.	1	2	4 2	1 1	2 1
1	.	.	.	.	1	.	.	.	.	.
2	.	1	.	.	.	.	.	.	1	.
1	.	.	.	.	.	.	.	1	.	.
4 12	3 9	1 3	.	.	.	.	.	.	.	.
5 3	3 2	1	.	.	1	.	.	1	.	.
2 6	.	2	1 1	.	2	1	.	.	.	1
1 2	1	.	1	.	.	.	.	1	.	.
9 11	3 9	5 2	1	.	.	.	.	.	.	.
1	.	.	.	.	.	.	.	.	1	.
11 8	4 2	1	2	.	.	1 2	2	2	1 1	1
333 376	.	1 1	2 1	1 2	3 11	17 26	54 66	96 85	114 113	45 71
13 9	1	1	1 1	2	4 1	2	1 1	2	2 3	.
18 6	.	1	1	.	3	3 1	2 1	4 2	4	1 1
13 16	.	.	1	1	.	1 1	1 3	4 3	5 6	1 2
9 22	.	.	.	.	3	1	3	1 1	7 4	1 10
163 230	.	.	1	3 1	1 1	6 6	13 22	36 38	53 79	50 83
9 4	4 2	2	1 1	1	.	.	.	.	2	.
3 9	.	.	1 1	1 1	.	1 1	.	.	.	1
12 15	.	.	2 2	1 2	2 1	1	3 2	4	2 1	1 3
740 841	.	1	1 1	8 7	3 9	15 16	76 40	145 119	270 274	221 375
77 91	2	.	1 2	1 2	2	4 7	4 6	14 11	27 26	24 35
66 93	.	.	.	.	.	.	4 6	15 9	27 42	20 36
47 60	.	.	.	1	3	3 4	5 4	13 12	13 18	12 19



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND  
DEATHS FOR EACH COUNTY  
DUBLIN CO

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.46a	Other Circulatory Diseases ... {M. F.	87	9 7	1 2	8 5	24 31	.
B.30	Influenza ... {M. F.	41	2 8	.	.	13 18	.
B.31	Pneumonia ... {M. F.	214	51 33	1 9	18 13	43 46	1
B.32	Bronchitis ... {M. F.	240	20 5	1	50 29	71 64	.
B.46b	Other Respiratory Diseases ... {M. F.	81	8 14	1	7 6	22 23	.
B.36a	Gastritis and Duodenitis ... {M. F.	1	.	.	.	1	.
B.33	Ulcer of Stomach and Duodenum ... {M. F.	36	21 9	1	1 1	1 2	.
B.46c	Other Digestive Diseases excluding Diseases of Liver and Gall Bladder {M. F.	30	10 8	.	4	3 5	.
B.34	Appendicitis ... {M. F.	7	3 3	.	1	.	.
B.35	Intestinal Obstruction and Hernia ... {M. F.	26	9 8	1	1	3 4	.
B.36b	Enteritis and Colitis except Diarrhoea of the Newborn {M. F.	43	22 15	1	.	4 1	.
B.37	Cirrhosis of Liver ... {M. F.	13	6 4	1	1	1	.
B.38	Nephritis and Nephrosis ... {M. F.	85	22 16	1	3 7	14 22	.
B.39	Hyperplasia of Prostate ... M.	16	8	.	5	3	.
B.40a	Complications of Pregnancy and Childbirth F.	11	10	.	.	1	.
B.40c	Other Complications of the Puerperium F.	4	3	.	.	1	.
B.41	Congenital Malformations ... {M. F.	80	28 24	.	10 8	3 7	.
B.42	Birth Injuries, Postnatal Asphyxia and Atelectasis {M. F.	102	44 39	.	.	9 10	.
B.43a	Diarrhoea of Newborn ... {M. F.	6	2	.	.	2 2	.
B.43b	Other Infections of the Newborn ... {M. F.	26	17 3	.	1	1 4	.
B.44	Other Diseases Peculiar to Early Infancy and Immaturity Unqualified {M. F.	165	68 51	.	6 6	16 18	1 1
B.45a	Senility without mention of Psychosis {M. F.	113	1 6	2 3	.	27 74	2 3
B.45b	Ill-defined and Unknown Causes ... {M. F.	132	26 10	1	6	49 40	40 25
B.46d	All Other Diseases ... {M. F.	283	49 37	2 1	33 23	63 75	1 1
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... {M. F.	45	29 9	.	.	6 1	.
BE.48	All Other Accidents ... {M. F.	92	32 21	1 2	3	20 13	.
BE.49	Suicide and Self-inflicted Injury ... {M. F.	10	2	.	1 1	4 2	.
BE.50	Homicide and Operations of War ... {M. F.	3	1	.	.	2	.

BY SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
BOROUGH.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
42	.	.	1	.	.	1	3	6	18	13
45	.	.	.	.	.	1	2	6	19	17
15	.	1	.	.	2	1	2	4	.	5
26	2	.	.	.	1	.	1	4	10	8
113	49	13	1	2	3	.	8	13	10	14
101	38	10	1	1	3	2	8	9	16	13
142	2	1	.	.	.	2	17	35	44	41
98	2	.	.	.	.	2	3	12	37	42
38	1	.	3	1	1	3	6	7	10	6
43	5	3	1	.	1	1	3	8	7	14
1	.	.	.	.	.	.	.	.	1	.
24	.	.	.	1	1	3	6	6	5	2
12	.	.	.	.	1	1	5	1	3	1
17	2	.	.	1	.	.	3	3	7	1
13	1	.	.	2	1	2	1	4	.	2
4	.	.	.	.	.	1	.	2	1	.
3	.	.	1	.	1	.	.	.	1	.
13	1	1	.	.	.	1	.	3	4	3
13	1	.	.	.	.	.	.	1	5	6
26	18	1	.	.	2	.	.	3	2	.
17	12	.	.	.	.	.	1	.	3	1
7	.	.	.	.	.	1	4	1	1	.
6	.	.	.	.	.	.	2	2	1	1
40	2	2	2	2	1	2	7	9	12	1
45	.	.	2	5	1	3	3	8	13	10
16	.	.	.	.	.	.	.	2	6	8
11	.	.	.	1	4	6	.	.	.	.
4	.	.	.	1	1	2	.	.	.	.
41	35	4	1	.	.	.	1	.	.	.
39	33	3	.	3	.	.	.	.	.	.
53	53	.	.	.	.	.	.	.	.	.
49	49	.	.	.	.	.	.	.	.	.
4	4	.	.	.	.	.	.	.	.	.
2	2	.	.	.	.	.	.	.	.	.
19	19	.	.	.	.	.	.	.	.	.
7	7	.	.	.	.	.	.	.	.	.
90	90	.	.	.	.	.	.	.	.	.
75	75	.	.	.	.	.	.	.	.	.
30	.	.	.	.	.	.	.	.	3	27
83	.	.	.	.	.	.	.	.	9	74
81	9	6	.	1	.	1	9	17	22	16
51	3	3	.	.	1	1	5	7	16	15
147	7	4	1	8	2	10	25	26	33	31
136	5	7	3	4	5	15	14	24	33	26
35	.	4	9	7	4	2	2	3	1	3
10	.	1	3	2	1	1	.	1	1	.
56	4	4	3	6	2	6	7	5	9	10
36	3	1	2	1	.	2	2	.	7	18
7	.	.	.	2	.	.	3	1	1	.
3	.	.	.	.	.	1	.	.	2	.
3	.	.	.	2	.	.	.	1	.	.



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY  
DÚN LAOGHAIRE

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	<b>ALL CAUSES</b> ... .. {M. F.	<b>537</b>	<b>85 92</b>	<b>12 6</b>	<b>18 23</b>	<b>117 184</b>	.
B.1	Tuberculosis of Respiratory System {M. F.	27	8 9	1	1	5 3	.
B.2	Tuberculosis, Other Forms ... {M. F.	5	1 3	.	.	1	.
B.3	Syphilis and its Sequelae ... {M. F.	2	1	.	.	1	.
B.14	Measles ... .. {M. F.	1	.	.	.	1	.
B.18a	Malignant Neoplasms ... {M. F.	81	8 19	1	2 2	17 32	.
B.18b	Neoplasms of Lymphatic and Haema- topoietic Tissues {M. F.	1	1	.	.	.	.
B.19	Benign and Unspecified Neoplasms {M. F.	4	1 1	.	1	1	.
B.20	Diabetes Mellitus ... {M. F.	1	1	.	.	.	.
B.21	Anaemias ... {M. F.	4	1	.	1 2	.	.
B.22	Vascular Lesions affecting Central Nervous System {M. F.	49	6 4	.	1	14 24	.
B.23	Nonmeningococcal Meningitis ... {M. F.	2	1	.	.	1	.
B.25	Chronic Rheumatic Heart Disease ... {M. F.	1	.	.	.	1	.
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	169	14 14	4 3	6 12	47 69	.
B.27	Other Diseases of the Heart ... {M. F.	15	3 4	.	.	2 6	.
B.28	Hypertension with Heart Disease ... {M. F.	4	1	.	1	1 1	.
B.29	Hypertension without mention of Heart {M. F.	9	2 1	.	.	2 4	.
B.46a	Other Circulatory Diseases ... {M. F.	15	4 1	2	1	1 6	.
B.30	Influenza ... {M. F.	4	.	.	.	1 3	.
B.31	Pneumonia ... {M. F.	23	7 5	1	1 1	3 5	.

Y SEX AND SHOWING (i) AGE : (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
 ND COUNTY BOROUGH.  
 OROUGH.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
232 305	20 10	5 3	1 1	2 4	5 3	12 5	18 18	35 52	67 78	67 131
15 12	.	.	.	1 2	5 2	4 3	2 1	1 1	2 3	.
1 4	.	.	.	1	.	1	.	2	.	1
1 1	.	.	.	.	.	.	.	1	.	1
1	.	1	.	.	.	.	.	.	.	.
28 53	.	.	.	.	.	1	4 7	7 13	5 16	11 17
.	.	.	.	.	.	.	.	1	.	.
2 2	.	.	.	.	.	.	.	2 1	.	1
1	.	.	.	.	.	.	.	.	1	.
1 3	.	.	.	.	.	.	.	.	1 1	2
20 29	.	.	.	.	.	.	.	4 6	9 8	7 15
2	1	1	.	.	.	.	.	.	.	.
1	.	.	.	.	.	.	.	.	.	1
71 98	.	1	.	.	1	1 1	4 2	13 11	30 26	22 57
5 10	.	.	.	.	.	.	1	2 2	1 1	1 7
2 2	.	.	.	.	.	.	.	1	2	1
4 5	.	.	.	.	.	.	1	3	.	1 4
7 8	.	.	.	.	.	1	1	1	1 4	4 3
1 3	.	.	.	.	.	.	.	1	1 1	1
11 12	2 3	2	.	.	.	1	.	1	3 6	3 2



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY  
DÚN LAOGHAIRE

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.32	Bronchitis ... {M. F.	11	4 1	1	1	1 3	.
B.46b	Other Respiratory Diseases ... {M. F.	9	2 2	.	1	2 2	.
B.33	Ulcer of Stomach and Duodenum ... {M. F.	4	3	.	.	1	.
B.46c	Other Digestive Diseases excluding Diseases of Liver and Gall Bladder {M. F.	1	.	.	.	1	.
B.35	Intestinal Obstruction and Hernia ... {M. F.	4	3 1	.	.	.	.
B.36b	Enteritis and Colitis except Diarrhoea of the Newborn {M. F.	4	1 2	.	.	1	.
B.38	Nephritis and Nephrosis ... {M. F.	13	6	1	1	4 1	.
B.41	Congenital Malformations ... {M. F.	3	1	.	1	1	.
B.42	Birth Injuries, Postnatal Asphyxia and Atelectasis {M. F.	6	3 2	.	.	1	.
B.43b	Other Infections of the Newborn ... {M. F.	1	.	.	.	1	.
B.44	Other Diseases Peculiar to Early Infancy and Immaturity Unqualified {M. F.	9	5 1	.	1	1 1	.
B.45a	Senility without mention of Psychosis {M. F.	13	1	.	.	3 9	.
B.45b	Ill-defined and Unknown Causes ... {M. F.	6	1 1	1	.	2 1	.
B.46d	All Other Diseases ... {M. F.	22	4 3	1 2	3	1 8	.
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... {M. F.	4	2 1	.	.	1	.
BE.48	All Other Accidents ... {M. F.	10	2 4	.	1	1 2	.

BY SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

BOROUGH.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
7 4	.	.	.	.	.	.	1	1	3	3
5 4	1 1	.	.	.	.	.	.	3	2	2
3 1	.	.	.	.	.	.	2	.	1	.
1	.	.	.	.	.	.	.	.	.	1
3 1	.	.	.	.	.	1	1	.	.	1 1
2 2	1	1	.	.	.	.	.	2	.	.
6 7	1	.	.	.	.	1	4	2	1	4
3	3	.	.	.	.	.	.	.	.	.
4 2	4 2	.	.	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
7 2	7 2	.	.	.	.	.	.	.	.	.
3 10	.	.	.	.	.	.	.	.	1 1	2 9
4 2	.	.	.	.	.	.	.	.	2	2 2
6 16	.	1	.	1	.	1	1 1	1 3	2 5	1 5
3 1	.	.	1	1	.	.	2	.	.	.
4 6	1	1	1	.	.	1	1	.	1 2	2



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	ALL CAUSES ... .. {M. F.	719	51 44	14 6	112 56	219 217	12 11
B.1	Tuberculosis of Respiratory System {M. F.	41	6 11	.	1 1	6 16	.
B.2	Tuberculosis, Other Forms ... {M. F.	9	2	.	4 1	1 1	.
B.3	Syphilis and its Sequelae ... {M. F.	3	1	2	.	.	.
B.4	Typhoid Fever ... {M. F.	1	.	.	1	.	.
B.9	Whooping Cough ... {M. F.	4	.	.	1	3	.
B.17b	All other Diseases Classified as Infec- tive and Parasitic {M. F.	4	.	.	1	2 1	.
B.18a	Malignant Neoplasms ... {M. F.	89	8 10	.	18 8	20 25	.
B.18b	Neoplasms of Lymphatic and Haema- topoietic Tissues {M. F.	4	.	1	.	2 1	.
B.19	Benign and Unspecified Neoplasms ... {M. F.	5	1	.	1	2 1	.
B.20	Diabetes Mellitus ... {M. F.	3	.	.	1	2	.
B.21	Anaemias ... {M. F.	13	1	1	4 4	2 1	.
B.22	Vascular Lesions affecting Central Nervous System {M. F.	39	1 2	.	6 8	10 12	.
B.23	Nonmeningococcal Meningitis ... {M. F.	1	.	.	.	1	.
B.25	Chronic Rheumatic Heart Disease ... {M. F.	2	.	.	1	1	.
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	167	2 4	8 3	16 11	63 60	3 1
B.27	Other Diseases of the Heart ... {M. F.	27	1	.	6 4	8 8	2 2
B.28	Hypertension with Heart Disease ... {M. F.	1	.	.	.	1	.
B.29	Hypertension without mention of Heart {M. F.	4	.	.	.	2 2	.
B.46a	Other Circulatory Diseases ... {M. F.	10	2 1	.	1	2 4	1
B.30	Influenza ... {M. F.	7	.	.	.	1 6	2
B.31	Pneumonia ... {M. F.	37	3	.	8 3	14 9	.
B.32	Bronchitis ... {M. F.	25	.	1	4	14 6	.
B.46b	Other Respiratory Diseases ... {M. F.	4	.	.	1	1 2	.
B.36a	Gastritis and Duodenitis ... {M. F.	1	.	.	.	1	.
B.33	Ulcer of Stomach and Duodenum ... {M. F.	2	1	.	1	.	.

BY SEX AND SHOWING (i) AGE; (ii) PLACE OF OCCURRENCE; AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
KILDARE.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
396 323	50 27	15 5	4 1	11 10	12 24	13 20	41 25	56 34	94 86	100 91
13 28	.	.	.	3 6	3 14	2 5	2 2	3	1	.
5 4	1 1	1 2	.	1	.	1	1	1	.	.
3	.	.	.	.	.	1	.	1	1	.
1	.	.	1	.	.	.	.	.	.	.
4	2	2	.	.	.	.	.	.	.	.
3 1	.	2 1	.	.	.	.	.	.	1	.
46 43	.	.	.	.	2 1	5	8 7	9 8	19 15	8 7
3 1	.	.	.	.	.	.	1 1	.	2	.
4 1	.	1	.	2	.	.	1 1	.	.	.
2 1	.	.	.	1	.	.	1	.	1	.
7 6	.	.	.	.	1	1	1	1 1	4 3	1
17 22	.	.	.	1	.	1	1 3	2 3	6 9	7 6
1	.	.	.	.	.	1	.	.	.	.
1 1	.	.	.	1	.	.	.	.	.	1
89 78	.	.	.	2	2	3	6 3	15 13	28 23	38 34
14 13	.	.	1	.	2	.	.	4 2	5 6	4 3
1	.	.	.	.	.	.	.	.	1	.
2 2	.	.	.	.	.	.	.	.	1 2	1
5 5	.	.	.	.	.	1	.	1	4 1	1 2
1 6	.	.	.	.	.	.	1 1	1	1	3
25 12	6 4	5	.	1	1 1	1	4 1	1 2	5 1	2 2
19 6	1	.	.	.	.	1	2	2	2 1	11 5
2 2	.	1	.	.	.	.	2	.	1	.
1	.	.	.	.	.	.	.	.	1	.
2	.	.	.	.	.	.	1	1	.	.



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.46c	Other Digestive Diseases excluding { M. Diseases of Liver and Gall Bladder { F.	6	3	1	2		
B.34	Appendicitis ... { M. F.	1	1				
B.35	Intestinal Obstruction and Hernia ... { M. F.	7	3		3	1	
B.36b	Enteritis and Colitis except Diarrhoea { M. of the Newborn { F.	12	2 2		2	1 5	
B.37	Cirrhosis of Liver ... { M. F.	1	1				
B.38	Nephritis and Nephrosis ... { M. F.	21			11 2	2 6	
B.39	Hyperplasia of Prostate ... M.	3	3				
B.40a	Complications of Pregnancy and F. Childbirth	3	2			1	
B.41	Congenital Malformations ... { M. F.	12	2 2		1	5 2	
B.42	Birth Injuries, Postnatal Asphyxia { M. and Atelectasis { F.	3	3				
B.43a	Diarrhoea of Newborn ... { M. F.	1				1	
B.43b	Other Infections of the Newborn ... { M. F.	2				2	
B.44	Other Diseases Peculiar to Early { M. Infancy and Immaturity Unqualified { F.	27	4 3		4 1	8 7	3
B.45a	Senility without mention of Psychosis { M. F.	31			5 1	12 13	1 5
B.45b	Ill-defined and Unknown Causes ... { M. F.	14				9 5	2 1
B.46d	All Other Diseases ... { M. F.	52	3 2	2	9 9	10 17	
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... { M. F.	6				6	
BE.48	All Other Accidents ... { M. F.	13	2		1 1	7 2	
BE.49	Suicide and Self-inflicted Injury ... { M. F.	1		1			

Y SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
ND COUNTY BOROUGH.

ILDARE.

## AGE AT DEATH

All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
5 1	.	.	.	.	1	1 1	2	.	.	1
1	.	.	.	.	.	.	.	.	1	.
6 1	1	.	.	.	1	1	.	.	2 1	1
5 7	4 6	.	.	.	.	.	.	.	1	1
1	.	.	.	.	.	.	1	.	.	.
13 8	.	.	.	.	.	1	1 2	7 1	4 3	2
3	.	.	.	.	.	.	.	2	1	.
3	.	.	.	.	1	2	.	.	.	.
7 5	6 4	1	.	.	1	.	.	.	.	.
3	3	.	.	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
2	2	.	.	.	.	.	.	.	.	.
16 11	16 11	.	.	.	.	.	.	.	.	.
17 14	.	.	.	.	.	.	.	.	2 1	15 13
9 5	4 1	.	.	.	.	1	.	2	4	2
24 28	3	4	1 1	2	1	.	4 2	2 2	4 10	6 10
6	.	.	1	.	1	2	1	.	1	.
10 3	.	.	.	1	2 1	1	1	3	.	2 2
1	.	.	.	.	.	.	1	.	.	.



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

CO

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	<b>ALL CAUSES</b> ... .. { M. F.	<b>862</b>	<b>32 35</b>	<b>18 24</b>	<b>115 87</b>	<b>297 254</b>	<b>31 48</b>
B.1	Tuberculosis of Respiratory System { M. F.	42	7 13	.	6 1	9 6	.
B.2	Tuberculosis, Other Forms ... { M. F.	6	.	.	2 4	.	.
B.3	Syphilis and its Sequelae ... { M. F.	2	.	.	.	2	.
B.4	Typhoid Fever ... .. { M. F.	1	.	.	1	.	.
B.6	Dysentery, All Forms ... { M. F.	1	.	1	.	.	.
B.9	Whooping Cough ... .. { M. F.	3	.	.	.	1 2	.
B.14	Measles ... .. { M. F.	2	.	.	1	1	.
B.17b	All other Diseases Classified as Infec- tive and Parasitic { M. F.	4	1	.	2 1	.	.
B.18a	Malignant Neoplasms ... { M. F.	76	5 6	2	14 12	22 15	1
B.18b	Neoplasms of Lymphatic and Haema- topoietic Tissues { M. F.	4	.	.	2 1	1	.
B.19	Benign and Unspecified Neoplasms { M. F.	1	.	.	1	.	.
B.20	Diabetes Mellitus ... .. { M. F.	5	1	.	1	3	.
B.21	Anaemias ... .. { M. F.	10	1	.	1 1	2 5	1
B.22	Vascular Lesions affecting Central Nervous System { M. F.	68	1 2	2 1	9 5	22 26	2 3
B.23	Nonmeningococcal Meningitis ... { M. F.	3	.	.	1 1	1	.
B.24	Rheumatic Fever ... .. { M. F.	2	.	.	.	1 1	1
B.25	Chronic Rheumatic Heart Disease ... { M. F.	3	.	.	1	2	.
B.26	Arteriosclerotic and Degenerative Heart Disease { M. F.	208	6 5	5 9	17 14	84 68	2 3
B.27	Other Diseases of the Heart ... { M. F.	24	1	1 2	1 1	9 9	3 6
B.28	Hypertension with Heart Disease ... { M. F.	3	.	.	.	3	.

BY SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
KILKENNY.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
462 400	49 32	8 10	9 5	7 6	12 14	10 14	34 13	56 44	122 121	155 141
22 20	.	.	2	4 5	5 6	1 4	3 2	4 3	2	1
2 4	.	2 2	1	.	.	.	.	.	1	.
2	1	.	.	.	.	.	.	1	.	.
1	.	.	.	.	.	.	.	1	.	.
1	.	.	.	.	1	.	.	.	.	.
1 2	1 2	.	.	.	.	.	.	.	.	.
2	1	1	.	.	.	.	.	.	.	.
3 1	.	.	1	.	.	1	.	1	1	.
41 35	.	.	.	.	.	.	4 4	9 8	21 15	7 8
3 1	.	.	2	.	1	.	.	.	1	.
1	.	.	.	.	.	1	.	.	.	.
5	.	.	.	.	.	.	1	1	.	3
3 7	.	.	.	.	2	.	.	1	2 3	1 1
34 34	.	1	.	.	.	1	2	6 3	15 19	10 11
2 1	1	1	.	.	.	.	1	.	.	.
1 1	.	1	.	.	.	.	.	.	.	1
3	.	.	1	.	.	.	1	.	.	1
112 96	.	.	2	.	1	1 4	12 2	17 15	42 30	40 42
12 12	.	.	.	.	.	.	.	2 2	4 3	6 7
3	.	.	.	.	.	.	.	1	2	.



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.29	Hypertension without mention of {M. Heart F.	5	.	.	1	3 1	.
B.46a	Other Circulatory Diseases ... {M. F.	23	2	2 1	7 4	5 2	.
B.30	Influenza ... {M. F.	8	.	.	1	2 5	1 1
B.31	Pneumonia ... {M. F.	24	1	.	2 2	13 6	1
B.32	Bronchitis ... {M. F.	23	.	1	1	12 9	1
B.46b	Other Respiratory Diseases ... {M. F.	6	.	.	2	2 2	.
B.36a	Gastritis and Duodenitis ... {M. F.	4	1	1	.	1 1	.
B.33	Ulcer of Stomach and Duodenum ... {M. F.	4	2	.	2	.	.
B.46c	Other Digestive Diseases excluding {M. Diseases of Liver and Gall Bladder F.	2	1 1	.	.	.	.
B.34	Appendicitis ... {M. F.	3	.	.	2	1	.
B.35	Intestinal Obstruction and Hernia ... {M. F.	7	.	.	3 3	1	.
B.36b	Enteritis and Colitis except Diarrhoea {M. of the Newborn F.	14	.	2	4 1	4 3	.
B.37	Cirrhosis of Liver ... {M. F.	1	.	.	1	.	.
B.38	Nephritis and Nephrosis ... {M. F.	8	.	.	1 1	4 2	1
B.39	Hyperplasia of Prostate ... M.	1	.	.	1	.	.
B.41	Congenital Malformations ... {M. F.	8	1	.	3 1	2 1	.
B.42	Birth Injuries, Postnatal Asphyxia and {M. Atelectasis F.	4	.	.	3 1	.	.
B.43a	Diarrhoea of Newborn ... {M. F.	2	1	.	.	1	.
B.43b	Other Infections of the Newborn ... {M. F.	3	.	.	.	2 1	.
B.44	Other Diseases Peculiar to Early {M. Infancy and Immaturity Unqualified F.	33	2	.	4 6	14 7	1
B.45a	Senility without mention of Psychosis {M. F.	112	1	1	9 8	49 44	17 26
B.45b	Ill-defined and Unknown Causes ... {M. F.	19	1	.	3 1	7 7	1 3
B.46d	All Other Diseases ... {M. F.	61	1 2	5 6	6 10	10 21	2 2
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... {M. F.	4	.	.	1	2 1	.
BE.48	All Other Accidents ... {M. F.	12	1	.	3 2	4 2	.
BE.49	Suicide and Self-inflicted Injury ... {M. F.	2	.	.	.	2	.
BE.50	Homicide and Operations of War ... {M. F.	1	.	.	1	.	.

SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
D COUNTY BOROUGH.  
LKENNY.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
4	.	.	.	.	.	.	.	1	2	1
1	.	.	.	.	.	.	.	.	1	.
14	.	.	.	.	.	1	.	.	6	7
9	.	.	.	.	.	.	.	1	3	5
3	1	.	.	.	.	.	.	.	2	.
5	2	.	1	.	.	1	.	1	.	.
16	6	1	.	.	.	.	3	1	2	3
8	2	1	1	.	1	.	.	.	.	3
12	.	1	.	.	1	.	1	3	3	3
11	.	1	.	.	.	.	.	.	8	2
4	.	.	.	1	.	.	.	1	1	1
2	.	.	.	.	.	.	.	1	.	1
2	1	.	.	.	.	.	.	.	2	.
2	.	.	.	.	.	.	.	.	1	.
4	.	.	.	.	1	.	2	1	.	.
.	.	.	.	.	.	.	.	.	.	.
1	.	.	.	.	.	.	.	.	1	1
1	.	.	.	.	.	.	.	.	.	.
3	.	.	.	.	1	.	1	.	1	.
3	1	.	.	.	.	.	1	.	1	.
4	.	.	.	1	.	.	.	.	2	1
8	6	1	1	.	.	.	.	.	.	.
6	3	.	.	.	.	.	.	1	1	1
.	.	.	.	.	.	.	.	.	.	.
1	.	.	.	.	.	.	.	.	1	.
5	.	.	.	.	1	1	.	1	1	1
3	.	.	.	.	.	.	.	1	2	.
1	.	.	.	.	.	.	.	.	1	.
5	4	1	.	.	.	.	.	.	.	.
3	2	1	.	.	.	.	.	.	.	.
3	3	.	.	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
2	2	.	.	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
20	20	.	.	.	.	.	.	.	.	.
13	12	1	.	.	.	.	.	.	.	.
60	.	.	.	.	.	.	.	.	4	56
52	.	.	.	.	.	.	.	.	7	45
10	2	.	.	.	.	1	1	.	2	4
9	1	.	.	.	.	1	.	1	3	3
22	1	1	1	.	2	2	1	4	5	5
39	1	.	.	.	2	2	3	5	15	11
.	.	.	.	.	.	.	.	.	.	.
3	.	.	1	.	.	1	1	.	.	.
1	.	.	.	.	.	.	.	.	.	.
8	.	.	.	2	1	.	.	1	2	2
4	1	1	.	.	.	1	.	.	1	.
2	.	.	.	.	.	.	.	1	.	1
.	.	.	.	.	.	.	.	.	.	.
1	.	.	.	.	.	.	.	.	1	.
.	.	.	.	.	.	.	.	.	.	.



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	ALL CAUSES ... .. {M. F.	656	18 8	17 18	106 72	227 190	45 22
B.1	Tuberculosis of Respiratory System {M. F.	28	3 3	1 2	3 3	7 6	· ·
B.2	Tuberculosis, Other Forms ... {M. F.	5	1	·	2	2	·
B.18a	Malignant Neoplasms ... {M. F.	57	2	·	19 8	18 10	2
B.18b	Neoplasms of Lymphatic and Haematopoietic Tissues {M. F.	4	·	·	1 1	2	·
B.20	Diabetes Mellitus ... {M. F.	5	·	·	1	1 3	·
B.21	Anaemias ... {M. F.	2	·	·	1	1	·
B.22	Vascular Lesions affecting Central Nervous System {M. F.	40	1	1	3 3	18 14	3
B.23	Nonmeningococcal Meningitis ... {M. F.	2	·	·	1 1	·	·
B.25	Chronic Rheumatic Heart Disease ... {M. F.	5	·	·	2	3	·
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	183	1 1	11 10	36 18	56 50	7
B.27	Other Diseases of the Heart ... {M. F.	52	1	2	9 10	19 11	1
B.28	Hypertension with Heart Disease ... {M. F.	4	·	·	1	3	·
B.29	Hypertension without mention of Heart {M. F.	4	·	·	·	3 1	·
B.46a	Other Circulatory Diseases ... {M. F.	7	·	·	1	2 4	·
B.30	Influenza ... {M. F.	6	1	1	1	2 1	1
B.31	Pneumonia ... {M. F.	15	1	·	2 1	6 5	·
B.32	Bronchitis ... {M. F.	9	·	·	·	8 1	·
B.46b	Other Respiratory Diseases ... {M. F.	1	·	·	·	1	·
B.36a	Gastritis and Duodenitis ... {M. F.	2	1	·	·	1	·
B.33	Ulcer of Stomach and Duodenum ... {M. F.	4	·	·	4	·	·

SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
BOIGHIS.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
368 288	29 23	3 6	4 6	4 7	12 12	12 6	22 10	40 51	113 71	129 96
14 14	. .	. .	. .	. 2	6 8	3 3	2 .	2 1	1 .	. .
5 5	. .	. .	. .	2 .	. .	. .	1 .	2 .	. .	. .
39 18	. .	. .	. .	1 .	. .	1 .	2 3	7 8	20 5	8 2
3 1	. .	. 1	1 .	. .	. .	. .	1 .	. .	1 .	. .
1 4	. .	. .	. .	. .	. .	. .	1 .	. 1	. 2	. 1
1 1	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. 1
22 18	. .	. .	. .	. .	2 .	. .	2 .	4 5	8 7	6 6
1 1	. .	. .	1 .	. .	. .	. .	1 .	. .	. .	. .
5 5	. .	. .	. .	. .	. .	. .	1 .	. .	1 .	3 .
104 79	1 .	. .	. .	1 1	. 1	2 1	2 1	13 15	39 31	46 29
31 21	. .	. .	. .	1 .	. .	. .	6 2	4 6	14 8	7 4
4 4	. .	. .	. .	. .	. .	. .	1 .	1 .	1 .	1 .
3 1	. .	. .	. .	. .	. .	. .	. .	1 .	1 .	2 .
3 4	. .	. .	. .	. .	. .	. .	. .	. .	2 .	3 2
5 1	1 .	. .	. .	. .	. .	. .	. .	1 .	2 .	2 .
8 7	2 3	. .	1 .	. .	1 .	. .	. .	1 .	3 2	1 1
8 1	1 .	. .	. .	. .	. .	. .	. .	. .	. .	7 1
1 1	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .
1 1	1 1	. .	. .	. .	. .	. .	. .	. .	. .	. .
4 4	. .	. .	. .	. .	. .	. .	. .	1 .	2 .	1 .



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.46c	Other Digestive Diseases excluding Diseases of Liver and Gall Bladder {M. F.	3	1	.	1	1	.
B.34	Appendicitis ... {M. F.	2	.	.	2	.	.
B.35	Intestinal Obstruction and Hernia ... {M. F.	4	.	.	1 1	1 1	.
B.36b	Enteritis and Colitis except Diarrhoea of the Newborn {M. F.	4	1	.	3	.	.
B.37	Cirrhosis of Liver ... {M. F.	1	.	.	1	.	.
B.38	Nephritis and Nephrosis ... {M. F.	14	.	1 1	1	3 8	.
B.39	Hyperplasia of Prostate ... M.	2	.	.	1	1	.
B.40a	Complications of Pregnancy and Childbirth F.	1	.	.	.	1	.
B.41	Congenital Malformations ... {M. F.	9	.	.	3	2 4	.
B.42	Birth Injuries, Postnatal Asphyxia and Atelectasis {M. F.	2	1	.	.	1	1
B.43a	Diarrhoea of Newborn ... {M. F.	1	.	.	.	1	.
B.43b	Other Infections of the Newborn ... {M. F.	2	1	.	.	1	.
B.44	Other Diseases Peculiar to Early Infancy and Immaturity Unqualified {M. F.	23	3	.	3 5	9 3	1
B.45a	Senility without mention of Psychosis {M. F.	72	.	.	5 5	29 33	14 10
B.45b	Ill-defined and Unknown Causes ... {M. F.	29	1	.	3 2	19 4	17 4
B.46d	All Other Diseases ... {M. F.	32	1	1 4	1 3	5 17	.
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... {M. F.	5	.	.	.	3 2	.
BE.48	All Other Accidents ... {M. F.	13	1	.	1 4	6 1	.
BE.49	Suicide and Self-inflicted Injury ... {M. F.	1	.	.	.	1	.
BE.50	Homicide and Operations of War ... {M. F.	1	.	.	.	1	.

BY SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

LAOIGHIS.

## AGE AT DEATH

All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
3	.	.	.	.	.	1	.	.	2	.
2	.	.	1	.	.	.	.	.	1	.
2 2	.	1	.	.	.	.	1	1	1	.
3 1	2	1 1	.	.	.	.	.	.	.	.
1	.	.	.	.	.	.	1	.	.	.
5 9	.	.	.	.	1	.	.	5	1 2	3 2
2	.	.	.	.	.	.	.	.	.	2
1	.	.	.	.	1	.	.	.	.	.
2 7	2 6	1	.	.	.	.	.	.	.	.
1 1	1 1	.	.	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
2	2	.	.	.	.	.	.	.	.	.
15 8	15 8	.	.	.	.	.	.	.	.	.
34 38	.	.	.	.	.	.	.	.	5 4	29 34
23 6	1 2	.	.	.	.	1	2	6	6	7 4
8 24	1	1 3	1	.	1 2	1 2	1	1 3	3 5	1 6
3 2	.	.	1 1	1 1	1	.	.	.	.	.
8 5	.	.	1 2	1	.	2	.	.	3 1	1 2
1	.	.	.	.	.	.	.	1	.	.
1	.	.	.	.	.	1	.	.	.	.



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	ALL CAUSES ... .. {M. F.	499	19 12	6 4	79 61	160 158	59 65
B.1	Tuberculosis of Respiratory System {M. F.	21	6 4	1 .	. 5	5 .	1 .
B.2	Tuberculosis, Other Forms ... {M. F.	9	2 3	. .	2 1	. 1	. .
B.3	Syphilis and its Sequelae ... {M. F.	1	. .	. .	. .	1 .	1 .
B.4	Typhoid Fever ... .. {M. F.	1	. .	. 1	. .	. .	. .
B.12	Acute Poliomyelitis ... .. {M. F.	1	. .	. .	1 .	. .	. .
B.17b	All other Diseases Classified as Infective and Parasitic {M. F.	1	. .	. .	1 .	. .	. .
B.18a	Malignant Neoplasms ... .. {M. F.	54	1 1	. 1	16 10	19 6	1 .
B.18b	Neoplasms of Lymphatic and Haematopoietic Tissues {M. F.	3	2 .	. .	. .	1 .	. .
B.19	Benign and Unspecified Neoplasms ... {M. F.	2	. .	. .	. 2	. .	. .
B.20	Diabetes Mellitus ... .. {M. F.	1	. .	. .	. .	1 .	. .
B.21	Anaemias ... .. {M. F.	3	. .	. .	. 1	1 1	. 1
B.22	Vascular Lesions affecting Central Nervous System {M. F.	46	. .	. .	8 5	13 20	2 4
B.23	Nonmeningococcal Meningitis ... {M. F.	2	. .	. .	. 1	. 1	. .
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	108	1 1	4 1	25 17	36 23	2 1
B.27	Other Diseases of the Heart ... {M. F.	5	. .	. .	1 .	. 4	. .
B.28	Hypertension with Heart Disease ... {M. F.	4	. .	. .	. .	1 3	. .
B.29	Hypertension without mention of Heart {M. F.	6	. .	. .	. 1	4 1	1 1
B.46a	Other Circulatory Diseases ... {M. F.	9	1 .	. .	. 1	5 2	1 .

Y SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
ND COUNTY BOROUGH.

ONGFORD.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
264 235	19 13	5 3	1 5	2 8	6 6	16 9	15 16	28 24	75 54	97 97
12 9	.	.	.	1 3	5 4	4 2	.	1	1	.
4 5	.	1	3	1 1	.	2	.	.	1	.
1	.	1	.	.	.	.	.	.	.	.
1	.	.	.	.	.	.	.	1	.	.
1	.	.	.	.	.	.	.	1	.	.
1	.	.	.	.	.	1	.	.	.	.
36 18	.	.	.	1	1	2 1	2 3	5 6	19 3	8 3
3	.	.	1	.	.	.	.	1	1	.
2	.	.	1	.	.	.	1	.	.	.
1	.	.	.	.	.	.	.	.	1	.
1 2	.	.	.	.	.	.	.	1	1	1
21 25	.	.	.	.	1	.	1 1	2 2	8 10	9 12
2	.	1	.	1	.	.	.	.	.	.
66 42	.	.	.	1	.	5 1	2 6	10 4	25 16	24 14
1 4	1	.	.	.	.	.	1	1	1	1
1 3	.	.	.	.	.	.	.	1	1 2	.
4 2	.	.	.	.	.	1 1	.	3	1	.
6 3	.	.	.	.	.	.	1	.	1 1	4 2



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.30	Influenza ... {M. F.	11	.	.	.	5 6	5 4
B.31	Pneumonia ... {M. F.	10	.	.	1 1	3 5	.
B.32	Bronchitis ... {M. F.	1	.	.	.	1	.
B.46b	Other Respiratory Diseases ... {M. F.	1	.	.	.	1	.
B.33	Ulcer of Stomach and Duodenum ... {M. F.	5	.	.	3	1 1	1
B.46c	Other Digestive Diseases excluding Diseases of Liver and Gall Bladder {M. F.	1	.	1	.	.	.
B.35	Intestinal Obstruction and Hernia ... {M. F.	5	.	.	2 2	1	.
B.36b	Enteritis and Colitis except Diarrhoea of the Newborn {M. F.	5	.	.	3	2	.
B.38	Nephritis and Nephrosis ... {M. F.	7	.	.	1	2 4	1
B.39	Hyperplasia of Prostate ... M.	3	.	.	3	.	.
B.40a	Complications of Pregnancy and Childbirth F.	1	.	.	.	1	.
B.41	Congenital Malformations ... {M. F.	5	1 1	.	1 2	.	.
B.42	Birth Injuries, Postnatal Asphyxia and Atelectasis {M. F.	3	1 1	.	1	.	.
B.43b	Other Infections of the Newborn ... {M. F.	2	.	.	.	2	.
B.44	Other Diseases Peculiar to Early Infancy and Immaturity Unqualified {M. F.	13	3	.	3 1	3 3	2
B.45a	Senility without mention of Psychosis {M. F.	82	1	.	2	33 46	28 36
B.45b	Ill-defined and Unknown Causes ... {M. F.	28	.	.	1	17 10	15 9
B.46d	All Other Diseases ... {M. F.	26	.	1	4 4	4 13	6
EXTERNAL CAUSES							
BE.48	All Other Accidents ... {M. F.	13	1	.	3 4	3 2	1

BY SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED AND COUNTY BOROUGH.  
**LONGFORD.**

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
5									1	4
6	1					1	1		1	2
4	1	2								1
6	1		1					1	1	2
1										1
1										1
4						1	2			1
1										1
1									1	
2										2
3	2						1			
3	2	1								1
2		1								
5					1		1	1	1	1
3									2	1
1						1				
2	2									
3	3									
1	1									
2	2									
2	2									
9	9									
4	4									
35									5	30
47									7	40
17							2	1	6	8
11								2	1	8
9							2	1	4	2
17						2	1	1	4	9
7	1						3	2	1	
6		1		1				2	1	1



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	ALL CAUSES ... .. {M. F.	872	50 40	21 21	141 100	256 243	22 17
B.1	Tuberculosis of Respiratory System {M. F.	48	5	1	11 10	11 10	.
B.2	Tuberculosis, Other Forms ... {M. F.	15	4	.	5 4	2	.
B.8	Diphtheria ... .. {M. F.	1	.	.	1	.	.
B.9	Whooping Cough ... .. {M. F.	2	.	.	.	1 1	.
B.17b	All other Diseases Classified as Infective and Parasitic {M. F.	4	1	1	.	1 1	.
B.18a	Malignant Neoplasms ... .. {M. F.	103	15 9	2 4	15 10	24 24	1
B.18b	Neoplasms of Lymphatic and Haematopoietic Tissues {M. F.	6	3 1	.	.	1 1	.
B.19	Benign and Unspecified Neoplasms ... {M. F.	6	2 1	.	1 1	1	.
B.20	Diabetes Mellitus ... .. {M. F.	7	.	.	2	2 3	.
B.21	Anaemias ... .. {M. F.	7	.	1	1	2 3	1
B.22	Vascular Lesions affecting Central Nervous System {M. F.	75	2	1 2	12 10	24 24	1
B.23	Nonmeningococcal Meningitis ... {M. F.	9	.	.	6 3	.	.
B.24	Rheumatic Fever ... .. {M. F.	3	.	.	1	2	.
B.25	Chronic Rheumatic Heart Disease ... {M. F.	1	.	.	.	1	.
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	215	3 3	8 4	26 17	84 70	4 4
B.27	Other Diseases of the Heart ... {M. F.	40	3 1	1	3 5	15 12	4 1
B.28	Hypertension with Heart Disease ... {M. F.	3	1	.	.	2	.
B.29	Hypertension without mention of Heart {M. F.	9	.	.	1 1	4 3	.
B.46a	Other Circulatory Diseases ... {M. F.	9	.	1	2	6	.

BY SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
LOUTH.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
468 404	30 39	8 2	10 3	15 22	20 16	26 16	33 28	63 58	137 94	126 126
22 26	· ·	· ·	· ·	4 10	11 8	2 3	3 3	2 2	· ·	· ·
9 6	2 1	1 ·	4 2	· 2	2 1	· ·	· ·	· ·	· ·	· ·
1 ·	· ·	· ·	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
1 1	1 ·	· 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
2 2	· ·	· ·	· 1	· ·	· ·	1 ·	· ·	1 1	· ·	· ·
56 47	· ·	· ·	· ·	· ·	· 1	5 2	8 8	16 16	20 14	7 6
4 2	· ·	· ·	· ·	· ·	· 2	1 ·	· 1	· 1	1 ·	· ·
4 2	· ·	· ·	· ·	1 ·	· 1	· 1	· 2	· ·	1 ·	· ·
4 3	· ·	· ·	· ·	1 ·	· ·	· ·	· ·	2 ·	1 1	· 2
3 4	· ·	· ·	· ·	· ·	· 2	· ·	· ·	1 ·	2 2	· ·
37 38	· ·	· ·	· ·	· ·	· ·	1 1	1 1	6 7	19 14	10 15
6 3	1 2	2 ·	2 ·	· 1	· ·	1 ·	· ·	· ·	· ·	· ·
1 2	· ·	· 1	· ·	· ·	· ·	1 1	· ·	· ·	· ·	· ·
1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·
121 94	· ·	· ·	· ·	1 1	· 1	6 5	5 8	23 19	46 29	40 31
22 18	· ·	· ·	· ·	1 1	· ·	1 1	2 ·	2 5	13 5	3 6
1 2	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	· ·
5 4	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	1 ·	2 3	1 1
9 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	3 ·	5 ·



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.30	Influenza ... .. {M. F.	6	1	.	.	3 2	.
B.31	Pneumonia ... .. {M. F.	17	1 1	1	6 1	3 4	.
B.32	Bronchitis ... .. {M. F.	22	1	.	3 1	12 5	1
B.46b	Other Respiratory Diseases ... {M. F.	7	.	.	2 1	1 3	.
B.36a	Gastritis and Duodenitis ... {M. F.	1	.	.	.	1	.
B.33	Ulcer of Stomach and Duodenum ... {M. F.	3	1	.	2	.	.
B.46c	Other Digestive Diseases excluding {M. Diseases of Liver and Gall Bladder {F.	1	1	.	.	.	.
B.35	Intestinal Obstruction and Hernia ... {M. F.	2	.	.	1 1	.	.
B.36b	Enteritis and Colitis except Diarrhoea {M. of the Newborn {F.	9	.	.	3 1	1 4	1
B.38	Nephritis and Nephrosis ... .. {M. F.	11	2	.	3 1	2 3	.
B.39	Hyperplasia of Prostate ... .. M.	5	2	2	.	1	.
B.40a	Complications of Pregnancy and F. Childbirth	2	.	.	1	1	.
B.41	Congenital Malformations ... .. {M. F.	9	3 2	.	.	3 1	.
B.42	Birth Injuries, Postnatal Asphyxia and {M. Atelectasis {F.	7	3	.	1 1	1 1	1
B.43b	Other Infections of the Newborn ... {M. F.	1	.	.	.	1	.
B.44	Other Diseases Peculiar to Early {M. Infancy and Immaturity Unqualified {F.	25	4 3	.	1 6	5 6	.
B.45a	Senility without mention of Psychosis {M. F.	104	.	5 6	19 16	24 34	6 6
B.45b	Ill-defined and Unknown Causes ... {M. F.	17	1	1	2 1	9 3	6 1
B.46d	All Other Diseases ... .. {M. F.	47	3 6	1	9 6	9 13	1
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... .. {M. F.	2	.	.	1	1	.
BE.48	All Other Accidents ... .. {M. F.	11	1	.	1 2	4 3	.

SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
 AND COUNTY BOROUGH.  
 OUTH.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
3 3	1	.	.	.	2	1	.	1	.	1
10 7	3 2	1	.	2	1	1	1	.	1 2	2 1
15 7	2 2	.	.	3	.	.	1 1	1	5 3	3 1
3 4	1	.	.	.	.	.	2	1	.	1 2
1	.	.	.	.	.	.	1	.	.	.
3	.	.	.	.	.	1	2	.	.	.
1	.	.	.	.	.	.	1	.	.	.
1 1	.	.	.	.	.	.	.	.	1 1	.
4 5	2 4	1	.	.	.	.	.	.	1	1
7 4	.	.	.	1	1	1	1	.	2 2	1 2
5	.	.	.	.	.	.	.	1	.	4
2	.	.	.	1	1	.	.	.	.	.
6 3	5 3	1	.	.	.	.	.	.	.	.
2 5	2 5	.	.	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
10 15	10 15	.	.	.	.	.	.	.	.	.
48 56	.	.	.	.	.	.	.	1	10 12	37 44
12 5	2 1	.	.	.	.	.	1 1	1	5	3 3
22 25	.	1	2	1 3	1	4 1	1 3	2 4	4 5	7 8
2	.	.	1	1	.	.	.	.	.	.
6 5	1	1	.	1 1	1	.	1	1 1	1	1 1



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	ALL CAUSES ... .. {M. F.	851	29 29	10 12	130 93	279 269	27 19
B.1	Tuberculosis of Respiratory System {M. F.	36	1 .	1 .	10 7	10 7	.
B.2	Tuberculosis, Other Forms ... {M. F.	12	. 1	2 1	3 4	. 1	.
B.9	Whooping Cough ... .. {M. F.	2	. .	. .	. .	2 .	.
B.12	Acute Poliomyelitis ... .. {M. F.	1	. .	. .	1 .	. .	.
B.14	Measles ... .. {M. F.	2	. .	. .	1 .	1 .	.
B.18a	Malignant Neoplasms ... .. {M. F.	106	10 10	. .	14 13	33 26	.
B.18b	Neoplasms of Lymphatic and Haemato- poietic Tissues {M. F.	3	. 2	. .	. 1	. .	.
B.19	Benign and Unspecified Neoplasms ... {M. F.	5	. 1	. .	1 1	. 2	.
B.20	Diabetes Mellitus ... .. {M. F.	10	. .	. .	2 5	2 1	.
B.22	Vascular Lesions affecting Central Nervous System {M. F.	63	1 1	2 2	9 .	16 32	1 .
B.23	Nonmeningococcal Meningitis ... {M. F.	5	. .	. .	4 1	. .	.
B.24	Rheumatic Fever ... .. {M. F.	1	. .	. .	. .	1 .	.
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	265	2 2	3 7	33 25	100 93	2 .
B.27	Other Diseases of the Heart ... {M. F.	29	1 .	. .	4 4	12 8	3 .
B.28	Hypertension with Heart Disease ... {M. F.	3	1 .	. .	. .	2 .	.
B.29	Hypertension without mention of Heart {M. F.	18	1 .	. .	4 3	3 7	.
B.46a	Other Circulatory Diseases ... {M. F.	21	. .	. .	3 .	10 8	1 .
B.30	Influenza ... .. {M. F.	5	. .	. .	1 .	1 3	.
B.31	Pneumonia ... .. {M. F.	13	. 1	. .	3 3	4 2	.

SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
COUNTY BOROUGH.  
ATH.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
448 403	26 27	7 5	6 6	5 10	20 14	21 13	32 24	56 50	127 116	148 138
22 14	· ·	· ·	1 ·	2 3	7 5	8 3	2 1	1 1	· ·	1 1
5 7	· ·	1 ·	· 4	· 1	· 1	3 ·	1 ·	· 1	· ·	· ·
2	2	·	·	·	·	·	·	·	·	·
1	·	·	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
2	1	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
57 49	· ·	· ·	· 1	· 1	1 ·	5 1	5 7	9 10	22 20	15 9
3	·	·	1 ·	· ·	1 ·	· ·	1 ·	· ·	· ·	· ·
1 4	· ·	· ·	· ·	· 1	· ·	· ·	· 1	· ·	· 1	1 1
4 6	· ·	· 1	· ·	· ·	· ·	1 1	1 2	· ·	2 2	· ·
28 35	· ·	· 1	· ·	· ·	1 ·	1 ·	2 4	3 9	13 10	8 11
4 1	· ·	1 ·	1 ·	1 1	1 ·	· ·	· ·	· ·	· ·	· ·
1	·	·	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
138 127	· ·	· ·	· ·	1 2	4 ·	· 1	9 3	20 17	42 44	62 60
17 12	· ·	· ·	· ·	· ·	1 ·	· ·	2 ·	2 2	7 7	5 3
3	·	·	· ·	· ·	· ·	· ·	1 ·	· ·	1 ·	1 ·
8 10	· ·	· ·	· ·	· ·	1 ·	· ·	2 1	2 2	3 6	· 1
13 8	· ·	· ·	· ·	· ·	· ·	· 1	· ·	1 ·	7 5	5 2
2 3	· ·	· ·	· ·	· ·	· ·	· ·	· 1	· ·	· ·	2 2
7 6	1 2	3 1	· ·	· ·	· ·	· ·	· ·	· ·	1 1	2 2



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) A  
DEATHS FOR EACH COUN

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertif Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.32	Bronchitis ... ... {M. F.	21	.	.	3 2	6 10	.
B.46b	Other Respiratory Diseases ... {M. F.	4	.	1	1	2	.
B.33	Ulcer of Stomach and Duodenum ... {M. F.	9	1	.	6	1 1	.
B.34	Appendicitis ... ... {M. F.	3	.	.	2 1	.	.
B.35	Intestinal Obstruction and Hernia ... {M. F.	2	1	.	1	.	.
B.36b	Enteritis and Colitis except Diarrhoea {M. of the Newborn F.	10	2	.	2 4	2	.
B.37	Cirrhosis of Liver ... ... {M. F.	4	2	.	.	1 1	.
B.38	Nephritis and Nephrosis ... ... {M. F.	13	1 2	.	.	5 5	.
B.39	Hyperplasia of Prostate ... ... M.	4	1	.	1	2	.
B.40a	Complications of Pregnancy and F. Childbirth	4	1	.	.	3	.
B.41	Congenital Malformations ... {M. F.	10	1	.	1	3 5	2
B.42	Birth Injuries, Postnatal Asphyxia and {M. Atelectasis F.	4	1	.	.	2 1	1
B.44	Other Diseases Peculiar to Early {M. Infancy and Immaturity Unqualified F.	21	1 1	.	6 7	5 1	1
B.45a	Senility without mention of Psychosis {M. F.	46	.	1	1	17 27	8 11
B.45b	Ill-defined and Unknown Causes ... {M. F.	35	2	.	3	20 10	11 4
B.46d	All Other Diseases ... ... {M. F.	46	2 3	1 1	9 7	11 12	.
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... ... {M. F.	4	1	.	1	2	.
BE.48	All Other Accidents ... ... {M. F.	10	.	.	3 2	4 1	.
BE.49	Suicide and Self-inflicted Injury ... {M. F.	1	.	.	.	1	.

BY SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

MEATH.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
9	2	.	.	.	.	.	.	1	1	5
12	1	.	.	.	.	.	.	1	4	6
4	.	.	.	.	.	.	.	1	1	2
8	.	.	.	.	1	1	.	3	3	1
1	.	.	.	.	.	.	.	.	1	.
2	.	.	.	1	.	.	.	.	1	.
1	.	.	.	.	.	1	.	1	.	.
2	2	.	.	.	.	.	.	.	.	.
8	5	1	.	.	.	1	.	.	1	.
3	.	.	.	.	1	.	.	1	1	.
1	.	.	.	.	.	.	.	1	.	.
6	.	.	.	.	1	1	1	3	2	1
7	.	.	.	.	.	.	.	2	1	1
4	.	.	.	.	.	.	.	1	1	2
4	.	.	.	.	3	1	.	.	.	.
4	3	.	1	.	.	.	.	.	.	.
8	6	.	.	.	.	.	.	.	.	.
2	2	.	.	.	.	.	.	.	.	.
2	2	.	.	.	.	.	.	.	.	.
12	12	.	.	.	.	.	.	.	.	.
9	9	.	.	.	.	.	.	.	.	.
17	.	.	.	.	.	.	.	.	4	13
29	.	.	.	.	.	.	.	.	1	28
25	1	1	.	.	.	.	2	8	6	7
10	.	.	.	.	.	.	.	1	5	4
23	.	.	.	.	1	.	2	.	8	12
28	1	.	.	1	3	3	1	2	7	5
3	.	.	.	.	1	1	.	.	.	1
1	.	.	.	.	.	.	1	.	.	.
7	.	.	1	.	.	.	2	.	1	3
3	1	1	.	.	.	.	.	.	.	1
1	.	.	.	.	.	.	1	.	.	.



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	ALL CAUSES ... .. {M. F.	665	20 17	12 7	94 68	237 210	46 37
B.1	Tuberculosis of Respiratory System {M. F.	30	3 .	3 1	3 5	6 9	. .
B.2	Tuberculosis, Other Forms ... {M. F.	17	1 2	. .	5 8	1 .	. .
B.3	Syphilis and its Sequelae ... {M. F.	2	. .	. .	1 .	1 .	. .
B.9	Whooping Cough ... {M. F.	1	. .	. .	. .	1 .	. .
B.17b	All other Diseases Classified as Infective and Parasitic {M. F.	1	. .	. .	. .	1 .	. .
B.18a	Malignant Neoplasms ... {M. F.	88	4 4	. .	13 11	29 27	2 1
B.18b	Neoplasms of Lymphatic and Haematopoietic Tissues {M. F.	3	1 .	. .	1 .	1 .	. .
B.19	Benign and Unspecified Neoplasms ... {M. F.	3	1 .	. .	. .	2 .	. .
B.20	Diabetes Mellitus ... {M. F.	4	. .	1 .	1 .	1 1	. .
B.21	Anaemias ... {M. F.	7	1 .	. .	2 .	2 2	. .
B.22	Vascular Lesions affecting Central Nervous System {M. F.	55	. 1	1 .	15 7	16 15	. .
B.23	Nonmeningococcal Meningitis ... {M. F.	1	. .	. .	. .	1 .	. .
B.25	Chronic Rheumatic Heart Disease ... {M. F.	2	. .	. .	. .	1 1	. .
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	133	. .	6 4	14 7	60 42	3 1
B.27	Other Diseases of the Heart ... {M. F.	14	. 1	. .	1 1	4 7	1 1
B.28	Hypertension with Heart Disease ... {M. F.	4	. .	. .	1 .	1 2	. .
B.29	Hypertension without mention of Heart {M. F.	6	. .	. .	2 .	1 3	. .
B.46a	Other Circulatory Diseases ... {M. F.	7	. .	1 .	2 1	1 2	. .
B.30	Influenza ... {M. F.	4	1 .	. .	. .	2 1	. .

BY SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
OFFALY.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
383 302	28 22	3 8	2 5	3 9	13 14	15 15	18 16	41 29	100 69	140 115
15 15	.	.	.	2 2	6 5	2	3 2	1 2	1 2	2
7 10	1	1 2	1 3	1 2	2 2	1	.	.	1	.
1 1	1	.	.	.	.	.	.	.	1	.
1	1	.	.	.	.	.	.	.	.	.
1	.	.	.	.	.	.	.	.	.	1
46 42	.	.	1	1	1 1	3 4	4 4	9 12	17 10	11 10
3	.	1	.	.	.	.	.	1	1	.
1 2	.	.	.	.	1	1	.	.	1	.
2 2	.	.	.	.	.	.	1	1	1	1
2 5	.	.	.	.	1	.	.	.	1 3	1 1
32 23	.	.	.	.	1	1	1 2	5 2	17 11	8 6
1	.	.	.	.	.	.	.	.	1	.
1 1	.	.	.	.	.	1	1	.	.	.
80 53	.	.	.	.	.	2 1	4 2	12 3	32 20	30 27
5 9	.	.	.	.	1 1	.	2	1	1	3 4
2 2	.	.	.	.	.	.	.	2	1	1
1 5	.	.	.	.	.	.	.	.	5	1
3 4	.	.	.	.	.	.	1	1	1 1	2 1
2 2	1	1	.	.	.	.	.	.	2	.



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.31	Pneumonia ... {M. F.	13	.	.	1 1	6 5	.
B.32	Bronchitis ... {M. F.	11	.	.	.	4 7	1
B.46b	Other Respiratory Diseases ... {M. F.	5	.	.	2 1	1 1	.
B.36a	Gastritis and Duodenitis ... {M. F.	1	.	.	.	1	.
B.33	Ulcer of Stomach and Duodenum ... {M. F.	4	1	.	2	1	.
B.46c	Other Digestive Diseases excluding Diseases of Liver and Gall Bladder {M. F.	1	.	.	.	1	.
B.34	Appendicitis ... {M. F.	1	.	.	.	1	.
B.35	Intestinal Obstruction and Hernia ... {M. F.	2	.	.	1	1	.
B.36b	Enteritis and Colitis except Diarrhoea of the Newborn {M. F.	5	1	.	.	3 1	.
B.38	Nephritis and Nephrosis ... {M. F.	12	1 1	.	3 2	3 2	.
B.39	Hyperplasia of Prostate ... M.	5	1	.	3	1	.
B.40a	Complications of Pregnancy and Childbirth F.	8	.	.	5	3	.
B.41	Congenital Malformations ... {M. F.	9	1	.	2 2	1 3	.
B.42	Birth Injuries, Postnatal Asphyxia and Atelectasis {M. F.	9	3 2	.	2 2	.	1
B.44	Other Diseases Peculiar to Early Infancy and Immaturity Unqualified {M. F.	17	1 1	.	2 2	6 5	2 3
B.45a	Senility without mention of Psychosis {M. F.	129	.	.	13 5	57 54	34 29
B.45b	Ill-defined and Unknown Causes ... {M. F.	10	1 1	.	.	6 2	2
B.46d	All Other Diseases ... {M. F.	25	1	2	6	9 7	1 1
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... {M. F.	6	1	.	.	4 1	.
BE.48	All Other Accidents ... {M. F.	8	.	.	2 2	3 1	.
BE.49	Suicide and Self-inflicted Injury ... {M. F.	2	.	.	.	1 1	.

SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
D COUNTY BOROUGH.  
FALY.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
7 6	3 1	. 1	. 1	. .	. .	. .	. .	. 1	3 1	. 2
4 7	1 .	. .	. .	. .	. .	. .	1 .	. .	. 2	2 5
3 2	1 1	. 1	. .	. .	. .	1 .	. .	1 .	. .	. .
1	1	. .	. .	. .	. .	. .	. .	. .	. .	. .
3 1	. .	. .	. .	. .	1 .	1 .	. .	. .	1 1	. .
1	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .
1	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .
1 1	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. 1
3 2	2 2	. 1	. .	. .	. .	. .	. .	. .	. .	. .
7 5	. .	. .	. 1	. .	1 .	1 .	1 .	2 2	2 .	2 .
5	. .	. .	. .	. .	. .	. .	. .	1 .	4 .	. .
8	. .	. .	. .	2 .	1 .	5 .	. .	. .	. .	. .
4 5	3 4	. .	. .	. 1	. .	1 .	. .	. .	. .	. .
5 4	5 4	. .	. .	. .	. .	. .	. .	. .	. .	. .
9 8	9 7	. 1	. .	. .	. .	. .	. .	. .	. .	. .
70 59	. .	. .	. .	. .	. .	. .	. .	1 .	3 8	67 50
7 3	2 .	. .	. .	. .	. .	. .	. .	. .	2 1	3 2
17 8	. .	. .	. .	. .	1 .	1 .	2 1	6 2	5 .	3 4
5 1	. .	. 1	. .	. .	. .	. .	1 .	2 .	. .	. 2
5 3	. .	. 1	. .	1 .	. .	3 .	. .	. .	2 1	. .
1 1	. .	. .	. .	. .	1 .	. .	. .	. .	. .	. 1



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND

DEATHS FOR EACH COUNTRY

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	<b>ALL CAUSES</b> ... .. {M. F.	<b>706</b>	<b>20 18</b>	<b>24 17</b>	<b>106 90</b>	<b>234 197</b>	<b>44 24</b>
B.1	Tuberculosis of Respiratory System {M. F.	38	9 9	2 2	3 1	6 6	1
B.2	Tuberculosis, Other Forms ... {M. F.	10	1 1	· ·	6 1	1 ·	· ·
B.7a	Scarlet Fever ... .. {M. F.	1	· ·	· ·	· 1	· ·	· ·
B.9	Whooping Cough ... .. {M. F.	2	· ·	· ·	· ·	· 2	· ·
B.18a	Malignant Neoplasms ... .. {M. F.	88	4 2	2 1	20 15	27 17	1 ·
B.18b	Neoplasms of Lymphatic and Haemato- poietic Tissues {M. F.	3	· ·	· ·	· ·	2 1	· ·
B.19	Benign and Unspecified Neoplasms ... {M. F.	2	· ·	· ·	· 1	· 1	· ·
B.20	Diabetes Mellitus ... .. {M. F.	2	· ·	· ·	· ·	1 1	· ·
B.21	Anaemias ... .. {M. F.	8	· ·	· ·	· 3	2 3	· 1
B.22	Vascular Lesions affecting Central Nervous System {M. F.	56	· ·	1 4	11 4	16 20	1 1
B.23	Nonmeningococcal Meningitis ... {M. F.	2	· ·	· ·	· 1	· 1	· ·
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	149	· 1	11 8	14 14	50 51	1 4
B.27	Other Diseases of the Heart ... {M. F.	27	· 1	· 2	· 2 1	· 12 9	· 3
B.28	Hypertension with Heart Disease ... {M. F.	2	· ·	· ·	· 1	· 1	· ·
B.29	Hypertension without mention of Heart {M. F.	9	· ·	· ·	3 1	1 4	· ·
B.46a	Other Circulatory Diseases ... {M. F.	15	2 1	· ·	2 4	3 3	· ·
B.30	Influenza ... .. {M. F.	4	· ·	· ·	· ·	· 4	· ·
B.31	Pneumonia ... .. {M. F.	24	· ·	· 2	6 3	8 5	2 ·
B.32	Bronchitis ... .. {M. F.	15	· ·	· ·	· 1	· 7 7	· 1 2

BY SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED AND COUNTY BOROUGH.

**WESTMEATH.**

AGE AT DEATH

All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
384 322	30 23	10 4	3 5	4 3	8 11	7 16	19 21	52 36	99 84	152 119
20 18	.	.	.	2 1	2 6	3 6	4 3	4 2	2	3
8 2	.	3	2	2 1	1	1	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
2	.	1	1	.	.	.	.	.	.	.
53 35	.	.	.	.	1	1 5	6	12 7	22 11	18 5
2 1	.	.	.	.	.	.	.	1	1	.
2	.	.	2	.	.	.	.	.	.	.
1 1	.	.	.	.	.	.	.	.	1	1
2 6	.	.	.	.	.	.	.	.	1 6	1
28 28	.	.	.	.	.	.	2 1	2 6	8 9	16 12
1 1	.	1	.	.	1	.	.	.	.	.
75 74	.	.	.	.	1	.	3 1	15 6	22 27	35 39
17 10	.	.	.	1	.	.	1	1 1	5 4	11 3
2	.	.	.	.	.	.	.	1	.	1
4 5	.	.	.	.	.	.	1 1	2	1 1	2 1
7 8	.	.	.	.	.	.	.	1 1	3 4	3 3
4	1	.	.	.	.	.	.	1	1	1
16 8	5 1	2	.	.	1	.	1	2	4 3	1 1
8 7	1	.	.	.	.	.	.	2 1	1	4 6



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.46b	Other Respiratory Diseases ... {M. F.	8	.	.	2	3 3	.
B.36a	Gastritis and Duodenitis .... {M. F.	3	.	.	.	1 2	1
B.33	Ulcer of Stomach and Duodenum ... {M. F.	6	2	.	3 1	.	.
B.46c	Other Digestive Diseases excluding {M. Diseases of Liver and Gall Bladder {F.	2	.	.	1	1	.
B.34	Appendicitis ... {M. F.	1	.	.	1	.	.
B.35	Intestinal Obstruction and Hernia ... {M. F.	5	.	.	4 1	.	.
B.36b	Enteritis and Colitis except Diarrhoea {M. of the Newborn {F.	2	.	.	1	1	.
B.37	Cirrhosis of Liver ... {M. F.	2	.	.	.	2	.
B.38	Nephritis and Nephrosis ... {M. F.	22	1	1	5 6	5 4	.
B.39	Hyperplasia of Prostate ... M.	4	.	.	3	1	.
B.41	Congenital Malformations ... {M. F.	5	.	.	1	4	.
B.42	Birth Injuries, Postnatal Asphyxia and {M. Atelectasis {F.	6	2	.	1 2	1	.
B.43b	Other Infections of the Newborn ... {M. F.	6	.	.	1	3 2	.
B.44	Other Diseases Peculiar to Early {M. Infancy and Immaturity Unqualified {F.	20	.	.	6 4	5 5	2
B.45a	Senility without mention of Psychosis {M. F.	75	.	1 1	3 3	36 31	17 12
B.45b	Ill-defined and Unknown Causes ... {M. F.	32	.	.	2	24 6	15 2
B.46d	All Other Diseases ... {M. F.	36	2	1	11 9	6 7	1
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... {M. F.	1	.	.	1	.	.
BE.48	All Other Accidents ... {M. F.	13	.	1 1	1 4	5 1	.

SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
D COUNTY BOROUGH.  
ESTMEATH.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
3 5	1	.	1	.	.	.	1	2	1	2
1 2	.	.	.	.	.	.	1	1	.	1
5 1	.	.	.	.	1	1	3	.	.	1
1 1	.	.	.	.	.	.	.	.	1	1
1	.	.	.	.	.	.	.	.	1	.
4 1	1 1	.	.	.	.	.	.	1	2	.
1 1	1	1	.	.	.	.	.	.	.	.
2	.	.	.	.	.	.	1	.	.	1
12 10	.	.	.	.	1	1	2	1	4 4	6 2
4	.	.	.	.	.	.	.	.	1	3
4 1	4 1	.	.	.	.	.	.	.	.	.
2 4	2 4	.	.	.	.	.	.	.	.	.
3 3	3 3	.	.	.	.	.	.	.	.	.
11 9	10 9	1	.	.	.	.	.	.	.	.
40 35	.	.	.	.	.	.	.	.	5 3	35 32
24 8	1	.	1	.	1	1	3 1	4 1	7 3	7 1
18 18	1	3 2	.	.	1	2	1 2	5 4	8 2	1 4
1	.	.	.	.	.	.	1	.	.	.
7 6	2	.	1	.	2	.	.	1	3	1 3



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND  
DEATHS FOR EACH COUNTRY

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	ALL CAUSES ... .. {M. F.	1,256	32 42	25 19	172 117	458 391	35 30
B.1	Tuberculosis of Respiratory System {M. F.	69	11 17	2 4	2 2	14 17	.
B.2	Tuberculosis, Other Forms ... {M. F.	16	4 1	2 .	3 1	1 4	.
B.3	Syphilis and its Sequelae ... {M. F.	2	.	.	2	.	.
B.9	Whooping Cough ... {M. F.	3	.	.	1	1 1	.
B.12	Acute Poliomyelitis ... {M. F.	3	1	.	1 1	.	.
B.17b	All other Diseases Classified as Infective and Parasitic {M. F.	4	.	1	1	1 1	.
B.18a	Malignant Neoplasms ... {M. F.	126	5 5	2 3	28 12	39 32	1
B.18b	Neoplasms of Lymphatic and Haematopoietic Tissues {M. F.	3	.	.	1	1 1	.
B.19	Benign and Unspecified Neoplasms ... {M. F.	2	.	.	.	1 1	.
B.20	Diabetes Mellitus ... {M. F.	5	2	.	1	2	.
B.21	Anaemias ... {M. F.	3	.	.	1 1	1	.
B.22	Vascular Lesions affecting Central Nervous System {M. F.	107	2 3	2 3	17 12	33 35	1
B.23	Nonmeningococcal Meningitis ... {M. F.	1	.	.	1	.	.
B.24	Rheumatic Fever ... {M. F.	2	.	.	1	1	.
B.25	Chronic Rheumatic Heart Disease ... {M. F.	5	.	.	2 1	2	.
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	356	2 1	15 7	43 22	153 113	4 1
B.27	Other Diseases of the Heart ... {M. F.	23	1 1	.	2	10 9	.
B.28	Hypertension with Heart Disease ... {M. F.	6	.	.	1	2 3	.
B.29	Hypertension without mention of Heart {M. F.	13	1	.	.	4 8	.
B.46a	Other Circulatory Diseases ... {M. F.	24	.	1	3 1	11 8	.

SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
D COUNTY BOROUGH.

EXFORD.

## AGE AT DEATH

All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
687 569	61 36	14 14	3 5	8 15	15 22	19 23	34 37	103 74	175 145	255 198
29 40	· ·	· ·	· 2	2 11	7 9	8 8	6 5	3 3	2 2	1 ·
10 6	2 ·	3 2	· ·	1 1	1 ·	2 1	· 2	1 ·	· ·	· ·
2	1	·	·	·	·	1	·	·	·	·
1 2	· 1	1 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
1 2	·	· 1	1 ·	· 1	· ·	· ·	· ·	· ·	· ·	· ·
2 2	·	·	·	·	·	· 1	1 ·	1 ·	· ·	· 1
74 52	·	·	·	·	1 2	· 2	6 4	20 15	29 18	18 11
2 1	·	·	·	·	1 ·	· ·	· 1	1 ·	· ·	· ·
1 1	·	·	·	·	·	·	·	1 ·	· 1	· ·
3 2	·	·	· 1	·	·	1 ·	·	·	1 1	1 ·
1 2	·	·	·	·	·	1 ·	1 ·	·	·	1 ·
54 53	·	·	· 1	·	·	·	2 3	13 12	16 16	23 21
1	·	·	·	·	·	1 ·	·	·	·	·
1 1	·	·	·	· 1	·	·	·	1 ·	·	·
4 1	·	·	·	1 ·	1 ·	·	·	1 ·	1 1	·
213 143	·	·	·	· 1	2 2	1 2	8 9	32 24	80 48	90 57
13 10	·	1 ·	·	1 ·	· 1	·	1 ·	3 3	4 2	3 4
3 3	·	·	·	·	·	·	·	1 1	2 1	1 ·
5 8	·	·	·	·	·	·	·	2 2	· 5	3 1
15 9	·	·	·	·	·	1 1	· 1	2 ·	4 2	8 5



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND BY PLACE OF OCCURRENCE  
DEATHS FOR EACH COUNTRY

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertain Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.30	Influenza ... {M. F.	5	1	.	.	1 3	.
B.31	Pneumonia ... {M. F.	36	2	.	3 3	12 16	.
B.32	Bronchitis ... {M. F.	35	1	.	3	20 11	.
B.46b	Other Respiratory Diseases ... {M. F.	14	.	.	3	6 5	.
B.36a	Gastritis and Duodenitis ... {M. F.	2	.	.	.	2	.
B.33	Ulcer of Stomach and Duodenum ... {M. F.	6	.	.	2 2	1 1	.
B.46c	Other Digestive Diseases excluding Diseases of Liver and Gall Bladder {M. F.	4	1 1	.	1	1	.
B.34	Appendicitis ... {M. F.	3	.	.	2	1	.
B.35	Intestinal Obstruction and Hernia ... {M. F.	10	.	.	3 1	1 5	.
B.36b	Enteritis and Colitis except Diarrhoea of the Newborn {M. F.	15	.	.	3 1	7 4	.
B.37	Cirrhosis of Liver ... {M. F.	3	.	.	1 1	1	.
B.38	Nephritis and Nephrosis ... {M. F.	20	.	.	3 3	9 5	1
B.39	Hyperplasia of Prostate ... M.	4	1	.	1	2	.
B.40a	Complications of Pregnancy and Childbirth F.	4	.	.	4	.	.
B.40c	Other Complications of the Puerperium F.	1	.	.	1	.	.
B.41	Congenital Malformations ... {M. F.	13	1 1	.	6	3 2	1
B.42	Birth Injuries, Postnatal Asphyxia and Atelectasis {M. F.	1	.	.	1	.	.
B.43b	Other Infections of the Newborn ... {M. F.	2	.	.	.	1 1	.
B.44	Other Diseases Peculiar to Early Infancy and Immaturity Unqualified {M. F.	49	1	.	14 2	20 12	1 2
B.45a	Senility without mention of Psychosis {M. F.	126	.	1	13 13	56 43	17 17
B.45b	Ill-defined and Unknown Causes ... {M. F.	29	2	.	3 3	15 6	8 4
B.46d	All Other Diseases ... {M. F.	78	1 4	1	7 13	17 35	3 4
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... {M. F.	3	.	.	1	2	.
BE.48	All Other Accidents ... {M. F.	18	.	.	2 6	6 4	.
BE.49	Suicide and Self-inflicted Injury ... {M. F.	1	.	.	.	1	.
BE.50	Homicide and Operations of War ... {M. F.	1	.	.	.	1	.

BY SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED AND COUNTY BOROUGH.

**WEXFORD.**



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	<b>ALL CAUSES</b> ... .. {M. F.	<b>862</b>	<b>74 70</b>	<b>5 13</b>	<b>91 44</b>	<b>306 259</b>	<b>21 15</b>
B.1	Tuberculosis of Respiratory System {M. F.	45	11 9	1	3	11 10	.
B.2	Tuberculosis, Other Forms ... {M. F.	9	2 3	.	2	2	.
B.3	Syphilis and its Sequelae ... {M. F.	3	1	.	.	1 1	.
B.9	Whooping Cough ... {M. F.	2	.	.	.	2	.
B.14	Measles ... {M. F.	1	1	.	.	.	.
B.17b	All other Diseases Classified as Infective and Parasitic {M. F.	4	2	.	.	1 1	.
B.18a	Malignant Neoplasms ... {M. F.	86	10 12	2 1	14 4	21 22	1 1
B.18b	Neoplasms of Lymphatic and Haematopoietic Tissues {M. F.	2	1 1	.	.	.	.
B.19	Benign and Unspecified Neoplasms ... {M. F.	2	1 1	.	.	.	.
B.20	Diabetes Mellitus ... {M. F.	4	1	.	.	1 2	.
B.21	Anaemias ... {M. F.	7	2 2	.	.	3	.
B.22	Vascular Lesions affecting Central Nervous System {M. F.	107	4 5	1	22 12	23 40	1
B.23	Nonmeningococcal Meningitis ... {M. F.	3	.	.	1 1	1	.
B.24	Rheumatic Fever ... {M. F.	7	.	.	1	5 1	.
B.25	Chronic Rheumatic Heart Disease ... {M. F.	4	1	1	1	1	.
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	198	3 6	2 6	15 5	102 59	2 1
B.27	Other Diseases of the Heart ... {M. F.	41	2 2	.	4 2	22 9	3
B.28	Hypertension with Heart Disease ... {M. F.	5	1	.	.	2 2	.
B.29	Hypertension without mention of Heart {M. F.	11	3	.	1	3 4	.
B.46a	Other Circulatory Diseases ... {M. F.	17	4 2	.	2 1	3 5	.
B.30	Influenza ... {M. F.	15	.	.	.	7 8	.
B.31	Pneumonia ... {M. F.	39	3 2	3	4 1	14 12	.
B.32	Bronchitis ... {M. F.	16	1	.	1	4 10	.
B.46b	Other Respiratory Diseases ... {M. F.	20	1 1	.	4 2	4 8	.
B.33	Ulcer of Stomach and Duodenum ... {M. F.	4	1	.	1	1 1	.

SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
D COUNTY BOROUGH.

CKLOW.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
476 386	44 24	8 10	4 8	9 2	11 15	18 21	30 21	55 43	138 99	159 143
23 22	.	.	.	4 1	4 9	6 9	5	2	1 1	1 1
2 7	.	1 3	.	.	.	1	.	.	1	.
2 1	.	.	.	.	.	.	.	2	1	.
2	2	.	.	.	.	.	.	.	.	.
1	.	1	.	.	.	.	.	.	.	.
1 3	1	.	.	.	.	.	.	.	1	2
47 39	.	.	1	.	.	2 2	7 5	8 9	17 12	13 10
1 1	.	.	.	.	.	.	.	1	1	.
1 1	.	.	.	.	.	.	.	1 1	.	.
2 2	.	.	.	.	.	.	1	.	1 1	1
5 2	.	.	.	1	1	1	1	1	2	.
49 58	.	.	.	.	1	.	3	6 8	16 21	26 23
2 1	1	.	1	1	.	.	.	.	.	.
6 1	.	.	2 1	1	3	.	.	.	.	.
2 2	.	.	1	2	.	1	.	.	.	.
122 76	.	1	.	.	1	2 3	8 3	14 11	51 26	47 31
28 13	.	.	1	.	1	.	2	1 1	10 5	14 6
2 3	.	.	.	.	.	.	1	1	.	1 1
7 4	.	.	.	.	.	.	1	2	4 3	1
9 8	.	.	.	.	1	.	.	2 1	3 3	4 3
7 8	.	1	.	.	.	.	.	1 1	4 2	2 4
21 18	7 2	1 1	.	.	.	1 1	1 2	2 1	3 3	6 3
5 11	1	.	.	.	.	.	1	2 2	1 3	6
9 11	1	.	.	.	.	1	1	1	4 3	3 6
3 1	.	.	.	.	.	.	2	.	1	1



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND BY PLACE OF OCCURRENCE  
DEATHS FOR EACH COUNTRY

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.46c	Other Digestive Diseases excluding {M. Diseases of Liver and Gall Bladder {F.	1	.	.	.	1	.
B.34	Appendicitis ... {M. F.	2	1 1	.	.	.	.
B.35	Intestinal Obstruction and Hernia {M. F.	5	3	.	.	1 1	.
B.36b	Enteritis and Colitis except Diarrhoea {M. of the Newborn {F.	3	.	.	1	1 1	.
B.37	Cirrhosis of Liver ... {M. F.	.	.	.	.	.	.
B.38	Nephritis and Nephrosis ... {M. F.	16	1 2	.	3 1	4 5	.
B.39	Hyperplasia of Prostate ... M.	6	3	.	2	1	.
B.41	Congenital Malformations ... {M. F.	12	5 1	.	2 1	2 1	.
B.42	Birth Injuries, Postnatal Asphyxia and {M. Atelectasis {F.	10	3 2	.	2 2	1	.
B.43a	Diarrhoea of Newborn ... {M. F.	1	.	.	1	.	.
B.43b	Other Infections of the Newborn ... {M. F.	1	.	.	1	.	.
B.44	Other Diseases Peculiar to Early {M. Infancy and Immaturity Unqualified {F.	22	3 1	.	7 2	5 4	2
B.45a	Senility without mention of Psychosis {M. F.	47	.	.	.	23 24	10 11
B.45b	Ill-defined and Unknown Causes ... {M. F.	28	3 1	.	1	14 9	3 1
B.46d	All Other Diseases ... {M. F.	30	2 6	.	1	11 10	.
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... {M. F.	1	1	.	.	.	.
BE.48	All Other Accidents ... {M. F.	18	3	1	2 2	6 4	.
BE.49	Suicide and Self-inflicted Injury ... {M. F.	6	.	.	.	5 1	.
BE.50	Homicide and Operations of War ... {M. F.	1	.	.	.	1	.

BY SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED AND COUNTY BOROUGH.  
WICKLOW.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
1	.	.	.	.	.	.	.	.	.	1
1 1	.	.	.	.	.	.	.	.	1 1	.
1 4	.	2	.	.	.	1	.	.	1	1
1 2	1	1	.	.	.	.	.	.	1	.
.	.	.	.	.	.	.	.	.	.	.
8 8	.	.	.	.	.	1	2	2 1	2 1	3 4
6	.	.	.	.	.	.	.	.	.	6
9 3	7 2	1 1	.	1	.	.	.	.	.	.
5 5	5 5	.	.	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
15 7	15 7	.	.	.	.	.	.	.	.	.
23 24	.	.	.	.	.	.	.	.	1 1	22 23
18 10	6 1	1	.	.	.	.	1 1	2 1	4 1	4 6
14 16	1	.	.	.	.	1	1	4 3	6 7	4 3
1	.	.	.	.	.	.	.	.	1	.
8 10	1	2	3	.	1	3	1	1 1	1	4
5 1	.	.	.	.	2 1	.	1	.	2	.
1	.	.	.	.	.	.	.	.	1	.



TABLE 20 (contd.)--DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

MUN-

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	<b>ALL CAUSES</b> ... .. {M. F.	<b>12,134</b>	<b>646 517</b>	<b>186 173</b>	<b>1,770 1,272</b>	<b>3,922 3,648</b>	<b>588 612</b>
B.1	Tuberculosis of Respiratory System {M. F.	605	84 83	41 27	93 65	135 77	3 3
B.2	Tuberculosis, Other Forms ... {M. F.	159	16 18	6 2	43 47	12 15	· ·
B.3	Syphilis and its Sequelae ... {M. F.	7	· 1	1 2	2 ·	1 ·	· ·
B.4	Typhoid Fever ... {M. F.	2	· ·	· ·	1 1	· ·	· ·
B.6	Dysentery, All Forms ... {M. F.	1	· ·	· ·	1 ·	· ·	· ·
B.7a	Scarlet Fever ... {M. F.	2	· ·	· ·	· ·	1 1	· 1
B.7b	Streptococcal Sore Throat ... {M. F.	1	· ·	· ·	· ·	1 ·	· ·
B.9	Whooping Cough ... {M. F.	10	· ·	· ·	3 1	2 4	· ·
B.10	Meningococcal Infections ... {M. F.	6	· 1	1 ·	2 1	1 ·	· ·
B.12	Acute Poliomyelitis ... {M. F.	9	1 ·	· ·	3 4	1 ·	· ·
B.17a	Acute Infectious Encephalitis ... {M. F.	2	1 ·	· ·	· ·	· 1	· ·
B.14	Measles ... {M. F.	3	· ·	· ·	· ·	2 1	· ·
B.17b	All other Diseases Classified as Infec- tive and Parasitic {M. F.	38	3 4	2 ·	9 5	11 4	· ·
B.18a	Malignant Neoplasms ... {M. F.	1,286	121 92	10 8	246 136	338 335	4 6
B.18b	Neoplasms of Lymphatic and Haema- topoietic Tissues {M. F.	37	10 4	· ·	4 5	10 4	· ·
B.19	Benign and Specified Neoplasms ... {M. F.	57	11 6	· 1	13 7	4 15	· 1
B.20	Diabetes Mellitus ... {M. F.	70	3 2	· ·	8 16	22 19	1 1
B.21	Anaemias ... {M. F.	104	6 3	1 1	23 15	20 35	2 1
B.22	Vascular Lesions affecting Central Nervous System {M. F.	837	29 38	9 4	101 102	215 339	11 17
B.23	Nonmeningococcal Meningitis ... {M. F.	38	4 3	· ·	9 12	9 1	· ·
B.24	Rheumatic Fever ... {M. F.	27	2 1	· ·	7 5	4 8	· ·
B.25	Chronic Rheumatic Heart Disease ... {M. F.	44	· ·	1 ·	10 8	16 9	1 ·
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	3,005	69 50	51 56	420 322	1,135 893	27 16
B.27	Other Diseases of the Heart ... {M. F.	449	18 16	3 3	49 29	163 168	17 21
B.28	Hypertension with Heart Disease ... {M. F.	66	4 1	· ·	12 10	18 21	· ·
B.29	Hypertension without mention of Heart {M. F.	116	4 8	· ·	15 11	26 52	2 3

BY SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
STER.

## AGE AT DEATH

All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
8,524 5,610	519 370	97 86	75 58	125 108	156 182	266 228	479 350	874 654	1,726 1,404	2,207 2,170
353 252	· ·	3 1	1 2	37 51	66 75	75 57	72 29	61 19	33 16	5 2
77 82	6 7	16 15	17 14	8 18	6 7	8 7	8 3	5 7	2 3	1 1
4 3	· ·	· ·	· ·	1 ·	· ·	1 2	· ·	1 ·	1 1	· ·
1 1	· ·	· ·	· ·	· ·	1 1	· ·	· ·	· ·	· ·	· ·
1 ·	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
1 1	· ·	· ·	1 ·	1 ·	· ·	· ·	· ·	· ·	· ·	· ·
1 ·	· ·	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
5 5	4 2	1 3	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
4 2	1 1	· 1	2 ·	· ·	· ·	· ·	1 ·	· ·	· ·	· ·
5 4	1 ·	· 2	· ·	3 1	· 1	· ·	· ·	· ·	1 ·	· ·
1 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	1 ·
2 1	1 ·	· 1	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
25 13	· 1	2 2	2 3	2 ·	2 1	· ·	1 2	9 ·	4 3	3 1
715 571	· ·	2 2	3 1	3 2	5 7	25 37	67 77	165 130	262 196	183 119
24 13	· ·	· 1	· 2	2 ·	4 ·	2 1	4 4	3 5	8 2	1 ·
28 29	· ·	· 2	· 1	1 ·	2 ·	4 5	6 3	6 5	6 12	3 1
33 37	· ·	· ·	· 1	4 2	4 3	2 ·	4 4	7 3	7 18	5 6
50 54	1 ·	2 ·	2 1	· 1	· 1	2 2	4 12	9 11	21 19	9 7
354 483	1 ·	· ·	· ·	4 ·	4 7	12 12	14 31	48 90	126 164	145 179
22 16	4 6	8 1	3 2	1 3	1 2	1 ·	1 2	2 ·	1 ·	· ·
13 14	· ·	1 ·	· 1	4 2	1 3	2 2	· ·	1 1	2 3	2 2
27 17	· ·	· ·	2 1	· 1	1 2	3 1	5 1	3 2	5 8	8 1
1,684 1,321	1 ·	· ·	4 1	8 6	8 15	44 26	117 84	247 174	600 432	655 603
233 216	· ·	3 ·	2 ·	4 ·	3 4	8 7	15 21	42 30	79 78	77 76
34 32	· ·	· ·	· ·	· ·	· ·	1 ·	1 3	5 9	18 10	9 10
45 71	· ·	· ·	· ·	· 1	· ·	4 4	5 6	13 12	16 24	7 24



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

MUN-

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.46a	Other Circulatory Diseases ... {M. F.	144	11 4	2 2	35 19	44 27	2 1
B.30	Influenza ... {M. F.	103	1 2	· ·	8 6	39 47	4 4
B.31	Pneumonia ... {M. F.	369	18 15	8 6	47 42	125 108	7 2
B.32	Bronchitis ... {M. F.	335	14 5	3 6	34 38	123 112	13 6
B.46b	Other Respiratory Diseases ... {M. F.	112	7 6	· ·	11 13	40 35	· ·
B.36a	Gastritis and Duodenitis ... {M. F.	18	2 ·	· ·	3 ·	6 7	· 2
B.33	Ulcer of Stomach and Duodenum ... {M. F.	80	16 1	· ·	21 5	27 10	1 1
B.46c	Other Digestive Diseases excluding Diseases of Liver and Gall Bladder {M. F.	44	8 5	· ·	7 5	9 10	1 1
B.34	Appendicitis ... {M. F.	32	6 5	· ·	15 6	· ·	· ·
B.35	Intestinal Obstruction and Hernia ... {M. F.	63	8 8	· ·	11 10	13 13	· ·
B.36b	Enteritis and Colitis except Diarrhoea of the Newborn {M. F.	128	8 6	· ·	28 21	39 26	· 1
B.37	Cirrhosis of Liver ... {M. F.	19	1 1	· ·	3 1	8 5	· ·
B.38	Nephritis and Nephrosis ... {M. F.	202	12 6	3 2	28 29	75 47	6 1
B.39	Hyperplasia of Prostate ... M.	78	18	1	31	28	·
B.40a	Complications of Pregnancy and Childbirth F.	23	7	1	8	7	1
B.40b	Puerperal Sepsis ... F.	2	·	·	1	1	·
B.40c	Other Complications of the Puerperium F.	5	·	·	1	4	·
B.41	Congenital Malformations ... {M. F.	105	12 13	· ·	15 14	28 23	1 ·
B.42	Birth Injuries, Postnatal Asphyxia and Atelectasis {M. F.	61	12 7	2 ·	17 9	9 5	· ·
B.43a	Diarrhoea of Newborn ... {M. F.	24	2 2	· ·	6 1	11 2	· ·
B.43b	Other Infections of the Newborn ... {M. F.	31	5 3	· ·	7 2	7 7	· ·
B.44	Other Diseases Peculiar to Early Infancy and Immaturity Unqualified {M. F.	329	20 22	5 2	96 53	79 52	14 7
B.45a	Senility without mention of Psychosis {M. F.	1,598	3 7	16 29	97 70	625 751	390 439
B.45b	Ill-defined and Unknown Causes ... {M. F.	342	25 9	· 1	35 10	136 126	64 60
B.46d	All Other Diseases ... {M. F.	636	27 38	20 20	89 72	194 176	15 15
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... {M. F.	34	8 2	· ·	9 1	12 2	· ·
BE.48	All Other Accidents ... {M. F.	205	16 12	· ·	33 33	71 40	2 1
BE.49	Suicide and Self-inflicted Injury ... {M. F.	25	· ·	· ·	1 ·	22 2	· ·
BE.50	Homicide and Operations of War ... {M. F.	6	· ·	· ·	· ·	5 1	· ·





TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND  
DEATHS FOR EACH COUNTRY

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertain Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	ALL CAUSES ... .. {M. F.	1,148	32 32	21 10	149 131	419 354	116 105
B.1	Tuberculosis of Respiratory System {M. F.	70	12 12	3 2	12 6	18 5	.
B.2	Tuberculosis, Other Forms ... {M. F.	27	2	2	11 11	1	.
B.3	Syphilis and its Sequelae ... {M. F.	1	.	1	.	.	.
B.9	Whooping Cough ... {M. F.	1	.	.	.	1	.
B.12	Acute Poliomyelitis ... {M. F.	2	.	.	2	.	.
B.17b	All other Diseases Classified as Infec- {M. tive and Parasitic F.	2	.	1	.	1	.
B.18a	Malignant Neoplasms ... {M. F.	112	8 4	.	15 16	31 38	1
B.18b	Neoplasms of Lymphatic and Haema- {M. topoietic Tissues F.	2	.	.	1	1	.
B.19	Benign and Unspecified Neoplasms ... {M. F.	3	1	.	.	2	.
B.20	Diabetes Mellitus ... {M. F.	10	.	.	2	4 4	1 1
B.21	Anaemias ... {M. F.	10	.	.	3	3 4	1 1
B.22	Vascular Lesions affecting Central {M. Nervous System F.	47	.	1	6 6	14 20	.
B.23	Nonmeningococcal Meningitis ... {M. F.	1	.	.	.	1	.
B.24	Rheumatic Fever ... {M. F.	1	.	.	.	1	.
B.25	Chronic Rheumatic Heart Disease ... {M. F.	1	.	.	1	.	.
B.26	Arteriosclerotic and Degenerative {M. Heart Disease F.	230	1 2	2 3	50 44	78 50	1
B.27	Other Diseases of the Heart ... {M. F.	32	1	.	1 2	20 8	1 1
B.28	Hypertension with Heart Disease ... {M. F.	5	.	.	1	2 2	.
B.29	Hypertension without mention of {M. Heart F.	11	.	.	.	4 7	1

BY SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED AND COUNTY BOROUGH.

## CLARE.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
621 527	41 32	11 12	9 4	12 14	19 15	29 16	42 30	57 48	156 131	245 225
45 25	· ·	1 ·	1 ·	4 6	8 6	11 6	10 3	5 2	4 2	1 ·
16 11	1 1	3 4	3 1	1 3	2 2	2 ·	3 ·	1 ·	· ·	· ·
1 ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	· ·	· ·
1 ·	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
2 ·	· ·	· ·	· ·	2 ·	· ·	· ·	· ·	· ·	· ·	· ·
1 1	· ·	· ·	1 ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·
54 58	· ·	· ·	· ·	2 1	1 1	3 2	6 7	7 10	27 21	8 16
1 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	1 ·
2 1	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	1 ·	· 1	· ·
4 6	· ·	· ·	· ·	· ·	1 1	1 ·	· ·	1 ·	2 2	· 2
3 7	· ·	· ·	· ·	· ·	· ·	1 ·	4 ·	1 ·	2 1	1 ·
21 26	· ·	· ·	· ·	· ·	· ·	1 1	· 3	3 4	5 6	12 12
1 ·	· ·	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
1 ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	· ·	· ·	· ·
1 ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	· ·
131 99	· ·	· ·	1 ·	1 ·	1 ·	2 ·	2 4	14 11	50 36	60 48
21 11	· ·	· ·	· ·	· ·	· ·	· ·	2 ·	2 2	8 4	9 5
3 2	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	2 1	1 1
4 7	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	1 1	2 4	· 2



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.46a	Other Circulatory Diseases ... {M. F.	3	1	.	.	2	.
B.30	Influenza ... {M. F.	9	.	.	.	4 5	1 2
B.31	Pneumonia ... {M. F.	37	.	1	5 3	15 13	2
B.32	Bronchitis ... {M. F.	35	.	1	1	19 14	4 2
B.46b	Other Respiratory Diseases ... {M. F.	11	.	.	.	7 4	.
B.36a	Gastritis and Duodenitis ... {M. F.	1	.	.	.	1	1
B.33	Ulcer of Stomach and Duodenum ... {M. F.	5	.	.	1 1	1 2	.
B.46c	Other Digestive Diseases excluding {M. Diseases of Liver and Gall Bladder {F.	4	1 1	.	.	2	.
B.34	Appendicitis ... {M. F.	4	1	.	3	.	.
B.35	Intestinal Obstruction and Hernia ... {M. F.	13	1 2	.	2 2	4 2	.
B.36b	Enteritis and Colitis except Diarrhoea {M. of the Newborn {F.	6	1	.	2	2 1	.
B.37	Cirrhosis of Liver ... {M. F.	2	.	.	2	.	.
B.38	Nephritis and Nephrosis ... {M. F.	21	1	.	3 3	10 4	2
B.39	Hyperplasia of Prostate ... M.	4	.	.	3	1	.
B.40a	Complications of Pregnancy and F. Childbirth	1	1	.	.	.	.
B.41	Congenital Malformations ... {M. F.	11	1	.	2 2	4 2	.
B.42	Birth Injuries, Postnatal Asphyxia and {M. Atelectasis {F.	6	.	1	1 2	2	.
B.43a	Diarrhoea of Newborn ... {M. F.	1	.	.	.	1	.
B.43b	Other Infections of the Newborn ... {M. F.	3	.	.	.	3	.
B.44	Other Diseases Peculiar to Early {M. Infancy and Immaturity Unqualified {F.	27	1	.	13 7	4 2	2
B.45a	Senility without mention of Psychosis {M. F.	244	1	6 4	.	117 116	90 87
B.45b	Ill-defined and Unknown Causes ... {M. F.	38	1	.	6 2	17 12	9 6
B.46d	All Other Diseases ... {M. F.	67	3 4	3	7 11	15 24	1 1
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... {M. F.	2	.	.	.	2	.
BE.48	All Other Accidents ... {M. F.	19	.	.	6	7 6	.
BE.49	Suicide and Self-inflicted Injury ... {M. F.	6	.	.	.	5 1	.

SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
D COUNTY BOROUGH.  
ARE.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
3	.	.	.	.	.	.	1	1	1	.
4	.	.	.	.	.	.	.	.	1	3
5	1	1	.	.	.	.	.	.	2	1
21	6	1	.	1	.	.	1	1	3	8
16	3	2	.	1	.	.	2	.	5	3
19	2	.	.	.	.	1	.	2	3	11
16	3	.	.	.	.	1	2	2	6	2
7	.	.	.	.	.	.	1	.	3	3
4	1	.	1	.	.	.	.	.	.	2
1	.	.	.	.	.	.	.	.	1	.
2	.	.	.	.	.	.	1	.	1	.
3	.	.	.	.	.	.	.	1	1	1
1	.	.	.	.	.	.	1	.	.	.
3	1	2	.	.	.	.	.	.	.	.
3	.	1	1	.	.	1	.	.	.	.
1	.	.	1	.	.	.	.	.	.	.
7	.	.	.	.	.	1	1	1	2	2
6	.	.	.	.	.	1	.	2	.	3
5	3	1	.	.	.	1	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
2	.	.	.	.	.	.	.	2	.	.
14	.	.	.	.	.	.	1	6	3	4
7	.	.	.	.	1	2	1	.	2	1
4	.	.	.	.	.	.	.	.	1	3
1	.	.	.	.	1	.	.	.	.	.
6	3	.	2	.	.	.	1	.	.	.
5	3	.	.	.	1	1	.	.	.	.
4	4	.	.	.	.	.	.	.	.	.
2	2	.	.	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
3	3	.	.	.	.	.	.	.	.	.
17	17	.	.	.	.	.	.	.	.	.
10	10	.	.	.	.	.	.	.	.	.
193	.	.	.	.	.	.	.	1	20	102
121	.	.	.	.	.	.	.	.	11	110
24	4	2	.	.	.	.	4	2	3	9
14	2	.	.	.	.	.	.	3	7	2
28	.	.	1	1	1	1	3	3	12	6
39	.	2	.	1	2	1	4	6	14	9
2	.	.	.	.	1	.	.	.	.	1
7	.	1	.	.	3	1	1	1	.	.
12	.	1	.	1	.	.	.	2	3	5
5	.	.	.	.	.	2	.	2	1	.
1	.	.	.	1	.	.	.	.	.	.



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND PLACE OF OCCURRENCE  
DEATHS FOR EACH COUNTRY

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	ALL CAUSES ... .. {M. F.	3,636	242 185	57 46	482 350	1,173 1,101	15 18
B.1	Tuberculosis of Respiratory System {M. F.	160	27 27	15 12	17 12	35 15	
B.2	Tuberculosis, Other Forms ... {M. F.	38	5 8	1	8 7	4 5	
B.3	Syphilis and its Sequelae ... {M. F.	2	1			1	
B.6	Dysentery, All Forms ... {M. F.	1			1		
B.7b	Streptococcal Sore Throat ... {M. F.	1				1	
B.10	Meningococcal Infections ... {M. F.	1		1			
B.12	Acute Poliomyelitis ... {M. F.	2	1		1		
B.14	Measles ... {M. F.	2				2	
B.17b	All other Diseases Classified as Infective and Parasitic {M. F.	12	2 2		1 1	3 3	
B.18a	Malignant Neoplasms ... {M. F.	414	49 41	1 1	67 46	105 104	
B.18b	Neoplasms of Lymphatic and Haematopoietic Tissues {M. F.	12	5 1		2 1	2 1	
B.19	Benign and Unspecified Neoplasms ... {M. F.	21	8 1		5 4		3
B.20	Diabetes Mellitus ... {M. F.	20	1 1		2 7	7 2	
B.21	Anaemias ... {M. F.	28	2		7 6	6 7	
B.22	Vascular Lesions affecting Central Nervous System {M. F.	281	9 12	3 1	25 33	80 118	
B.23	Nonmeningococcal Meningitis ... {M. F.	7	2		1 3	1	
B.24	Rheumatic Fever ... {M. F.	6	1		1	1 3	
B.25	Chronic Rheumatic Heart Disease ... {M. F.	15		1	4 2	6 2	
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	922	24 16	26 20	118 82	343 293	
B.27	Other Diseases of the Heart ... {M. F.	145	6 6	1 1	20 9	46 56	
B.28	Hypertension with Heart Disease ... {M. F.	17	2		5 4	2 4	
B.29	Hypertension without mention of Heart {M. F.	38	1 2		5 4	6 20	
B.46a	Other Circulatory Diseases ... {M. F.	49	3 2		11 10	15 8	
B.30	Influenza ... {M. F.	28			1 3	11 13	
B.31	Pneumonia ... {M. F.	102	7 4	1 2	8 14	40 26	

SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
D COUNTY BOROUGH.

ARK.

## AGE AT DEATH

All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
1,954 1,682	127 80	19 22	24 14	34 26	50 44	72 62	139 104	270 206	524 433	695 691
94 66	.	1	.	8 13	20 19	19 19	20 4	15 5	10 5	1
18 20	2	3 5	2 2	3 3	1 2	1 2	2 1	1 3	2 1	1 1
1 1	.	.	.	.	.	.	.	.	1 1	.
1	1	.	.	.	.	.	.	.	.	.
1	.	1	.	.	.	.	.	.	.	.
1	.	.	.	.	.	.	1	.	.	.
1 1	.	.	.	1 1	.	.	.	.	.	.
2	1	.	1	.	.	.	.	.	.	.
6 6	1	2	.	.	.	.	1	3	2 1	1 1
222 192	.	2	1	1	2 2	9 10	17 24	56 51	84 74	50 31
9 3	.	.	1	.	3	.	2 1	1	4	.
13 8	.	.	.	.	1	2 2	2 2	4 2	4 2	.
10 10	.	.	.	1 1	.	.	1	4 2	2 6	3
15 13	1	.	2	.	.	.	2 3	1 2	6 5	3 3
117 164	.	.	.	2	2 2	2 3	6 6	11 31	34 57	60 65
2 5	1 3	.	.	1	.	.	1	.	1	.
2 4	.	1	1	1 1	.	.	.	1	1	.
11 4	.	.	1	1	1	2 1	1	2	1 1	4
511 411	.	.	1 1	1 3	2 5	12 6	32 20	76 50	187 131	200 195
73 72	.	.	.	3	2	2 1	5 8	11 11	28 19	24 31
9 8	.	.	.	.	.	1	2	2 2	4 3	2 1
12 26	.	.	.	.	.	1	1 2	4 4	4 7	3 12
29 20	.	.	.	.	.	1	1	4 3	10 3	15 12
12 16	3 1	1	.	.	.	.	2 1	2 1	3 7	2 5
56 46	10 10	3 6	3 1	2	1	2 1	5 6	10 4	8 9	12 9



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) A  
DEATHS FOR EACH COUN

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.32	Bronchitis ... {M. F.	79	4 4	1	6 14	30 20	
B.46b	Other Respiratory Diseases ... {M. F.	47	4 4		5 5	17 12	
B.36a	Gastritis and Duodenitis ... {M. F.	7			1	4 2	
B.33	Ulcer of Stomach and Duodenum ... {M. F.	20	4		4 1	8 3	
B.46c	Other Digestive Diseases excluding Diseases of Liver and Gall Bladder {M. F.	15	3 2		2 3	1 4	
B.34	Appendicitis ... {M. F.	12	3 1		5 3		
B.35	Intestinal Obstruction and Hernia ... {M. F.	17	4 1		3 3	2 4	
B.36b	Enteritis and Colitis except Diarrhoea of the Newborn {M. F.	30	2 1		5 9	9 4	
B.37	Cirrhosis of Liver ... {M. F.	3				2 1	
B.38	Nephritis and Nephrosis ... {M. F.	48	7 2	1	6 6	15 11	
B.39	Hyperplasia of Prostate ... M.	30	6		17	7	
B.40a	Complications of Pregnancy and Childbirth F.	4	2		1	1	
B.40b	Puerperal Sepsis ... F.	1				1	
B.41	Congenital Malformations ... {M. F.	27	4 4		3 4	6 6	
B.42	Birth Injuries, Postnatal Asphyxia and Atelectasis {M. F.	22	8 4		4 3	1 2	
B.43a	Diarrhoea of Newborn ... {M. F.	11	1 1		3 1	4 1	
B.43b	Other Infections of the Newborn ... {M. F.	7	1		1	4 1	
B.44	Other Diseases Peculiar to Early Infancy and Immaturity Unqualified {M. F.	74	9 9	1	17 7	21 10	
B.45a	Senility without mention of Psychosis {M. F.	492	2	2 8	36 18	190 236	105 117
B.45b	Ill-defined and Unknown Causes ... {M. F.	108	7 1		11 1	42 46	16 25
B.46d	All Other Diseases ... {M. F.	173	10 16	2 1	28 14	60 42	2 4
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... {M. F.	12	3 1		3	3 2	
BE.48	All Other Accidents ... {M. F.	65	9 4		13 7	23 9	1
BE.49	Suicide and Self-inflicted Injury ... {M. F.	6			1	5	
BE.50	Homicide and Operations of War ... {M. F.	2				2	

BY SEX AND SHOWING (i) AGE; (ii) PLACE OF OCCURRENCE; AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
**CORK.**

[illegible]



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY  
CORK CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	ALL CAUSES ... .. {M. F.	1,040	140 132	10 12	157 113	196 280	1
B.1	Tuberculosis of Respiratory System {M. F.	69	13 18	3 1	18 1	9 6	.
B.2	Tuberculosis, Other Forms ... {M. F.	11	3 3	.	1 1	1 2	.
B.9	Whooping Cough ... .. {M. F.	1	.	.	.	1	.
B.10	Meningococcal Infections ... {M. F.	2	1	.	1	.	.
B.17a	Acute Infectious Encephalitis ... {M. F.	2	1	.	.	1	.
B.17b	All other Diseases Classified as Infective and Parasitic {M. F.	1	.	.	.	1	.
B.18a	Malignant Neoplasms ... .. {M. F.	94	19 14	.	20 6	18 17	.
B.18b	Neoplasms of Lymphatic and Haematopoietic Tissues {M. F.	4	1 2	.	1	.	.
B.19	Benign and Unspecified Neoplasms ... {M. F.	9	3 2	.	3	1	.
B.21	Anaemias ... .. {M. F.	5	1 2	.	1	1	.
B.22	Vascular Lesions affecting Central Nervous System {M. F.	96	12 17	1	7 13	16 30	.
B.23	Nonmeningococcal Meningitis ... {M. F.	5	2	.	2 1	.	.
B.24	Rheumatic Fever ... .. {M. F.	3	.	.	2 1	.	.
B.25	Chronic Rheumatic Heart Disease ... {M. F.	6	.	.	3	1 2	.
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	303	17 16	4 7	25 40	89 111	.
B.27	Other Diseases of the Heart ... {M. F.	34	6 3	.	5 8	6 11	.
B.28	Hypertension with Heart Disease ... {M. F.	5	1	.	2 1	1	.
B.29	Hypertension without mention of Heart {M. F.	12	2 3	.	1	6	.
B.46a	Other Circulatory Diseases ... {M. F.	13	4 1	.	2 3	1 2	.

Y SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
ND COUNTY BOROUGH.  
BOROUGH.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
503 537	53 40	12 7	5 8	12 4	11 22	23 21	49 28	98 83	143 164	97 160
43 26	.	1	.	4 3	6 12	10 2	5 4	14 4	3 1	.
5 6	1	4 1	4	.	.	.	.	1	.	.
1	.	1	.	.	.	.	.	.	.	.
2	1	1	.	.	.	.	.	.	.	.
1 1	.	.	.	.	.	.	.	1	.	1
1	.	.	.	.	.	.	.	1	.	.
57 37	.	.	.	.	2	3 3	7 2	14 8	20 16	13 6
2 2	.	.	.	1	.	1	1	1	.	.
6 3	.	.	.	.	.	1	3	.	1 2	1 1
2 3	.	.	.	.	.	.	1	1	1 2	.
36 60	.	.	.	.	.	3	1 3	12 12	17 23	6 19
4 1	1	1	.	.	.	1	1	1	.	.
2 1	.	.	.	2	1	.	.	.	.	.
4 2	.	.	.	.	1	1	.	.	2 2	.
129 174	.	.	1	2	2 2	2 4	12 9	19 21	50 68	41 70
17 17	.	2	1	.	1	.	2 2	3 5	5 6	4 3
3 2	.	.	.	.	.	.	.	2	3	.
2 10	.	.	.	.	.	2	1	2 3	3	1
7 6	.	.	.	.	.	.	1 1	2 1	2 2	2 2



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY  
CORK CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.30	Influenza ... {M. F.	11	1 1	.	1	1 7	.
B.31	Pneumonia ... {M. F.	42	4 9	2	6 7	4 10	.
B.32	Bronchitis ... {M. F.	54	8 1	.	12 10	11 12	.
B.46b	Other Respiratory Diseases ... {M. F.	16	1	.	3 2	4 6	.
B.36a	Gastritis and Duodenitis ... {M. F.	.	.	.	.	.	.
B.33	Ulcer of Stomach and Duodenum ... {M. F.	6	.	.	2 2	1 1	.
B.46c	Other Digestive Diseases excluding Diseases of Liver and Gall Bladder {M. F.	6	2 1	.	1 1	1	.
B.34	Appendicitis ... {M. F.	2	1	.	1	.	.
B.35	Intestinal Obstruction and Hernia ... {M. F.	5	1 1	.	2	1	.
B.36b	Enteritis and Colitis except Diarrhoea of the Newborn {M. F.	20	1 4	.	9 4	1 1	.
B.37	Cirrhosis of Liver ... {M. F.	2	1 1	.	.	.	.
B.38	Nephritis and Nephrosis ... {M. F.	11	1	.	3 1	2 4	.
B.39	Hyperplasia of Prostate ... M.	13	5	.	5	3	.
B.40a	Complications of Pregnancy and Childbirth F.	1	1	.	.	.	.
B.40c	Other Complications of the Puerperium F.	1	.	.	.	1	.
B.41	Congenital Malformations ... {M. F.	9	2 2	.	2	1 2	.
B.42	Birth Injuries, Postnatal Asphyxia and Atelectasis {M. F.	4	1 2	.	.	1	.
B.43a	Diarrhoea of Newborn ... {M. F.	1	1	.	.	.	.
B.43b	Other Infections of the Newborn ... {M. F.	4	2 2	.	.	.	.
B.44	Other Diseases Peculiar to Early Infancy and Immaturity Unqualified {M. F.	29	7 5	.	10 2	4 1	.
B.45a	Senility without mention of Psychosis {M. F.	31	3 3	2	2	3 18	1
B.45b	Ill-defined and Unknown Causes ... {M. F.	21	6 6	.	2	3 4	.
B.46d	All Other Diseases ... {M. F.	47	4 3	2	5 3	11 19	.
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... {M. F.	3	3	.	.	.	.
BE.48	All Other Accidents ... {M. F.	20	3 5	.	4 4	3 1	.
BE.49	Suicide and Self-inflicted Injury ... {M. F.	3	.	.	.	3	.
BE.50	Homicide and Operations of War ... {M. F.	3	.	.	.	2 1	.

SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
D COUNTY BOROUGH.  
ROUGH.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
2	1	1	.	.	.	.	.	.	.	.
9	.	.	1	1	1	.	.	2	3	1
16	5	1	.	1	.	.	1	1	3	4
28	7	2	1	.	1	3	1	.	3	8
31	1	.	.	.	.	.	4	14	10	2
23	.	.	.	.	.	1	1	1	10	10
8	.	.	.	.	.	1	2	3	.	2
8	.	.	.	.	.	1	.	4	1	2
.	.	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	.	.
3	.	.	.	.	.	.	.	1	1	1
3	.	.	.	.	.	1	.	1	1	.
4	1	.	.	.	.	.	2	.	.	1
2	.	.	.	.	.	.	.	1	1	.
1	.	.	.	.	.	.	.	.	1	.
1	.	.	1	.	.	.	.	.	.	.
1	.	.	.	.	.	.	.	1	.	.
4	1	.	.	.	.	.	.	1	1	1
11	11	.	.	.	.	.	.	.	.	.
9	9	.	.	.	.	.	.	.	.	.
1	.	.	.	.	.	.	.	1	.	.
1	.	.	.	.	.	.	.	1	.	.
5	.	.	.	.	.	1	1	2	1	.
6	.	.	1	.	.	.	.	3	2	.
13	.	.	.	.	.	.	.	1	5	7
1	.	.	.	.	1	.	.	.	.	.
1	.	.	.	.	1	.	.	.	.	.
5	4	.	.	.	1	.	.	.	.	.
4	4	.	.	.	.	.	.	.	.	.
2	2	.	.	.	.	.	.	.	.	.
2	2	.	.	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	.	.
2	2	.	.	.	.	.	.	.	.	.
2	2	.	.	.	.	.	.	.	.	.
21	21	.	.	.	.	.	.	.	.	.
8	8	.	.	.	.	.	.	.	.	.
6	.	.	.	.	.	.	.	.	.	6
25	.	.	.	.	.	.	.	.	5	20
11	2	.	.	.	.	.	1	.	6	2
10	2	1	.	.	.	.	.	2	1	4
20	1	2	.	.	1	.	4	2	8	2
27	.	.	.	.	.	1	2	9	8	7
.	.	.	.	.	.	.	.	.	.	.
3	.	.	1	.	.	.	.	.	1	1
.	.	.	.	.	.	.	.	.	.	.
10	.	.	2	1	.	1	2	1	1	2
10	2	1	.	.	.	.	.	.	3	4
3	.	.	.	1	.	1	.	.	1	.
.	.	.	.	.	.	.	.	.	.	.
2	.	.	.	.	.	.	.	1	.	.
1	1	.	.	.	.	.	.	.	1	.



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND BY PLACE OF OCCURRENCE  
DEATHS FOR EACH COUNTRY

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	ALL CAUSES ... .. {M. F.	1,694	67 50	28 22	256 167	578 526	17 16
B.1	Tuberculosis of Respiratory System {M. F.	92	23 19	9 6	5 7	18 5	.
B.2	Tuberculosis, Other Forms ... {M. F.	18	. 3	. 1	4 7	1 2	.
B.3	Syphilis and its Sequelae ... {M. F.	1	.	.	1	.	.
B.9	Whooping Cough ... {M. F.	1	.	.	1	.	.
B.10	Meningococcal Infections ... {M. F.	1	.	.	1	.	.
B.12	Acute Poliomyelitis ... {M. F.	2	.	.	2	.	.
B.17b	All other Diseases Classified as Infec- {M. tive and Parasitic F.	16	1 1	.	6 4	4	.
B.18a	Malignant Neoplasms ... {M. F.	172	9 8	. 1	37 24	46 47	.
B.18b	Neoplasms of Lymphatic and Haema- {M. topoietic Tissues F.	4	.	.	1	2 1	.
B.19	Benign and Specified Neoplasms ... {M. F.	5	. 1	.	2 1	1	.
B.20	Diabetes Mellitus ... {M. F.	8	.	.	2 2	1 3	.
B.21	Anaemias ... {M. F.	17	.	1 1	4 2	4 5	.
B.22	Vascular Lesions affecting Central {M. Nervous System F.	127	4 3	1	21 19	33 46	.
B.23	Nonmeningococcal Meningitis ... {M. F.	4	1	.	1 1	1	.
B.24	Rheumatic Fever ... {M. F.	1	1	.	.	.	.
B.25	Chronic Rheumatic Heart Disease ... {M. F.	6	.	.	1	2 3	.
B.26	Arteriosclerotic and Degenerative {M. Heart Disease F.	337	6 1	7 7	51 37	129 99	.
B.27	Other Diseases of the Heart ... {M. F.	55	.	1	11 4	22 17	.
B.28	Hypertension with Heart Disease ... {M. F.	7	.	.	1 1	1 4	.

SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
ED COUNTY BOROUGH.  
ERRY.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
929 765	53 43	9 8	10 13	19 12	22 22	48 38	59 42	119 86	244 172	346 329
55 37	.	.	1	6 4	11 8	12 9	10 10	6 2	9 3	1
5 13	5	1	1 2	3	.	2 2	.	2	.	.
1	.	.	.	.	.	.	.	1	.	.
1	.	1	.	.	.	.	.	.	.	.
1	.	.	1	.	.	.	.	.	.	.
2	.	2	.	.	.	.	.	.	.	.
11 5	.	.	2 2	2	1 1	.	1 1	2	1 1	2
92 80	.	.	1 1	.	1	4 8	10 11	21 21	32 22	24 16
2 2	.	.	.	1	.	1	.	1	1	.
3 2	.	.	.	1	1	.	1	1	1	.
3 5	.	.	1	2	.	.	.	2	2	1 2
9 8	.	1	1	1	.	1 1	1	2 2	4	1 2
59 68	.	.	.	.	2 2	4	1	7 15	24 27	22 23
2 2	1	.	1 1	.	.	.	.	1	.	.
1	.	.	.	1	.	.	.	.	.	.
2 4	.	.	.	.	.	.	2	.	3	1
193 144	.	.	.	2 1	3	8 5	15 4	33 17	68 49	67 65
34 21	.	.	.	1	2	2 2	1 2	9 1	10 5	9 11
2 5	.	.	.	.	.	.	.	2	.	2 3



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) A  
DEATHS FOR EACH COUNTRY

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.29	Hypertension without mention of {M. Heart {F.	18	.	.	3 4	6 5	.
B.46a	Other Circulatory Diseases ... {M. {F.	21	.	.	7 4	8 2	.
B.30	Influenza ... {M. {F.	13	.	.	3	6 4	.
B.31	Pneumonia ... {M. {F.	55	.	.	14 3	21 17	.
B.32	Bronchitis ... {M. {F.	48	.	1	8 3	19 17	.
B.46b	Other Respiratory Diseases ... {M. {F.	12	1	.	1 6	3 1	.
B.36a	Gastritis and Duodenitis ... {M. {F.	1	1	.	.	.	.
B.33	Ulcer of Stomach and Duodenum ... {M. {F.	17	7	.	2	8	.
B.46c	Other Digestive Diseases excluding {M. Diseases of Liver and Gall Bladder {F.	4	1	.	1	2	.
B.34	Appendicitis ... {M. {F.	7	1 1	.	4 1	.	.
B.35	Intestinal Obstruction and Hernia ... {M. {F.	9	2 2	.	1 1	2 1	.
B.36b	Enteritis and Colitis except Diarrhoea {M. of the Newborn {F.	11	1	.	3	2 5	.
B.38	Nephritis and Nephrosis ... {M. {F.	32	2 2	.	4 2	13 9	.
B.39	Hyperplasia of Prostate ... M.	7	1	1	2	3	.
B.40a	Complications of Pregnancy and F.	5	1	.	3	1	.
B.40c	Other Complications of the Puerperium F.	1	.	.	1	.	.
B.41	Congenital Malformations ... {M. {F.	7	2 1	.	2	1 1	.
B.42	Birth Injuries, Postnatal Asphyxia and {M. Atelectasis {F.	10	.	1	4 1	2 2	.
B.43b	Other Infections of the Newborn ... {M. {F.	3	1 1	.	1	.	.
B.44	Other Diseases Peculiar to Early {M. Infancy and Immaturity Unqualified {F.	40	1 1	1	13 12	5 7	.
B.45a	Senility without mention of Psychosis {M. {F.	318	.	.	6 4	144 164	103 133
B.45b	Ill-defined and Unknown Causes ... {M. {F.	59	2	.	6	29 22	24 17
B.46d	All Other Diseases ... {M. {F.	95	2	7 4	17 5	31 29	9 4
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... {M. {F.	2	1	.	1	.	.
BE.48	All Other Accidents ... {M. {F.	23	1	.	6 3	8 5	.
BE.49	Suicide and Self-inflicted Injury ... {M. {F.	2	.	.	.	1 1	.

Y SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
ND COUNTY BOROUGH.

**FERRY.**

[illegible]



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTRY

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	ALL CAUSES ... .. {M. F.	1,273	62 49	20 24	148 95	496 379	55 62
B.1	Tuberculosis of Respiratory System {M. F.	52	2 2	3 2	13 7	11 12	.
B.2	Tuberculosis, Other Forms ... {M. F.	14	2 2	. 1	2 5	2	.
B.9	Whooping Cough ... .. {M. F.	3	.	.	2	1	.
B.10	Meningococcal Infections ... {M. F.	1	.	.	.	1	.
B.17b	All other Diseases Classified as Infec- tive and Parasitic {M. F.	4	1	.	1	2	.
B.18a	Malignant Neoplasms ... .. {M. F.	136	12 11	2 1	24 7	46 33	.
B.18b	Neoplasms of Lymphatic and Haema- topoietic Tissues {M. F.	7	2	.	1	2 2	.
B.19	Benign and Unspecified Neoplasms ... {M. F.	1	.	.	.	1	.
B.20	Diabetes Mellitus ... .. {M. F.	10	1 1	.	1 3	2 2	.
B.21	Anaemias ... .. {M. F.	12	1 1	.	3 1	2 4	.
B.22	Vascular Lesions affecting Central Nervous System {M. F.	57	1 3	.	4 3	16 30	1
B.23	Nonmeningococcal Meningitis ... {M. F.	11	1 1	.	2 6	1	.
B.24	Rheumatic Fever ... .. {M. F.	11	1	.	5 2	3	.
B.25	Chronic Rheumatic Heart Disease ... {M. F.	4	.	.	1 2	1	.
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	291	10 5	4 7	23 9	159 74	9 3
B.27	Other Diseases of the Heart ... {M. F.	45	1 1	.	3 3	20 17	1 1
B.28	Hypertension with Heart Disease ... {M. F.	13	.	.	1	5 7	.
B.29	Hypertension without mention of Heart {M. F.	19	1 2	.	6 1	5 4	.
B.46a	Other Circulatory Diseases ... {M. F.	16	3	.	3 1	7 2	.

BY SEX AND SHOWING (i) AGE : (ii) PLACE OF OCCURRENCE : AND (iii) THE NUMBER OF UNCERTIFIED AND COUNTY BOROUGH.

## LIMERICK.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
726 547	83 58	14 6	11 5	11 20	15 17	19 32	45 33	99 58	175 118	254 200
29 23	.	.	.	5 8	6 5	5 5	6 3	5 2	2	.
6 8	.	2	3 2	3	1	1	1 1	.	.	.
2 1	2 1	.	.	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
3 1	.	.	.	.	.	.	.	2	1 1	.
84 52	.	1	1	.	1	5	5 6	21 8	30 16	26 16
4 3	.	.	.	.	1	1	2	1 1	1	.
1	.	.	.	.	.	1	.	.	.	.
4 6	.	.	.	1	1 2	.	1	1	2 2	.
6 6	.	.	.	.	.	.	1	3 1	2 3	1 1
21 36	1	.	.	.	.	4	2 2	4 3	6 13	8 14
4 7	1 1	2 1	1 1	2	1	.	1	.	.	.
5 6	.	.	.	1	1	2 2	.	.	1 1	2 1
2 2	.	.	.	.	.	.	1	1	1 1	.
196 95	.	.	1	1	1 1	4 4	15 4	33 14	59 25	83 46
24 21	.	.	.	.	1	.	1 2	4 4	8 11	11 3
5 8	.	.	.	.	.	.	1	1 1	3 3	1 3
12 7	.	.	.	.	.	1	1 1	5 1	3 3	2 2
13 3	.	.	.	.	1	.	2	1	4 1	5 2



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.30	Influenza ... {M. F.	16	.	.	4 1	8 3	.
B.31	Pneumonia ... {M. F.	43	3 2	2 2	4 2	12 16	2
B.32	Bronchitis ... {M. F.	31	1	1	1	17 11	.
B.46b	Other Respiratory Diseases ... {M. F.	6	1	.	.	3 2	.
B.36a	Gastritis and Duodenitis ... {M. F.	4	.	.	.	2 2	.
B.33	Ulcer of Stomach and Duodenum ... {M. F.	14	2 1	.	3	4 4	.
B.46c	Other Digestive Diseases excluding Diseases of Liver and Gall Bladder {M. F.	1	.	.	.	1	.
B.34	Appendicitis ... {M. F.	2	1	.	1	.	.
B.35	Intestinal Obstruction and Hernia ... {M. F.	7	2	.	1 2	1 1	.
B.36b	Enteritis and Colitis except Diarrhoea of the Newborn {M. F.	21	3 1	.	2 3	10 2	.
B.37	Cirrhosis of Liver ... {M. F.	4	.	.	.	3 1	.
B.38	Nephritis and Nephrosis ... {M. F.	27	1 1	.	4 6	9 6	1
B.39	Hyperplasia of Prostate ... M.	6	1	.	1	4	.
B.40a	Complications of Pregnancy and Childbirth F.	6	1	.	3	2	.
B.40c	Other Complications of the Puerperium F.	1	.	.	.	1	.
B.41	Congenital Malformations ... {M. F.	12	1 1	.	2 2	4 2	.
B.42	Birth Injuries, Postnatal Asphyxia and Atelectasis {M. F.	5	1	.	2	1 1	.
B.43a	Diarrhoea of Newborn ... {M. F.	6	.	.	2	4	.
B.43b	Other Infections of the Newborn ... {M. F.	7	.	.	3 2	2	.
B.44	Other Diseases Peculiar to Early Infancy and Immaturity Unqualified {M. F.	48	1	2 1	8	18 18	1 2
B.45a	Senility without mention of Psychosis {M. F.	156	.	5 7	3	64 77	39 48
B.45b	Ill-defined and Unknown Causes ... {M. F.	31	3	.	4 3	9 12	3 3
B.46d	All Other Diseases ... {M. F.	78	4 7	1 3	6 15	22 20	1 2
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... {M. F.	5	1	.	1	3	.
BE.48	All Other Accidents ... {M. F.	24	3	.	4 3	9 5	.
BE.49	Suicide and Self-inflicted Injury ... {M. F.	4	.	.	.	4	.
BE.50	Homicide and Operations of War ... {M. F.	1	.	.	.	1	.

BY SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED AND COUNTY BOROUGH.

## AGE AT DEATH

[illegible]



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND  
DEATHS FOR EACH COUNTY  
**LIMERICK CO.**

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	<b>ALL CAUSES</b> ... .. {M. F.	<b>526</b>	<b>28 23</b>	<b>4 8</b>	<b>82 79</b>	<b>136 166</b>	<b>3 5</b>
B.1	Tuberculosis of Respiratory System {M. F.	34	.	1	12 8	5 8	1
B.2	Tuberculosis, Other Forms ... {M. F.	7	.	.	2 4	. 1	.
B.4	Typhoid Fever ... .. {M. F.	1	.	.	1	.	.
B.9	Whooping Cough ... .. {M. F.	1	.	.	.	1	.
B.18a	Malignant Neoplasms ... .. {M. F.	42	6 4	.	6 6	9 11	.
B.18b	Neoplasms of Lymphatic and Haema- topoietic Tissues {M. F.	2	1	.	.	1	.
B.19	Benign and Unspecified Neoplasms ... {M. F.	5	.	1	2	2	.
B.21	Anaemias ... .. {M. F.	5	.	.	.	5	.
B.22	Vascular Lesions affecting Central Nervous System {M. F.	27	1	.	1 7	6 12	1
B.23	Nonmeningococcal Meningitis ... {M. F.	1	.	.	1	.	.
B.25	Chronic Rheumatic Heart Disease {M. F.	3	.	.	2	1	.
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	180	4 3	2	37 25	52 57	1
B.27	Other Diseases of the Heart ... {M. F.	21	2 4	.	2	7 6	.
B.28	Hypertension with Heart Disease ... {M. F.	7	1	.	2 2	2	.
B.29	Hypertension without mention of Heart {M. F.	3	1	.	.	1 1	.
B.46a	Other Circulatory Diseases ... {M. F.	4	1	.	2	1	.
B.30	Influenza ... .. {M. F.	7	1	.	.	1 5	.
B.31	Pneumonia ... .. {M. F.	15	2	1	2 2	2 6	.

BY SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
250 276	27 21	3 7	1 2	5 9	8 15	10 18	29 29	40 44	70 62	57 69
18 16	.	.	.	1 6	5 5	2 5	8	.	1	1
2 5	.	1	1	1 1	.	1 1	.	1	.	.
1	.	.	.	.	1	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
21 21	.	1	.	.	1	5	3	12 4	6 5	3 2
2	.	.	.	.	.	.	2	.	.	.
2 3	.	.	1	.	.	1	.	1 1	.	1
5	.	.	.	.	.	.	2	1	2	.
8 19	.	.	.	.	.	2	6	1	3 8	3 4
1	.	.	.	.	1	.	.	.	.	.
3	.	.	.	.	1	.	.	1	1	.
93 87	1	.	.	1	1 1	3 2	10 8	15 22	35 30	27 24
9 12	.	.	.	.	.	1 1	1 1	2 3	3 3	2 4
5 2	.	.	.	.	.	.	1	1 1	2	1 1
1 2	.	.	.	1	.	.	1	.	.	1
3 1	.	.	.	.	.	.	.	1	2	1
1 6	.	.	.	.	1	.	2	1	1	1 1
7 8	1	1	.	.	.	.	1	2 1	1 1	2 2



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND  
DEATHS FOR EACH COUNTY  
**LIMERICK CO.**

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.32	Bronchitis .. ... {M. F.	22	1	.	3 2	6 10	. 1
B.46b	Other Respiratory Diseases {M. F.	7	.	.	.	3 4	.
B.33	Ulcer of Stomach and Duodenum {M. F.	2	1	.	.	1	.
B.35	Intestinal Obstruction and Hernia ... {M. F.	2	.	.	.	2	.
B.36b	Enteritis and Colitis except Diarrhoea {M. of the Newborn F.	14	.	.	1 1	5 7	.
B.38	Nephritis and Nephrosis ... {M. F.	8	.	.	1 1	5 1	. 1
B.39	Hyperplasia of Prostate ... M.	2	1	.	.	1	.
B.40a	Complications of Pregnancy and F. Childbirth	3	1	1	.	1	.
B.40c	Other Complications of the Puerperium F.	1	.	.	.	1	.
B.41	Congenital Malformations ... {M. F.	6	1 1	.	.	3 1	.
B.42	Birth Injuries, Postnatal Asphyxia and {M. Atelectasis F.	1	1	.	.	.	.
B.43a	Diarrhoea of Newborn ... {M. F.	2	.	.	1	1	.
B.43b	Other Infections of the Newborn ... {M. F.	1	.	.	.	1	.
B.44	Other Diseases Peculiar to Early {M. Infancy and Immaturity Unqualified F.	10	1 1	2	2	2 2	.
B.45a	Senility without mention of Psychosis {M. F.	22	.	2	3 8	3 6	2 1
B.45b	Ill-defined and Unknown Causes ... {M. F.	16	2	1	.	7 6	.
B.46d	All Other Diseases ... {M. F.	30	2 4	1	4 7	5 7	.
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... {M. F.	3	1	.	1	1	.
BE.48	All Other Accidents ... {M. F.	8	1 1	.	.	4 2	.
BE.49	Suicide and Self-inflicted Injury ... {M. F.	1	.	.	.	1	.

Y SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
ND COUNTY BOROUGH.  
BOROUGH.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
10 12	1	.	.	.	.	.	3	2 1	3 3	1 8
3 4	.	1	.	.	.	.	1	1	1	1 2
2	.	.	.	.	.	.	.	.	1	1
2	.	.	.	.	.	.	.	.	.	2
6 8	5 2	.	.	.	.	.	.	.	.	1
6 2	.	.	.	.	1 1	1	.	1 1	1	2
2	.	.	.	.	.	.	.	.	1	1
3	.	.	.	.	.	2	1	.	.	.
1	.	.	.	.	1	.	.	.	.	.
4 2	3 2	1	.	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
1 1	1 1	.	.	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
7 3	7 3	.	.	.	.	.	.	.	.	.
6 16	.	.	.	.	.	.	.	.	.	6 16
9 7	4 3	2	.	1	.	.	1	1	3 1	.
11 19	1	1	1	1	2	.	1 3	1 4	7 5	1 2
2 1	.	1	.	.	.	.	.	1	.	1
5 3	1	1	.	1	1	1	1	.	1 1	.
1	.	.	.	.	.	.	1	.	.	.



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmarys	Elsewhere	
	ALL CAUSES ... .. {M. F.	698	17 11	5 5	107 76	234 243	34 45
B.1	Tuberculosis of Respiratory System {M. F.	28	2 1	. 1	1 5	11 7	. 1
B.2	Tuberculosis, Other Forms ... {M. F.	13	3 1	. .	3 3	2 1	. .
B.3	Syphilis and its Sequelae ... {M. F.	1	. .	. .	1 .	. .	. .
B.4	Typhoid Fever ... .. {M. F.	1	. .	. .	1 .	. .	. .
B.7a	Scarlet Fever ... .. {M. F.	1	. .	. .	. .	1 .	. 1
B.9	Whooping Cough ... .. {M. F.	1	. .	. .	1 .	. .	. .
B.12	Acute Poliomyelitis ... .. {M. F.	1	. .	. .	1 .	. .	. .
B.17b	All other Diseases Classified as Infective and Parasitic {M. F.	1	. .	. .	. .	1 .	. .
B.18a	Malignant Neoplasms ... .. {M. F.	67	2 3	1 .	13 10	17 21	. 2
B.18b	Neoplasms of Lymphatic and Haematopoietic Tissues {M. F.	2	. .	. .	1 .	1 .	. .
B.19	Benign and Unspecified Neoplasms ... {M. F.	4	. .	. .	. .	4 .	. 1
B.20	Diabetes Mellitus ... .. {M. F.	5	. .	. .	1 .	4 .	. .
B.21	Anaemias ... .. {M. F.	7	. .	. .	4 .	2 1	. .
B.22	Vascular Lesions affecting Central Nervous System {M. F.	41	. .	. .	7 4	10 20	. 1
B.23	Nonmeningococcal Meningitis ... {M. F.	2	. .	. .	1 .	1 .	. .
B.24	Rheumatic Fever ... .. {M. F.	2	. .	. .	. .	1 1	. .
B.25	Chronic Rheumatic Heart Disease ... {M. F.	2	. .	. .	. .	2 .	. .
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	155	1 2	1 1	23 15	62 50	. 1
B.27	Other Diseases of the Heart ... {M. F.	41	. .	. .	1 1	16 23	2 1

Y SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
ND COUNTY BOROUGH.  
PPERARY (N. R.).

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
363 335	33 28	6 6	3 2	9 3	13 11	21 10	23 20	36 39	98 77	121 139
14 14	.	1	.	1 2	4 4	4 3	1 1	2 2	1 1	1
8 5	.	1	2 1	3 1	3	.	.	2	.	.
1	.	.	.	1	.	.	.	.	.	.
1	.	.	.	.	1	.	.	.	.	.
1	.	.	1	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
1	.	.	.	.	.	.	.	.	1	.
1	.	1	.	.	.	.	.	.	.	.
33 34	.	.	.	.	.	3	2 7	4 8	8 12	16 7
2	.	.	.	.	.	.	.	1	1	.
4	.	1	.	.	.	.	.	.	3	1
1 4	.	.	.	.	.	1	1	.	1	2
6 1	.	.	.	.	1	.	.	.	3	3
17 24	.	.	.	.	.	2	1 1	3 9	7 4	4 10
2	.	1	.	.	1	.	.	.	.	.
1 1	.	.	.	.	1	.	.	.	1	.
2	.	.	.	.	.	.	.	.	.	2
87 68	.	.	.	.	1	4	6 2	13 11	27 19	36 36
17 24	.	1	.	.	1	1	4	2	6 12	7 7



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.28	Hypertension with Heart Disease ... {M. F.	4	.	.	1	1 2	.
B.29	Hypertension without mention of Heart {M. F.	6	.	.	1	3 2	.
B.46a	Other Circulatory Diseases ... {M. F.	7	.	1	1 1	2 2	.
B.30	Influenza ... {M. F.	7	.	.	1	2 4	1
B.31	Pneumonia ... {M. F.	21	1	.	4 4	7 5	.
B.32	Bronchitis ... {M. F.	25	.	1	2 1	10 11	1 1
B.46b	Other Respiratory Diseases ... {M. F.	2	1	.	.	1	.
B.36a	Gastritis and Duodenitis ... {M. F.	2	.	.	1	1	.
B.33	Ulcer of Stomach and Duodenum ... {M. F.	5	.	.	2	3	.
B.46c	Other Digestive Diseases excluding Diseases of Liver and Gall Bladder {M. F.	4	1	.	.	1 2	.
B.35	Intestinal Obstruction and Hernia ... {M. F.	3	.	.	3	.	.
B.36b	Enteritis and Colitis except Diarrhoea of the Newborn {M. F.	4	.	.	2	2	.
B.37	Cirrhosis of Liver ... {M. F.	3	.	.	1	2	.
B.38	Nephritis and Nephrosis ... {M. F.	15	1	1 1	3 1	5 3	2
B.39	Hyperplasia of Prostate ... M.	3	2	.	1	.	.
B.40a	Complications of Pregnancy and Childbirth F.	1	.	.	.	1	.
B.40c	Other Complications of the Puerperium F.	1	.	.	.	1	.
B.41	Congenital Malformations ... {M. F.	8	1 1	.	1	2 3	.
B.42	Birth Injuries, Postnatal Asphyxia and Atelectasis {M. F.	3	.	.	2 1	.	.
B.43b	Other Infections of the Newborn ... {M. F.	2	1	.	1	.	.
B.44	Other Diseases Peculiar to Early Infancy and Immaturity Unqualified {M. F.	24	1	.	8 6	6 3	3 2
B.45a	Senility without mention of Psychosis {M. F.	89	1	.	6 10	29 43	18 25
B.45b	Ill-defined and Unknown Causes ... {M. F.	23	.	.	2 1	10 10	6 6
B.46d	All Other Diseases ... {M. F.	45	2	1 1	8 5	19 9	3
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... {M. F.	2	.	.	1	1	.
BE.48	All Other Accidents ... {M. F.	12	.	.	1 3	2 6	1
BE.49	Suicide and Self-inflicted Injury ... {M. F.	2	.	.	.	2	.

BY SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

**TIPPERARY (N. R.).**

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
1	.	.	.	.	.	.	.	.	.	1
3	.	.	.	.	.	.	.	1	2	.
4	.	.	.	.	.	1	.	.	3	.
2	.	.	.	.	.	.	.	1	.	1
4	.	.	.	.	.	.	1	.	2	1
3	.	.	.	.	.	.	.	.	2	1
2	.	.	.	.	.	.	.	.	2	.
5	.	.	.	.	.	.	.	1	2	2
12	3	.	.	.	.	.	.	.	.	.
9	1	1	.	.	.	1	.	1	4	3
12	1	1	.	.	.	3	.	1	1	2
13	6	.	.	.	.	.	1	2	4	3
2	1	.	.	.	.	.	.	.	3	4
1	.	.	.	.	.	.	1	.	.	.
1	.	.	.	.	.	.	.	1	.	.
5	.	.	.	2	.	.	1	.	1	1
1	.	.	.	.	.	.	.	.	.	.
3	.	.	.	.	.	1	.	.	1	1
3	.	.	.	.	.	.	1	1	.	1
4	4	.	.	.	.	.	.	.	.	.
3	.	.	.	.	.	1	.	.	1	1
10	.	.	.	1	.	.	2	.	6	1
5	.	.	.	.	2	.	.	1	1	1
3	.	.	.	.	.	.	1	.	2	.
1	.	.	.	.	1	.	.	.	.	.
1	.	.	.	.	.	1	.	.	.	.
3	2	.	.	1	.	.	.	.	.	.
5	5	.	.	.	.	.	.	.	.	.
2	2	.	.	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
2	2	.	.	.	.	.	.	.	.	.
14	13	1	.	.	.	.	.	.	.	.
10	10	.	.	.	.	.	.	.	.	.
35	.	.	.	.	.	.	.	.	5	30
54	.	.	.	.	.	.	.	.	1	53
12	1	.	.	.	.	.	1	2	5	3
11	2	1	.	.	.	.	.	1	3	4
30	2	1	1	.	1	5	4	3	9	4
15	1	.	.	.	1	.	4	1	4	4
2	.	.	.	.	2	.	.	.	.	.
3	1	.	.	.	.	.	.	.	.	.
9	2	1	.	.	.	.	.	.	4	2
2	.	.	.	.	.	.	.	1	.	1



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	ALL CAUSES ... .. {M. F.	1,063	32 21	18 21	197 122	350 302	22 30
B.1	Tuberculosis of Respiratory System {M. F.	48	3 3	3 2	7 11	12 7	1
B.2	Tuberculosis, Other Forms ... {M. F.	15	.	.	10 3	1 1	.
B.9	Whooping Cough ... .. {M. F.	1	.	.	.	1	.
B.10	Meningococcal Infections ... {M. F.	1	.	.	1	.	.
B.12	Acute Poliomyelitis ... .. {M. F.	1	.	.	.	1	.
B.14	Measles ... .. {M. F.	1	.	.	.	1	.
B.17b	All other Diseases Classified as Infec- tive and Parasitic {M. F.	1	.	1	.	.	.
B.18a	Malignant Neoplasms ... .. {M. F.	123	11 3	2	34 8	35 30	1
B.18b	Neoplasms of Lymphatic and Haema- topoietic Tissues {M. F.	3	1	.	1	1	.
B.19	Benign and Unspecified Neoplasms ... {M. F.	5	1	.	1	3	.
B.20	Diabetes Mellitus ... .. {M. F.	8	1	.	1	4 2	.
B.21	Anaemias ... .. {M. F.	9	.	.	2	2 5	.
B.22	Vascular Lesions affecting Central Nervous System {M. F.	93	2 1	1	24 12	22 31	1 1
B.23	Nonmeningococcal Meningitis ... {M. F.	2	.	.	.	2	.
B.24	Rheumatic Fever ... .. {M. F.	2	.	.	.	1 1	.
B.25	Chronic Rheumatic Heart Disease ... {M. F.	4	.	.	1	2 1	.
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	280	1 3	2 4	56 36	104 74	3 2
B.27	Other Diseases of the Heart ... {M. F.	45	3 1	1	4 3	17 16	1
B.28	Hypertension with Heart Disease ... {M. F.	4	1	.	1	2	.

BY SEX AND SHOWING (i) AGE; (ii) PLACE OF OCCURRENCE; AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

**TIPPERARY (S. R.).**

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
597 466	61 38	16 9	10 6	12 5	14 16	19 14	40 31	73 39	151 134	201 174
25 23	.	.	.	4 4	5 7	4 4	6 3	4 2	2 2	. 1
11 4	2	2 1	6	.	2	1	.	.	1	.
1	.	1	.	.	.	.	.	.	.	.
1	.	.	1	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
1	.	1	.	.	.	.	.	.	.	.
1	.	.	.	.	1	.	.	.	.	.
82 41	.	.	.	.	1	2 2	10 4	15 8	29 16	25 11
1 2	.	1	1	.	.	.	.	.	1	.
1 4	.	1	.	.	.	1 1	.	.	2	.
5 3	.	.	.	1	1	.	2	.	3	.
2 7	.	1	.	.	.	1	.	4	3	.
48 45	.	.	.	1	2	1	2 5	8 7	18 15	19 15
2	.	2	.	.	.	.	.	.	.	.
1 1	.	.	.	.	.	.	.	1	1	.
2 2	.	.	1	.	.	.	1	.	.	2
163 117	.	.	.	.	1	3 2	10 6	22 6	59 41	69 61
24 21	.	.	1	.	.	1	2 2	5 1	7 10	9 7
4	.	.	.	.	.	.	.	1	2	1



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.29	Hypertension without mention of Heart {M. F.	6	.	.	.	1 5	.
B.46a	Other Circulatory Diseases ... {M. F.	17	.	1 2	2	5 7	.
B.30	Influenza ... {M. F.	8	.	.	.	4 4	1
B.31	Pneumonia ... {M. F.	31	1	1 1	2 4	15 7	.
B.32	Bronchitis ... {M. F.	21	.	1 3	5	5 7	.
B.46b	Other Respiratory Diseases ... {M. F.	7	1	.	1	1 4	.
B.36a	Gastritis and Duodenitis ... {M. F.	3	1	.	.	1 1	.
B.33	Ulcer of Stomach and Duodenum ... {M. F.	6	1	.	4	1	.
B.46c	Other Digestive Diseases excluding Diseases of Liver and Gall Bladder {M. F.	6	.	.	3	2 1	.
B.34	Appendicitis ... {M. F.	1	1	.	.	.	.
B.35	Intestinal Obstruction and Hernia ... {M. F.	4	.	.	.	2 2	.
B.36b	Enteritis and Colitis except Diarrhoea of the Newborn {M. F.	13	.	.	2 1	6 4	.
B.37	Cirrhosis of Liver ... {M. F.	2	.	.	.	1 1	.
B.38	Nephritis and Nephrosis ... {M. F.	18	.	1 1	5	6 5	.
B.39	Hyperplasia of Prostate ... M.	5	1	.	1	3	.
B.41	Congenital Malformations ... {M. F.	14	.	.	3 3	5 3	1
B.42	Birth Injuries, Postnatal Asphyxia and Atelectasis {M. F.	5	.	.	4 1	.	.
B.43a	Diarrhoea of Newborn ... {M. F.	2	1	.	.	1	.
B.43b	Other Infections of the Newborn ... {M. F.	2	.	.	.	2	.
B.44	Other Diseases Peculiar to Early Infancy and Immaturity Unqualified {M. F.	44	1 1	.	16 13	8 5	1
B.45a	Senility without mention of Psychosis {M. F.	105	.	3 6	6 2	39 49	13 19
B.45b	Ill-defined and Unknown Causes ... {M. F.	19	3 2	.	1 1	7 5	2 2
B.46d	All Other Diseases ... {M. F.	59	1 2	3	10 5	22 16	1
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... {M. F.	3	.	.	1	2	.
BE.48	All Other Accidents ... {M. F.	16	1	.	3 4	6 2	1

Y SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
ND COUNTY BOROUGH.  
PPERARY (S. R.).

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
1	.	.	.	.	.	.	1	.	.	.
5	.	.	.	.	.	.	1	.	1	3
8	.	.	.	.	.	.	.	1	2	5
9	.	.	.	.	.	.	.	1	2	6
4	.	.	.	1	.	.	.	1	1	1
4	.	.	.	.	.	1	.	.	2	1
19	8	2	.	.	1	1	.	1	2	4
12	2	2	1	.	1	.	.	.	3	3
6	.	1	.	.	.	.	.	2	2	1
15	.	2	.	.	.	.	1	2	4	6
2	.	1	.	.	.	1	.	.	.	.
5	.	.	.	.	.	.	.	.	2	3
2	.	1	1	.	.	.	.	.	.	.
1	.	.	.	.	.	.	.	.	1	.
6	.	.	.	.	.	.	3	.	1	2
5	.	1	.	1	1	.	.	1	1	.
1	.	.	.	.	.	.	.	.	1	.
1	.	.	.	1	.	.	.	.	.	.
2	.	1	.	.	.	.	.	.	.	1
2	1	.	.	.	.	.	.	.	.	1
8	7	.	.	.	.	.	.	1	.	.
5	3	1	.	.	.	.	1	.	.	.
1	.	.	.	.	.	.	.	.	1	.
1	.	.	.	.	.	.	.	.	1	.
7	.	.	.	.	.	.	1	1	1	4
11	.	.	1	.	1	.	3	3	1	2
5	.	.	.	.	.	.	.	.	2	3
8	8	.	.	.	.	.	.	.	.	.
6	5	.	1	.	.	.	.	.	.	.
4	4	.	.	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
2	2	.	.	.	.	.	.	.	.	.
25	25	.	.	.	.	.	.	.	.	.
19	19	.	.	.	.	.	.	.	.	.
48	.	.	.	.	.	.	.	.	6	42
57	.	.	.	.	.	.	.	.	9	48
11	4	1	.	.	.	.	.	1	2	3
8	3	.	.	.	.	.	1	1	3	.
36	.	2	1	1	2	1	1	8	11	9
23	1	.	1	.	2	1	2	3	9	4
3	.	.	.	.	.	2	1	.	.	.
9	1	.	.	2	2	2	1	.	1	.
7	.	.	.	1	.	1	1	1	1	2



TABLE 20 (contd.) --DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	ALL CAUSES ... .. {M. F.	651	13 9	12 14	112 77	230 184	20 18
B.1	Tuberculosis of Respiratory System {M. F.	11	.	3	2	3 3	.
B.2	Tuberculosis, Other Forms ... {M. F.	9	1	2	5	1	.
B.3	Syphilis and its Sequelae ... {M. F.	1	.	1	.	.	.
B.7a	Scarlet Fever ... {M. F.	1	.	.	.	1	.
B.9	Whooping Cough ... {M. F.	1	.	.	.	1	.
B.17b	All other Diseases Classified as Infective and Parasitic {M. F.	1	.	.	1	.	.
B.18a	Malignant Neoplasms ... {M. F.	81	3 2	2 3	15 6	23 27	.
B.18b	Neoplasms of Lymphatic and Haematopoietic Tissues {M. F.	1	1	.	.	.	.
B.19	Benign and Unspecified Neoplasms ... {M. F.	3	.	.	2	1	.
B.20	Diabetes Mellitus ... {M. F.	6	.	.	.	4 2	.
B.21	Anaemias ... {M. F.	6	1	.	3	1 1	.
B.22	Vascular Lesions affecting Central Nervous System {M. F.	42	2	1	6 4	11 18	2 2
B.23	Nonmeningococcal Meningitis ... {M. F.	1	.	.	.	1	.
B.25	Chronic Rheumatic Heart Disease ... {M. F.	1	.	.	1	.	.
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	170	2	3 3	20 23	77 42	1
B.27	Other Diseases of the Heart ... {M. F.	21	.	1 1	2 2	6 9	1 5
B.29	Hypertension without mention of Heart {M. F.	1	.	.	1	.	.
B.46a	Other Circulatory Diseases ... {M. F.	9	.	.	3	3 3	.
B.30	Influenza ... {M. F.	4	.	.	.	2 2	.
B.31	Pneumonia ... {M. F.	16	.	.	1 1	7 7	1
B.32	Bronchitis ... {M. F.	11	.	.	2	5 4	.
B.46b	Other Respiratory Diseases ... {M. F.	4	.	.	1	1 2	.
B.33	Ulcer of Stomach and Duodenum ... {M. F.	2	.	.	2	.	.
B.46c	Other Digestive Diseases excluding Diseases of Liver and Gall Bladder {M. F.	3	1	.	.	2	.
B.34	Appendicitis ... {M. F.	1	.	.	1	.	.





TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.35	Intestinal Obstruction and Hernia ... {M. F.	2	.	.	1	1	.
B.36b	Enteritis and Colitis except Diarrhoea {M. of the Newborn F.	3	.	.	1	1	.
B.37	Cirrhosis of Liver ... {M. F.	2	.	.	1	1	.
B.38	Nephritis and Nephrosis ... {M. F.	16	.	.	3 1	9 3	.
B.39	Hyperplasia of Prostate ... M.	6	1	.	1	4	.
B.40a	Complications of Pregnancy and F.	1	.	.	.	1	.
B.41	Childbirth Congenital Malformations ... {M. F.	10	1 2	.	1 1	2 3	.
B.42	Birth Injuries, Postnatal Asphyxia and {M. Atelectasis F.	4	1	.	1	2	.
B.43b	Other Infections of the Newborn ... {M. F.	1	.	.	.	1	.
B.44	Other Diseases Peculiar to Early {M. Infancy and Immaturity Unqualified F.	21	2	.	6 3	7 3	1
B.45a	Senility without mention of Psychosis {M. F.	116	.	.	34 18	30 34	15 9
B.45b	Ill-defined and Unknown Causes ... {M. F.	26	1	.	2 2	12 9	4 1
B.46d	All Other Diseases ... {M. F.	21	1	1 5	2 3	6 3	2
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... {M. F.	1	.	.	1	.	.
BE.48	All Other Accidents ... {M. F.	13	.	.	2 1	6 4	.
BE.49	Suicide and Self-inflicted Injury ... {M. F.	1	.	.	.	1	.

SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
D COUNTY BOROUGH.

ATERFORD.

All Ages	AGE AT DEATH									
	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
2	.	.	.	1	.	.	.	.	1	.
1	1	.	.	.	.	.	.	.	.	.
2	1	1	.	.	.	.	.	.	.	.
2	.	.	.	.	.	.	.	1	1	.
12	.	.	.	.	.	1	1	7	3	.
4	1	.	.	.	2	.	.	.	.	1
6	.	.	.	.	.	.	.	2	2	2
1	.	.	.	1	.	.	.	.	.	.
4	3	.	.	.	.	1	.	.	.	.
6	4	1	.	.	.	.	1	.	.	.
3	3	.	.	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
13	13	.	.	.	.	.	.	.	.	.
8	8	.	.	.	.	.	.	.	.	.
64	.	.	.	.	.	.	.	.	10	54
52	.	.	.	.	.	.	.	.	5	47
15	1	.	.	.	1	.	3	1	3	6
11	1	1	.	.	.	.	.	.	4	5
10	.	.	.	.	.	1	2	.	4	3
11	.	.	.	1	.	.	2	.	3	5
1	.	.	.	.	.	.	.	.	1	.
8	.	.	.	1	.	.	1	2	4	.
5	.	.	1	.	.	.	.	1	3	.
1	.	.	.	1	.	.	.	.	.	.



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND  
DEATHS FOR EACH COUNTY  
WATERFORD C

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	<b>ALL CAUSES</b> ... .. { M. F.	<b>405</b>	<b>13 5</b>	<b>11 11</b>	<b>80 62</b>	<b>110 113</b>	
B.1	Tuberculosis of Respiratory System { M. F.	41	2 1	1 1	8 6	13 9	
B.2	Tuberculosis, Other Forms ... { M. F.	7	1	1	2 1	2	
B.3	Syphilis and Its Sequelae ... { M. F.	1	.	1	.	.	
B.12	Acute Poliomyelitis ... { M. F.	1	.	.	1	.	
B.18a	Malignant Neoplasms ... { M. F.	45	2 2	2 2	15 7	8 7	
B.19	Benign and Unspecified Neoplasms ... { M. F.	1	.	.	.	1	
B.20	Diabetes Mellitus ... { M. F.	3	.	.	2 1	.	
B.21	Anaemias ... { M. F.	5	1	.	1 1	2	
B.22	Vascular Lesions affecting Central Nervous System { M. F.	26	.	3 1	1	7 14	
B.23	Nonmeningococcal Meningitis ... { M. F.	4	.	.	2	2	
B.24	Rheumatic Fever ... { M. F.	1	.	.	1	.	
B.25	Chronic Rheumatic Heart Disease ... { M. F.	2	.	.	.	2	
B.26	Arteriosclerotic and Degenerative Heart Disease { M. F.	137	3 2	2 2	26 11	48 43	
B.27	Other Diseases of the Heart ... { M. F.	10	.	.	3	2 5	
B.28	Hypertension with Heart Disease ... { M. F.	4	.	.	.	2 2	
B.29	Hypertension without mention of Heart { M. F.	2	.	.	.	2	
B.46a	Other Circulatory Diseases ... { M. F.	5	.	.	4	1	
B.31	Pneumonia ... { M. F.	7	.	1	1 2	2 1	
B.32	Bronchitis ... { M. F.	9	.	.	1 1	1 6	
B.33	Ulcer of Stomach and Duodenum ... { M. F.	3	1	.	1 1	.	
B.46c	Other Digestive Diseases excluding Diseases of Liver and Gall Bladder { M. F.	1	.	.	1	.	
B.34	Appendicitis ... { M. F.	3	1	.	2	.	
B.35	Intestinal Obstruction and Hernia ... { M. F.	1	.	.	.	1	
B.36b	Enteritis and Colitis except Diarrhoea of the Newborn { M. F.	6	.	.	2 2	1 1	
B.37	Cirrhosis of Liver ... { M. F.	1	.	.	.	1	

SEX AND SHOWING (i) AGE; (ii) PLACE OF OCCURRENCE; AND (iii) THE NUMBER OF UNCERTIFIED  
ED COUNTY BOROUGH.  
BOROUGH.

[illegible]



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND BY PLACE OF OCCURRENCE  
DEATHS FOR EACH COUNTY  
WATERFORD

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.38	Nephritis and Nephrosis ... {M. F.	6	.	.	1 3	1 1	.
B.39	Hyperplasia of Prostate ... M.	2	.	.	.	2	.
B.40a	Complications of Pregnancy and Childbirth F.	1	.	.	1	.	.
B.40b	Puerperal Sepsis ... F.	1	.	.	1	.	.
B.41	Congenital Malformations ... {M. F.	1	.	.	1	.	.
B.42	Birth Injuries, Postnatal Asphyxia and Atelectasis {M. F.	1	1	.	.	.	.
B.43a	Diarrhoea of Newborn ... {M. F.	1	.	.	.	1	.
B.43b	Other Infections of the Newborn ... {M. F.	1	.	.	1	.	.
B.44	Other Diseases Peculiar to Early Infancy and Immaturity Unqualified {M. F.	12	1	.	3 3	4 1	.
B.45a	Senility without mention of Psychosis {M. F.	25	.	.	3 8	6 8	.
B.45b	Ill-defined and Unknown Causes ... {M. F.	1	.	.	1	.	.
B.46d	All Other Diseases ... {M. F.	21	.	2 3	2 4	3 7	.
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... {M. F.	1	.	.	1	.	.
BE.48	All Other Accidents ... {M. F.	5	.	.	2	3	.

Y SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
BOROUGH.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
2	.	.	.	.	.	.	.	2	.	.
4	.	.	.	.	.	1	.	2	1	.
2	.	.	.	.	.	.	.	.	2	.
1	.	.	.	.	.	1	.	.	.	.
1	.	.	.	.	1	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
8	8	.	.	.	.	.	.	.	.	.
4	4	.	.	.	.	.	.	.	.	.
9	.	.	.	.	.	.	.	.	1	8
16	.	.	.	.	.	.	.	.	1	15
1	1	.	.	.	.	.	.	.	.	.
7	.	1	.	.	.	.	3	1	1	1
14	.	.	.	1	2	.	1	1	7	2
1	.	.	.	.	.	1	.	.	.	.
3	1	1	.	.	.	.	.	.	1	.
2	.	.	.	.	1	.	.	.	.	1



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND  
DEATHS FOR EACH COUNTY  
CONN

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	<b>ALL CAUSES</b> ... .. {M. F.	<b>6,284</b>	<b>123 105</b>	<b>112 103</b>	<b>791 568</b>	<b>2,346 2,136</b>	<b>811 831</b>
B.1	Tuberculosis of Respiratory System {M. F.	218	30 37	18 19	24 22	39 29	3 2
B.2	Tuberculosis, Other Forms ... {M. F.	69	6 3	· 1	21 20	7 11	1
B.3	Syphilis and its Sequelae ... {M. F.	4	1	1	·	2	·
B.4	Typhoid Fever ... {M. F.	3	·	·	2 1	·	·
B.6	Dysentery, All Forms ... {M. F.	1	·	·	1	·	·
B.7a	Scarlet Fever ... {M. F.	1	·	·	·	1	·
B.7b	Streptococcal Sore Throat ... {M. F.	1	·	·	·	1	·
B.8	Diphtheria ... {M. F.	3	·	·	3	·	·
B.9	Whooping Cough ... {M. F.	8	·	·	·	7 1	1
B.10	Meningococcal Infections ... {M. F.	3	1	·	1 1	·	·
B.12	Acute Poliomyelitis ... {M. F.	3	1	·	1 1	·	·
B.17b	All other Diseases Classified as Infec- tive and Parasitic {M. F.	9	1	·	6 1	1	1
B.18a	Malignant Neoplasms ... {M. F.	644	16 20	5 9	115 94	194 191	11 10
B.18b	Neoplasms of Lymphatic and Haema- topoietic Tissues {M. F.	28	2 2	·	6 4	8 6	· 1
B.19	Benign and Unspecified Neoplasms ... {M. F.	26	2 3	·	7 7	5 2	2
B.20	Diabetes Mellitus ... {M. F.	38	1	·	6 8	9 14	1
B.21	Anaemias ... {M. F.	39	·	2	7 7	7 16	1 2
B.22	Vascular Lesions affecting Central Nervous System {M. F.	369	3 2	3 3	35 44	125 154	15 17
B.23	Nonmeningococcal Meningitis ... {M. F.	10	1	·	5	2 2	1
B.24	Rheumatic Fever ... {M. F.	10	·	·	3	4 3	·
B.25	Chronic Rheumatic Heart Disease ... {M. F.	26	·	·	6 4	8 8	· 1
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	1,206	8 6	34 32	135 74	512 405	31 24
B.27	Other Diseases of the Heart ... {M. F.	179	2 2	8 3	24 8	76 56	26 13
B.28	Hypertension with Heart Disease ... {M. F.	45	4	2	6 5	14 14	· 1
B.29	Hypertension without mention of Heart {M. F.	82	·	1	16 8	21 36	· 2
B.46a	Other Circulatory Diseases ... {M. F.	77	·	3 2	18 15	26 13	5 2

SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
CHT.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
3,372 2,912	230 154	33 35	26 25	62 67	80 65	107 107	167 158	346 249	809 644	1,512 1,408
111 107	1	2	1	16 26	25 28	20 24	19 13	12 7	12 7	4 1
34 35	4 3	1 4	2 3	7 9	7 3	5 1	1 4	3 4	4 2	2
4							1	2		1
2 1			1			1				1
1									1	
1			1							
1		1								
3		2	1							
7 1	6	1	1							
2 1	1				1			1		
1 2				1	1		1			
7 2		1	1			1		3	1	1 1
330 314		3 1	3 1	2	4 4	8 16	25 44	65 69	130 99	92 78
16 12		2 1	2 2	2 2	1 1	3 2	1 1	2 3	3	1
14 12	2				1	2 3	3 1	4 2	3 2	2 1
16 22				1 2	1	1 3	3 2	1 2	6 6	3 7
14 25				1	2	1	1 7	2 4	9 6	1 5
166 203	1 1	1 1	1	1	1	2 8	12 10	17 24	56 75	76 82
2 8	1 4		1 1	1		2				
7 3			2	2		1	1	2	1 1	
14 12			1		3 2	1 1	2 2	1 1	1	6 5
689 517		1	1	3 3	6 3	9 7	23 25	81 48	232 172	334 258
110 69				1 1	3 2	2 1	6 4	12 9	42 19	44 33
26 19					1	1	1 2	1 2	12 8	9 5
38 44						5 1	3 5	9 6	14 20	7 12
47 30						2 2		6 2	8 11	31 11



TABLE 20 (contd )—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND PLACE OF OCCURRENCE  
DEATHS FOR EACH COUNTY

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.30	Influenza ... {M. F.	54	.	.	3 5	26 20	3 5
B.31	Pneumonia ... {M. F.	186	5 2	. 1	24 19	75 60	6 10
B.32	Bronchitis ... {M. F.	126	2 .	. .	20 5	47 52	9 14
B.46b	Other Respiratory Diseases ... {M. F.	40	. 1	. 1	8 3	17 10	2 1
B.36a	Gastritis and Duodenitis ... {M. F.	6	. .	. .	1 .	3 2	1 .
B.33	Ulcer of Stomach and Duodenum ... {M. F.	26	2 1	. 1	9 3	6 4	. .
B.46c	Other Digestive Diseases excluding Diseases of Liver and Gall Bladder {M. F.	15	1 .	. 1	3 3	5 2	2 1
B.34	Appendicitis ... {M. F.	14	. .	. .	7 5	2 .	2 .
B.35	Intestinal Obstruction and Hernia ... {M. F.	39	2 1	. .	13 9	8 6	1 1
B.36b	Enteritis and Colitis except Diarrhoea of the Newborn {M. F.	30	2 1	. 1	4 3	9 10	. .
B.37	Cirrhosis of Liver ... {M. F.	5	. .	. 1	1 .	2 1	. .
B.38	Nephritis and Nephrosis ... {M. F.	112	1 1	. 1	24 18	36 31	1 .
B.39	Hyperplasia of Prostate ... M.	64	3	.	37	24	2
B.40a	Complications of Pregnancy and Childbirth F.	15	1	.	8	6	.
B.40b	Puerperal Sepsis ... F.	1	.	.	1	.	.
B.40c	Other Complications of the Puerperium F.	3	.	.	2	1	.
B.41'	Congenital Malformations ... {M. F.	58	5 2	. 1	16 8	13 13	3 3
B.42	Birth Injuries, Postnatal Asphyxia and Atelectasis {M. F.	31	3 2	. 1	12 3	6 4	1 .
B.43a	Diarrhoea of Newborn ... {M. F.	3	. .	. .	. 1	1 1	. .
B.43b	Other Infections of the Newborn ... {M. F.	16	1 .	. .	3 4	6 2	. .
B.44	Other Diseases Peculiar to Early Infancy and Immaturity Unqualified {M. F.	150	8 9	. .	33 29	42 29	21 10
B.45a	Senility without mention of Psychosis {M. F.	1,474	. .	23 13	34 40	664 700	560 605
B.45b	Ill-defined and Unknown Causes ... {M. F.	213	2 2	. 1	13 2	94 99	71 79
B.46d	All Other Diseases ... {M. F.	340	5 3	9 12	58 36	124 93	27 26
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... {M. F.	13	. .	. .	3 .	9 1	. .
BE.48	All Other Accidents ... {M. F.	127	5 1	. 1	26 28	42 24	. 1
BE.49	Suicide and Self-inflicted Injury ... {M. F.	20	. .	. 1	. .	17 2	. .
BE.50	Homicide and Operations of War ... {M. F.	1	. .	. .	. .	1 .	. .

EX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED COUNTY BOROUGH.

T.

All ages	AGE AT DEATH									
	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
29	3	.	.	1	.	.	1	2	6	16
25	6	.	1	.	.	1	1	2	7	7
104	30	7	3	3	3	1	3	12	17	25
82	15	5	2	2	.	1	3	7	20	27
69	7	1	.	.	.	.	7	8	21	25
57	1	1	.	1	.	.	2	4	20	28
26	1	1	1	2	1	1	2	7	6	4
14	.	.	.	.	.	.	.	3	4	7
4	1	2	.	.	.	.	.	.	.	1
2	.	.	.	.	.	.	.	1	.	1
18	.	.	.	.	.	4	3	3	5	3
8	.	.	.	.	.	1	.	1	6	.
9	1	.	.	.	1	2	.	2	3	1
6	.	.	.	.	.	.	2	1	1	1
9	.	.	1	1	1	1	1	1	2	1
5	1	1	.	2	.	.	1	.	.	.
23	.	1	1	.	.	3	2	6	4	6
16	.	.	.	.	.	1	4	2	4	5
16	8	3	1	.	.	1	.	1	2	.
14	4	4	1	.	.	.	1	1	1	2
4	.	.	.	.	.	.	.	.	4	.
1	.	.	.	.	.	1	.	.	.	.
61	.	.	.	2	2	5	7	11	18	16
51	.	.	.	4	1	8	3	9	18	8
64	.	.	.	.	.	.	.	3	26	35
15	.	.	.	2	5	8	.	.	.	.
1	.	.	.	.	1	.	.	.	.	.
3	.	.	.	.	1	1	1	.	.	.
35	28	1	2	1	2	1	.	.	.	.
23	18	3	2	.	.	.	.	.	.	.
21	21	.	.	.	.	.	.	.	.	.
10	10	.	.	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
2	2	.	.	.	.	.	.	.	.	.
10	10	.	.	.	.	.	.	.	.	.
6	6	.	.	.	.	.	.	.	.	.
83	83	.	.	.	.	.	.	.	.	.
67	67	.	.	.	.	.	.	.	.	.
21	.	.	.	.	.	.	.	2	64	655
53	.	.	.	.	.	.	.	.	57	696
09	11	2	1	2	3	2	7	10	26	45
04	11	3	1	1	2	1	4	9	30	42
96	10	1	1	6	6	13	17	33	54	55
44	1	3	2	6	5	9	11	22	35	50
12	.	.	1	3	3	2	1	1	1	.
1	.	1	.	.	.	.	.	.	.	.
73	1	4	3	8	5	4	9	13	14	12
54	1	2	1	1	1	3	1	3	12	29
17	.	.	.	.	2	3	5	5	2	.
3	.	.	.	.	.	.	3	.	.	.
1	1	.	.	.	.	.	.	.	.	.



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST)  
DEATHS FOR EACH CO

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncer- Den
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	<b>ALL CAUSES</b> ... .. {M. F.	<b>2,008</b>	<b>62 51</b>	<b>38 31</b>	<b>293 201</b>	<b>705 627</b>	
B.1	Tuberculosis of Respiratory System {M. F.	77	10 18	5 5	6 10	13 10	
B.2	Tuberculosis, Other Forms ... {M. F.	31	2 .	. .	9 14	1 5	
B.3	Syphilis and its Sequelae ... {M. F.	2	1 .	. .	. .	1 .	
B.4	Typhoid Fever ... {M. F.	1	. .	. .	1 .	. .	
B.6	Dysentery, All Forms ... {M. F.	1	. .	. .	1 .	. .	
B.7a	Scarlet Fever ... {M. F.	1	. .	. .	. .	1 .	
B.8	Diphtheria ... {M. F.	1	. .	. .	1 .	. .	
B.9	Whooping Cough ... {M. F.	5	. .	. .	. .	5 .	
B.10	Meningococcal Infections ... {M. F.	3	1 .	. .	1 1	. .	
B.12	Acute Poliomyelitis ... {M. F.	2	. .	. .	1 1	. .	
B.17b	All other Diseases Classified as Infec- tive and Parasitic {M. F.	5	. 1	. .	3 1	. .	
B.18a	Malignant Neoplasms ... {M. F.	216	8 7	2 1	39 33	65 61	
B.18b	Neoplasms of Lymphatic and Haema- topoietic Tissues {M. F.	10	. 2	. .	2 2	2 2	
B.19	Benign and Unspecified Neoplasms ... {M. F.	11	2 2	. .	2 2	1 2	
B.20	Diabetes Mellitus ... {M. F.	13	1 .	. .	1 5	3 3	
B.21	Anaemias ... {M. F.	16	. .	. 1	5 2	1 7	
B.22	Vascular Lesions affecting Central Nervous System {M. F.	126	3 1	2 2	21 22	31 44	
B.23	Nonmeningococcal Meningitis ... {M. F.	4	. 1	. .	. 3	. .	
B.24	Rheumatic Fever ... {M. F.	2	. .	. .	. .	1 1	
B.25	Chronic Rheumatic Heart Disease ... {M. F.	12	. .	. .	4 .	5 3	
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	414	3 5	12 8	48 22	195 121	
B.27	Other Diseases of the Heart ... {M. F.	57	1 .	2 3	4 .	20 27	
B.28	Hypertension with Heart Disease ... {M. F.	17	3 .	. .	2 2	4 6	
B.29	Hypertension without mention of Heart {M. F.	37	. .	. .	12 4	8 13	
B.46a	Other Circulatory Diseases ... {M. F.	33	. .	2 .	11 9	7 4	

SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED COUNTY BOROUGH.  
WAY.

AGE AT DEATH										
All ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
098 910	106 71	12 11	10 10	16 23	29 28	40 33	62 51	113 77	249 194	461 412
34 43	.	.	.	3 10	8 12	6 12	6 5	3 .	5 4	3 .
12 19	3 2	.	1 3	3 4	.	1 1	.	1 1	3 1	.
2	.	.	.	.	.	.	.	1	.	1
1	.	.	1	.	.	.	.	.	.	.
1	.	.	.	.	.	.	.	.	1	.
1	.	.	1	.	.	.	.	.	.	.
1	.	1	.	.	.	.	.	.	.	.
5	5	.	.	.	.	.	.	.	.	.
2 1	1	.	.	.	1	.	.	1	.	.
1 1	.	.	.	.	1	.	1	.	.	.
3 2	.	1	1	.	.	1	.	1	.	1
114 102	.	2	1 1	1	2 2	5 2	9 11	23 25	38 31	34 29
4 6	.	2	2	1	1	1	.	1 1	.	1
5 6	1	.	.	.	.	1 1	3 1	1 1	2	.
5 8	.	.	.	1	1	1	1	1	1 3	2 2
6 10	.	.	.	.	2	1	1 2	2 2	1 1	1 3
57 69	.	1	1	1	.	4	8 2	4 8	16 25	28 28
4	4	.	.	.	.	.	.	.	.	.
1 1	.	.	.	.	.	1	.	.	1	.
9 3	.	.	.	.	3	1	1	1	1	2 3
258 156	.	.	1	1	2 2	1	9 9	32 15	90 46	123 83
27 30	.	.	.	1	2 1	1	2 1	2 3	11 8	9 16
9 8	.	.	.	.	.	1	1 2	4 1	2 1	2 3
20 17	.	.	.	.	.	3	2 3	4 4	6 6	5 4
20 13	.	.	.	.	.	2 2	.	3 1	5 5	10 5



TABLE 20 (contd.) DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST)  
DEATHS FOR EACH COU

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncert Deat
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.30	Influenza ... {M. F.	14	.	.	2	7 5	
B.31	Pneumonia ... {M. F.	69	4 2	.	11 8	27 17	
B.32	Bronchitis ... {M. F.	44	1	.	12 2	15 14	
B.46b	Other Respiratory Diseases ... {M. F.	17	.	.	4 2	7 4	
B.36a	Gastritis and Duodenitis ... {M. F.	1	.	.	1	.	
B.33	Uleer of Stomach and Duodenum ... {M. F.	8	.	.	1 2	3 2	
B.46c	Other Digestive Diseases excluding Diseases of Liver and Gall Bladder {M. F.	4	.	1	3	.	
B.34	Appendicitis ... {M. F.	4	.	.	2 1	1	
B.35	Intestinal Obstruction and Hernia ... {M. F.	14	1	.	5 4	3 1	
B.36b	Enteritis and Colitis except Diarrhoea of the Newborn {M. F.	11	2 1	.	2 1	2 3	
B.38	Nephritis and Nephrosis ... {M. F.	28	1	1	5 6	9 6	
B.39	Hyperplasia of Prostate ... M.	23	2	.	12	9	
B.40a	Complications of Pregnancy and Childbirth F.	5	1	.	.	4	
B.40b	Puerperal Sepsis ... F.	1	.	.	1	.	
B.40c	Other Complications of the Puerperium F.	1	.	.	1	.	
B.41	Congenital Malformations ... {M. F.	19	1 1	.	8 4	5	
B.42	Birth Injuries, Postnatal Asphyxia and Atelectasis {M. F.	9	2	.	3 2	1 1	
B.43a	Diarrhoea of Newborn ... {M. F.	2	.	.	1	1	
B.43b	Other Infections of the Newborn ... {M. F.	10	1	.	3 2	4	
B.44	Other Diseases Peculiar to Early Infancy and Immaturity Unqualified {M. F.	64	8 6	.	17 12	13 8	
B.45a	Senility without mention of Psychosis {M. F.	369	.	9 5	1	168 186	
B.45b	Ill-defined and Unknown Causes ... {M. F.	41	1 1	.	2	14 23	
B.46d	All Other Diseases ... {M. F.	98	2	4 3	17 8	32 32	
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... {M. F.	8	.	.	1	6 1	
BE.48	All Other Accidents ... {M. F.	39	2 1	.	12 6	14 4	
BE.49	Suicide and Self-inflicted Injury ... {M. F.	8	.	1	.	6 1	

SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
ALWAY.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
7 7	1 3	.	1	.	.	.	.	.	1 1	5 2
42 27	13 9	4 1	2 1	1 1	1	1	1	2 3	4 4	14 7
28 16	5	.	.	.	.	.	2	1	9 10	11 6
11 6	1	.	.	.	.	.	1	4 2	3	2 4
1	.	1	.	.	.	.	.	.	.	.
4 4	.	.	.	.	.	1	1	1	1 2	2
3 1	1	.	.	.	.	1	1	1	.	.
3 1	.	.	.	1	.	1	1	.	1	.
9 5	.	.	.	.	.	1 1	1 3	2	1	4 1
6 5	5 3	2	1	.	.	.	.	.	.	.
14 14	.	.	.	1 1	.	1 2	1 2	2 2	4 6	5 1
23	.	.	.	.	.	.	.	.	10	13
5	.	.	.	1	2	2	.	.	.	.
1	.	.	.	.	1	.	.	.	.	.
1	.	.	.	.	.	1	.	.	.	.
9 10	9 10	.	.	.	.	.	.	.	.	.
6 3	6 3	.	.	.	.	.	.	.	.	.
2	2	.	.	.	.	.	.	.	.	.
8 2	8 2	.	.	.	.	.	.	.	.	.
38 26	38 26	.	.	.	.	.	.	.	.	.
178 191	.	.	.	.	.	.	.	1	10 15	158 176
17 24	5 6	1	1	.	.	.	1	1	2 8	7 9
55 43	4	1	1	1 2	2 2	7 1	6 3	11 4	7 11	16 10
7 1	.	1	.	2	3	1	1	.	.	.
28 11	1	3	.	2	1	2	4	4 1	7 2	4 2
6 2	.	.	.	.	2	1	1 2	1	1	.



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTRY

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	ALL CAUSES ... .. {M. F.	585	12 10	8 5	62 38	247 203	99 96
B.1	Tuberculosis of Respiratory System {M. F.	17	2 2	1	2 2	4 4	1
B.2	Tuberculosis, Other Forms ... {M. F.	2	2	.	.	.	.
B.9	Whooping Cough ... .. {M. F.	1	.	.	.	1	1
B.18a	Malignant Neoplasms ... .. {M. F.	39	1 4	1	7 4	16 6	1
B.18b	Neoplasms of Lymphatic and Haematopoietic Tissues {M. F.	1	.	.	1	.	.
B.19	Benign and Unspecified Neoplasms ... {M. F.	2	1	.	1	.	.
B.20	Diabetes Mellitus ... .. {M. F.	5	.	.	1	1 3	.
B.21	Anaemias ... .. {M. F.	7	.	.	1 1	3 2	1
B.22	Vascular Lesions affecting Central Nervous System {M. F.	42	.	1	3	22 16	2 3
B.23	Nonmeningococcal Meningitis ... {M. F.	1	.	.	.	1	.
B.24	Rheumatic Fever ... .. {M. F.	1	.	.	.	1	.
B.25	Chronic Rheumatic Heart Disease ... {M. F.	2	.	.	.	2	.
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	121	1 1	3 2	10 3	49 52	3 4
B.27	Other Diseases of the Heart ... {M. F.	16	.	.	3 1	11 1	7 1
B.28	Hypertension with Heart Disease ... {M. F.	1	.	.	.	1	1
B.29	Hypertension without mention of Heart {M. F.	1	.	.	.	1	.
B.46a	Other Circulatory Diseases ... {M. F.	3	.	.	1	2	.
B.30	Influenza ... .. {M. F.	4	.	.	1	2 1	1
B.31	Pneumonia ... .. {M. F.	14	.	.	1	9 4	1
B.32	Bronchitis ... .. {M. F.	13	.	.	2	4 7	3 4
B.46b	Other Respiratory Diseases ... {M. F.	3	1	.	.	1 1	.
B.36a	Gastritis and Duodenitis ... .. {M. F.	1	.	.	.	1	.
B.33	Ulcer of Stomach and Duodenum ... {M. F.	2	.	1	1	.	.
B.46c	Other Digestive Diseases excluding Diseases of Liver and Gall Bladder {M. F.	2	.	.	.	1 1	.
B.34	Appendicitis ... .. {M. F.	2	.	.	1	1	1

BY SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
LEITRIM.

All Ages	AGE AT DEATH									
	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
329 256	13 4	2 3	2	4 6	8 11	14 8	12 13	32 26	84 59	160 124
9	.	.	.	.	5	2	1	1	.	.
8	.	.	.	2	3	.	1	.	1	1
2	.	.	.	.	1	1	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
25	.	.	.	.	.	1	2	1	9	12
14	.	.	.	.	1	1	.	5	4	3
1	.	.	.	1	.	.	.	.	.	.
2	.	.	.	.	1	.	.	.	.	1
1	.	.	.	.	.	.	1	.	.	.
4	.	.	.	.	.	1	1	.	1	1
4	.	.	.	.	.	.	.	.	4	.
3	.	.	.	1	.	.	1	1	.	.
23	.	.	.	.	.	1	.	2	11	9
19	.	.	.	.	.	.	2	3	7	7
1	.	.	1	.	.	.	.	.	.	.
1	.	.	.	1	.	.	.	.	.	.
2	.	.	.	.	1	.	.	1	.	.
63	.	.	.	.	1	1	1	7	25	28
58	.	1	.	1	.	1	2	7	23	23
14	.	.	.	.	.	.	.	3	6	5
2	.	.	.	.	.	.	.	.	.	2
1	.	.	.	.	.	.	.	.	1	.
1	.	.	.	.	.	.	.	.	.	1
3	.	.	.	.	.	.	.	.	2	1
3	.	.	.	1	.	.	.	.	.	2
1	.	.	.	.	.	.	.	.	1	.
9	2	.	.	.	.	.	.	2	2	3
5	.	.	.	.	.	.	1	2	1	1
6	.	.	.	.	.	.	.	1	2	3
7	1	.	.	.	.	.	.	1	2	3
1	.	.	.	.	.	1	.	.	.	.
2	.	.	.	.	.	.	.	.	1	1
1	1	.	.	.	.	.	.	.	.	.
1	.	.	.	.	.	.	.	.	1	.
2	.	.	.	.	.	1	.	1	.	.
1	.	.	.	.	.	.	.	.	1	.
1	.	.	.	.	.	.	.	.	1	.
2	.	.	.	1	.	.	.	.	.	1



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND  
DEATHS FOR EACH COUNTY  
CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.35	Intestinal Obstruction and Hernia ... {M. F.	1	.	.	.	1	.
B.36b	Enteritis and Colitis except Diarrhoea {M. of the Newborn F.	3	.	.	1	1 1	.
B.38	Nephritis and Nephrosis ... {M. F.	12	1	.	4	6 1	.
B.40a	Complications of Pregnancy and F. Childbirth	4	.	.	3	1	.
B.41	Congenital Malformations ... {M. F.	3	1	.	1	1	.
B.42	Birth Injuries, Postnatal Asphyxia and {M. Atelectasis F.	2	1	.	.	1	.
B.44	Other Diseases Peculiar to Early {M. Infancy and Immaturity Unqualified F.	6	.	.	2	3 1	2 1
B.45a	Senility without mention of Psychosis {M. F.	162	.	.	14 9	74 65	62 53
B.45b	Ill-defined and Unknown Causes ... {M. F.	40	.	.	3	14 23	12 22
B.46d	All Other Diseases ... {M. F.	37	1 1	1 3	6 7	12 6	5 3
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... {M. F.	1	.	.	1	.	.
BE.48	All Other Accidents ... {M. F.	9	2	.	2	3 2	.
BE.49	Suicide and Self-inflicted Injury ... {M. F.	2	.	.	.	2	.

BY SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED AND COUNTY BOROUGH.

LEITRIM.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
1	.	1	.	.	.	.	.	.	.	.
2	.	1	.	.	.	1	.	.	.	.
11	.	.	.	.	.	.	3	2	4	2
1	.	.	.	.	.	.	.	.	1	.
4	.	.	.	.	1	3	.	.	.	.
3	3	.	.	.	.	.	.	.	.	.
2	2	.	.	.	.	.	.	.	.	.
3	3	.	.	.	.	.	.	.	.	.
3	3	.	.	.	.	.	.	.	.	.
88	.	.	.	.	.	.	.	.	8	80
74	.	.	.	.	.	.	.	.	6	68
17	1	.	.	.	.	1	1	3	3	8
23	.	1	1	.	1	.	2	2	6	10
20	.	.	.	.	1	1	1	7	5	5
17	.	1	.	2	2	2	3	3	3	1
1	.	.	.	.	.	1	.	.	.	.
7	.	.	.	.	.	1	1	2	2	1
2	.	.	.	.	1	.	.	.	.	1
2	.	.	.	.	.	1	1	.	.	.



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	ALL CAUSES ... .. {M. F.	1,912	16 17	31 34	202 164	733 715	276 299
B.1	Tuberculosis of Respiratory System {M. F.	48	4 7	6 5	5 2	11 8	1 1
B.2	Tuberculosis, Other Forms ... {M. F.	19	2	1	5 3	2 6	.
B.4	Typhoid Fever ... .. {M. F.	1	.	.	1	.	.
B.9	Whooping Cough ... .. {M. F.	1	.	.	.	1	.
B.17b	All other Diseases Classified as Infective and Parasitic {M. F.	4	.	.	3	1	1
B.18a	Malignant Neoplasms ... .. {M. F.	185	3 3	1 5	24 26	63 60	4 4
B.18b	Neoplasms of Lymphatic and Haematopoietic Tissues {M. F.	7	.	.	1	3 3	.
B.19	Benign and Unspecified Neoplasms ... {M. F.	10	.	.	4 3	3	2
B.20	Diabetes Mellitus ... .. {M. F.	10	.	.	4	2 4	.
B.21	Anaemias ... .. {M. F.	11	.	.	1 3	2 5	1 1
B.22	Vascular Lesions affecting Central Nervous System {M. F.	106	.	.	8 10	34 54	2 5
B.23	Nonmeningococcal Meningitis ... {M. F.	4	.	.	2	1 1	1
B.24	Rheumatic Fever ... .. {M. F.	3	.	.	.	2 1	.
B.25	Chronic Rheumatic Heart Disease ... {M. F.	5	.	.	1	2 2	1
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	301	4	7 11	30 18	114 117	9 11
B.27	Other Diseases of the Heart ... {M. F.	60	1	4	8 3	23 21	7 5
B.28	Hypertension with Heart Disease ... {M. F.	10	.	.	1 1	5 3	.
B.29	Hypertension without mention of Heart {M. F.	19	.	.	1 3	4 11	1
B.46a	Other Circulatory Diseases ... {M. F.	20	.	1	3 3	10 3	1
B.30	Influenza ... .. {M. F.	15	.	.	1 3	7 4	1 2
B.31	Pneumonia ... .. {M. F.	62	.	1	5 5	27 24	1 5
B.32	Bronchitis ... .. {M. F.	41	.	.	2 1	18 20	2 4
B.46b	Other Respiratory Diseases ... {M. F.	12	.	1	3 1	6 1	.
B.36a	Gastritis and Duodenitis ... .. {M. F.	3	.	.	.	2 1	1
B.33	Ulcer of Stomach and Duodenum ... {M. F.	7	1	.	3	2 1	.

BY SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED AND COUNTY BOROUGH.

MAYO.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
982 930	62 39	13 11	10 6	19 19	18 13	22 36	46 43	93 83	238 203	461 477
26 22	1	1	.	6 5	4 7	3 7	7 1	3 2	.	1
7 12	1 1	2	1	4	3	2	.	3	1	1
1	.	.	.	.	.	1	.	.	.	.
1	.	.	1	.	.	.	.	.	.	.
4	.	.	.	.	.	.	.	2	1	1
91 94	.	1	1	1	1	1 8	8 15	14 19	37 32	28 19
4 3	.	.	2	1	1	1	.	1	1	.
7 3	.	.	.	.	.	2	.	3 1	3	1
6 4	.	.	.	1	.	1	2	1	2 1	2
3 8	.	.	.	.	.	.	2	1	3 4	1
42 64	1 1	1	.	.	1	2	4 4	3 8	13 20	20 28
1 3	.	.	1	1	.	2	.	.	.	.
2 1	.	.	1	.	.	.	.	1	1	.
2 3	.	.	.	.	.	.	2	.	.	2 1
155 146	.	.	.	1 1	1 1	5 4	6 7	22 11	48 51	72 71
36 24	.	.	.	1	.	.	2 2	2 4	18 7	14 10
6 4	.	.	.	.	1	.	.	1	3 2	3
5 14	.	.	.	.	.	1	.	2	3 6	1 6
14 6	.	.	.	.	.	.	.	2 1	2	12 3
8 7	2 3	.	.	.	.	.	.	1 2	3 1	2 1
32 30	7 4	2 2	1	2	1	1	1 1	6 1	7 9	5 12
20 21	1	1	.	1	.	.	3	4 2	4 5	8 12
10 2	.	1	.	2	.	.	1	2	2 1	2 1
2 1	.	1	.	.	.	.	.	.	.	1 1
5 2	.	.	.	.	.	1	1	.	2 2	1



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.46c	Other Digestive Diseases excluding {M. Diseases of Liver and Gall Bladder {F.	4	.	.	2	1 1	. 1
B.34	Appendicitis ... .. {M. F.	3	.	.	1 2	.	.
B.35	Intestinal Obstruction and Hernia ... {M. F.	15	1	.	5 3	3 3	.
B.36b	Enteritis and Colitis except Diarrhoea {M. of the Newborn {F.	9	.	.	1 2	5 1	.
B.37	Cirrhosis of Liver ... .. {M. F.	2	.	.	1	1	.
B.38	Nephritis and Nephrosis ... .. {M. F.	35	.	.	5 5	9 16	1
B.39	Hyperplasia of Prostate ... .. M.	18	1	.	11	6	1
B.40a	Complications of Pregnancy and F. Childbirth	1	.	.	.	1	.
B.40c	Other Complications of the Puerperium F.	1	.	.	.	1	.
B.41	Congenital Malformations ... .. {M. F.	18	1 1	.	5 3	4 4	2 1
B.42	Birth Injuries, Postnatal Asphyxia and {M. Atelectasis {F.	16	1	.	8 1	3 3	1
B.43b	Other Infections of the Newborn ... {M. F.	2	.	.	2	.	.
B.44	Other Diseases Peculiar to Early {M. Infancy and Immaturity Unqualified {F.	34	.	.	7 5	13 9	9 4
B.45a	Senility without mention of Psychosis {M. F.	534	.	9 5	17 22	231 250	187 212
B.45b	Ill-defined and Unknown Causes ... {M. F.	91	.	1	7 2	43 38	32 31
B.46d	All Other Diseases ... .. {M. F.	117	2 1	2 4	14 10	54 30	9 9
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... .. {M. F.	2	.	.	1	1	.
BE.48	All Other Accidents ... .. {M. F.	39	.	1	6 17	9 6	.
BE.49	Suicide and Self-inflicted Injury ... {M. F.	7	.	.	.	6 1	.

BY SEX AND SHOWING (i) AGE; (ii) PLACE OF OCCURRENCE; AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
MAYO.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
1	.	.	.	.	.	.	.	.	1	.
3	.	.	.	.	.	.	1	1	.	1
1	.	.	1	.	.	.	.	.	.	.
2	1	1	.	.	.	.	.	.	.	.
8	.	.	.	.	.	1	.	2	3	.
7	.	.	.	.	.	.	1	1	1	2
6	2	2	.	.	.	.	.	1	1	4
3	1	1	.	.	.	.	1	.	.	.
2	.	.	.	.	.	.	.	.	2	.
14	.	.	.	.	.	.	.	.	.	.
21	.	.	.	2	2	2	.	2	3	3
18	.	.	.	.	1	.	.	3	6	5
1	.	.	.	.	.	1	.	.	.	9
1	.	.	.	.	1	.	.	.	.	.
10	7	.	1	.	.	.	.	.	.	.
8	4	2	2	.	1	1	.	.	.	.
11	11	.	.	.	.	.	.	.	.	.
5	5	.	.	.	.	.	.	.	.	.
2	2	.	.	.	.	.	.	.	.	.
20	20	.	.	.	.	.	.	.	.	.
14	14	.	.	.	.	.	.	.	.	.
257	.	.	.	.	.	.	.	1	.	.
277	.	.	.	.	.	.	.	.	23	233
50	4	2	.	.	2	1	3	3	21	256
41	2	1	.	1	1	1	1	7	16	19
72	5	1	.	4	.	.	5	.	9	18
45	1	.	2	1	2	2	3	9	27	17
						4		10	13	11
2	.	.	1	.	.	.	.	1	.	.
15	.	1	1	.	.	1	.	3	2	4
24	.	1	.	3	.	.	1	2	7	13
6	.	.	.	.	.	.	.	.	.	.
1	.	.	.	.	.	.	3	2	1	.
							1			



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	ALL CAUSES ... .. {M. F.	975	8 12	24 14	150 90	352 325	153 138
B.1	Tuberculosis of Respiratory System {M. F.	39	2 4	5 3	10 6	6 3	2
B.2	Tuberculosis, Other Forms ... {M. F.	9	.	.	5 2	2	1
B.7b	Streptococcal Sore Throat ... {M. F.	1	.	.	.	1	.
B.9	Whooping Cough ... .. {M. F.	1	.	.	.	1	.
B.18a	Malignant Neoplasms ... .. {M. F.	107	3	3	28 19	25 29	1
B.18b	Neoplasms of Lymphatic and Haema- topoietic Tissues {M. F.	5	2	.	1 2	.	.
B.20	Diabetes Mellitus ... .. {M. F.	7	.	.	1 1	2 3	1
B.21	Anaemias ... .. {M. F.	3	.	.	1	2	.
B.22	Vascular Lesions affecting Central Nervous System {M. F.	46	.	.	2 3	18 23	1 2
B.24	Rheumatic Fever ... .. {M. F.	4	.	.	3	1	.
B.25	Chronic Rheumatic Heart Disease ... {M. F.	6	.	.	2 3	1	.
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	188	.	9 5	35 17	67 55	3 1
B.27	Other Diseases of the Heart ... {M. F.	22	2	1	4 1	9 5	2 3
B.28	Hypertension with Heart Disease ... {M. F.	9	.	1	1 2	3 2	.
B.29	Hypertension without mention of Heart {M. F.	16	.	1	3	6 6	1
B.46a	Other Circulatory Diseases ... {M. F.	13	.	1	1 2	5 4	1 1
B.30	Influenza ... .. {M. F.	11	.	.	1	5 5	.
B.31	Pneumonia ... .. {M. F.	18	1	.	3	4 10	2
B.32	Bronchitis ... .. {M. F.	16	.	.	2 2	7 5	2 1
B.46b	Other Respiratory Diseases .... {M. F.	3	.	.	.	1 2	1
B.33	Ulcer of Stomach and Duodenum ... {M. F.	5	1	.	3	1	.
B.46c	Other Digestive Diseases excluding Diseases of Liver and Gall Bladder {M. F.	2	1	.	.	1	.
B.34	Appendicitis ... .. {M. F.	2	.	.	2	.	.
B.35	Intestinal Obstruction and Hernia ... {M. F.	5	.	.	1 2	1 1	.
B.36b	Enteritis and Colitis except Diarrhoea of the Newborn {M. F.	4	.	.	.	1 3	.





TABLE 20 (contd.)- DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.37	Cirrhosis of Liver ... {M. F.	2	.	1	.	1	.
B.38	Nephritis and Nephrosis ... {M. F.	16	.	.	5 2	6 3	.
B.39	Hyperplasia of Prostate ... M.	18	.	.	12	6	.
B.40a	Complications of Pregnancy and F. Childbirth	4	.	.	4	.	.
B.40c	Other Complications of the Puerperium F.	1	.	.	1	.	.
B.41	Congenital Malformations ... {M. F.	5	.	.	2 1	2	.
B.42	Birth Injuries, Postnatal Asphyxia and {M. Atelectasis F.	1	1	.	.	.	.
B.44	Other Diseases Peculiar to Early {M. Infancy and Immaturity Unqualified F.	24	1	.	5 8	5 5	1 3
B.45a	Senility without mention of Psychosis {M. F.	268	.	5 1	1 2	132 127	122 114
B.45b	Ill-defined and Unknown Causes ... {M. F.	25	1	.	1	13 10	10 8
B.46d	All Other Diseases ... {M. F.	49	1	1 1	13 7	14 12	3 4
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... {M. F.	2	.	.	.	2	.
BE.48	All Other Accidents ... {M. F.	18	.	.	3 2	6 7	.

SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.

OSCOMMON.

All Ages	AGE AT DEATH									
	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
2	.	.	.	.	.	.	.	.	2	.
11	.	.	.	1	.	.	2	2	3	3
5	.	.	.	.	.	1	.	3	1	.
18	.	.	.	.	.	.	.	.	9	9
4	.	.	.	1	1	2	.	.	.	.
1	.	.	.	.	.	.	1	.	.	.
4	3	.	.	.	1	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
10	10	.	.	.	.	.	.	.	.	.
14	14	.	.	.	.	.	.	.	.	.
138	.	.	.	.	.	.	.	.	.	.
130	.	.	.	.	.	.	.	.	11	127
15	.	.	.	2	1	.	1	3	4	4
10	2	.	.	.	.	.	1	.	5	2
28	1	.	.	1	1	2	3	3	8	9
21	.	.	.	1	.	1	1	3	5	10
2	.	.	.	1	.	.	.	.	1	.
9	.	.	2	.	1	.	2	3	1	.
9	1	.	1	1	.	2	.	.	1	3



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	ALL CAUSES ... .. {M. F.	804	25 15	11 19	84 75	309 266	79 87
B.1	Tuberculosis of Respiratory System {M. F.	37	12 6	1 6	1 2	5 4	.
B.2	Tuberculosis, Other Forms ... {M. F.	8	2 1	.	2 1	2	.
B.3	Syphilis and its Sequelae ... {M. F.	2	.	1	.	1	.
B.4	Typhoid Fever ... .. {M. F.	1	.	.	1	.	.
B.8	Diphtheria ... .. {M. F.	2	.	.	2	.	.
B.12	Acute Poliomyelitis ... .. {M. F.	1	1	.	.	.	.
B.18a	Malignant Neoplasms ... .. {M. F.	97	4 3	1	17 12	25 35	3 4
B.18b	Neoplasms of Lymphatic and Haematopoietic Tissues {M. F.	5	.	.	1	3 1	.
B.19	Benign and Unspecified Neoplasms ... {M. F.	3	.	.	1 1	1	.
B.20	Diabetes Mellitus ... .. {M. F.	3	.	.	1	1	.
B.21	Anaemias ... .. {M. F.	2	.	1	.	1	.
B.22	Vascular Lesions affecting Central Nervous System {M. F.	49	1	1	4 6	20 17	4 2
B.23	Nonmeningococcal Meningitis ... {M. F.	1	.	.	.	1	.
B.25	Chronic Rheumatic Heart Disease ... {M. F.	1	.	.	.	1	.
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	182	.	3 6	12 14	87 60	3
B.27	Other Diseases of the Heart ... {M. F.	24	.	1	5 3	13 2	3 1
B.28	Hypertension with Heart Disease ... {M. F.	8	1	1	2	2 2	.
B.29	Hypertension without mention of Heart {M. F.	9	.	.	1	3 5	.
B.46a	Other Circulatory Diseases ... {M. F.	8	.	1	2 1	2 2	1
B.30	Influenza ... .. {M. F.	10	.	.	.	5 5	1
B.31	Pneumonia ... .. {M. F.	23	.	.	5 5	8 5	.
B.32	Bronchitis ... .. {M. F.	12	1	.	2	3 6	1 4
B.46b	Other Respiratory Diseases ... {M. F.	5	.	.	1	2 2	1 1
B.36a	Gastritis and Duodenitis ... {M. F.	1	.	.	.	1	.
B.33	Ulcer of Stomach and Duodenum ... {M. F.	4	1	.	1 1	1	.





TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.46c	Other Digestive Diseases excluding {M. Diseases of Liver and Gall Bladder {F.	3	.	.	.	2	2
B.34	Appendicitis ... {M. F.	3	.	.	1 2	.	.
B.35	Intestinal Obstruction and Hernia ... {M. F.	4	1	.	2	1	.
B.36b	Enteritis and Colitis except Diarrhoea {M. of the Newborn {F.	3	.	1	.	2	.
B.37	Cirrhosis of Liver ... {M. F.	1	.	.	.	1	.
B.38	Nephritis and Nephrosis ... {M. F.	21	.	.	5 5	6 5	.
B.39	Hyperplasia of Prostate ... M.	5	.	.	2	3	.
B.40a	Complications of Pregnancy and F. Childbirth	1	.	.	1	.	.
B.41	Congenital Malformations ... {M. F.	13	2	1	.	6 4	1 1
B.42	Birth Injuries, Postnatal Asphyxia and {M. Atelectasis {F.	3	.	1	1	1	.
B.43a	Diarrhoea of Newborn ... {M. F.	1	.	.	.	1	.
B.43b	Other Infections of the Newborn ... {M. F.	4	.	.	.	2 2	.
B.44	Other Diseases Peculiar to Early {M. Infancy and Immaturity Unqualified {F.	22	2	.	4 2	8 6	1
B.45a	Senility without mention of Psychosis {M. F.	141	.	2	1 7	59 72	48 64
B.45b	Ill-defined and Unknown Causes ... {M. F.	16	1	.	.	10 5	7 5
B.46d	All Other Diseases ... {M. F.	39	.	1 1	8 4	12 13	5 3
EXTERNAL CAUSES							
BE.48	All Other Accidents ... {M. F.	22	1	.	3 3	10 5	.
BE.49	Suicide and Self-inflicted Injury ... {M. F.	3	.	.	.	3	.
BE.50	Homicide and Operations of War ... {M. F.	1	.	.	.	1	.

Y SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
ND COUNTY BOROUGH.

LIGO.



TABLE 20 (contd).—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY  
ULSTER

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	ALL CAUSES ... .. {M. F.	3,487	80 63	47 36	385 276	1,389 1,211	324 302
B.1	Tuberculosis of Respiratory System {M. F.	137	27 21	4 3	13 14	30 25	2 1
B.2	Tuberculosis, Other Forms ... {M. F.	47	5 6	· 1	6 12	10 7	· ·
B.3	Syphilis and its Sequelae ... {M. F.	3	· ·	1 ·	1 ·	· 1	· ·
B.9	Whooping Cough ... {M. F.	10	· ·	· ·	1 ·	6 3	1 1
B.10	Meningococcal Infections ... {M. F.	1	· ·	· ·	1 ·	· ·	· ·
B.12	Acute Poliomyelitis ... {M. F.	5	· ·	· ·	1 2	2 ·	· ·
B.14	Measles ... {M. F.	2	· ·	· ·	1 ·	1 ·	· ·
B.17b	All other Diseases Classified as Infec- tive and Parasitic {M. F.	8	1 ·	· ·	2 2	3 ·	· ·
B.18a	Malignant Neoplasms ... {M. F.	325	12 10	1 4	48 28	117 105	2 8
B.18b	Neoplasms of Lymphatic and Haema- topoietic Tissues {M. F.	6	· ·	1 ·	· ·	3 2	· ·
B.19	Benign and Unspecified Neoplasms ... {M. F.	7	2 ·	1 ·	3 ·	1 ·	· ·
B.20	Diabetes Mellitus ... {M. F.	28	· ·	1 ·	5 5	9 8	· 1
B.21	Anaemias ... {M. F.	36	1 ·	· 1	9 3	12 10	1 ·
B.22	Vascular Lesions affecting Central Nervous System {M. F.	261	2 4	3 2	14 15	104 117	23 13
B.23	Nonmeningococcal Meningitis ... {M. F.	5	· ·	· ·	· 2	1 2	· ·
B.24	Rheumatic Fever ... {M. F.	7	1 ·	· ·	1 1	1 3	· ·
B.25	Chronic Rheumatic Heart Disease ... {M. F.	20	· ·	· ·	· 1	8 11	1 1
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	666	5 4	25 14	62 44	303 209	25 15
B.27	Other Diseases of the Heart ... {M. F.	159	1 1	· 2	6 12	71 66	16 10
B.28	Hypertension with Heart Disease ... {M. F.	21	· ·	· ·	1 1	9 10	· ·
B.29	Hypertension without mention of Heart {M. F.	45	1 1	2 ·	3 ·	21 17	1 ·
B.46a	Other Circulatory Diseases ... {M. F.	52	· 1	1 3	10 7	17 13	· 1
B.30	Influenza ... {M. F.	49	· ·	· 1	1 ·	22 25	3 9
B.31	Pneumonia ... {M. F.	110	1 ·	1 ·	14 6	57 31	4 4
B.32	Bronchitis ... {M. F.	69	· ·	· ·	· 1	37 31	6 5

BY SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
(part of).

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
1,901 1,586	130 105	28 14	17 20	38 53	45 38	50 70	101 73	182 158	503 371	807 684
74	.	1	.	11	20	10	16	8	.	.
63	.	.	1	20	13	11	11	6	5	.
21	3	.	1	4	3	2	1	2	4	1
26	.	.	4	13	2	4	2	1	.	.
2	.	.	.	.	.	.	1	.	.	1
1	.	.	.	.	.	.	.	1	.	.
7	3	4	.	.	.	.	.	.	.	.
3	2	1	.	.	.	.	.	.	.	.
1	.	.	.	.	1	.	.	.	.	.
3	.	.	.	1	.	.	.	.	.	.
2	.	.	.	2	.	.	1	1	.	.
2	1	1	.	.	.	.	.	.	.	.
6	.	.	1	.	.	.	.	.	.	.
2	1	.	.	.	1	.	1	1	1	1
178	.	1	.	.	1	5	18	31	76	46
147	.	.	.	.	4	6	17	26	51	43
4	.	.	.	.	.	1	1	.	2	.
2	.	.	.	.	.	.	.	1	.	1
7	.	.	.	.	2	1	2	1	1	.
15	.	.	1	2	1	1	1	1	4	4
13	.	.	.	1	1	1	.	1	5	4
22	.	.	1	.	.	2	2	4	9	4
14	.	.	.	.	.	1	.	4	7	2
123	1	.	.	.	.	.	8	5	47	62
138	.	.	.	.	1	3	7	24	48	55
1	1	.	.	.	.	.	.	.	.	.
4	.	1	2	1	.	.	.	.	.	.
3	.	.	1	.	1	.	.	1	.	.
4	.	.	1	1	.	.	1	1	.	.
8	.	.	2	.	.	.	1	.	.	.
12	.	.	.	.	1	4	.	2	3	2
395	.	.	1	2	4	4	14	52	149	169
271	.	.	.	1	3	9	15	28	96	119
78	.	.	.	.	.	2	6	6	28	36
81	1	.	.	1	.	5	1	14	23	36
10	.	.	.	.	.	.	1	3	4	2
11	.	.	.	.	.	.	.	1	5	5
27	.	.	.	.	.	2	.	5	8	12
18	.	.	.	.	.	.	1	3	7	7
28	.	.	.	.	.	.	.	1	6	18
24	.	.	.	1	1	3	.	3	4	12
23	4	1	1	1	.	.	1	2	6	7
26	4	.	2	2	.	.	.	1	4	13
73	22	7	1	.	1	.	.	10	12	16
37	9	2	.	1	1	.	1	3	7	13
37	1	.	.	.	1	.	1	.	6	21
32	1	.	.	1	.	.	2	3	8	17



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY  
ULSTER

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.46b	Other Respiratory Diseases ... {M. F.	36	2 2	1	2 1	22 6	.
B.36a	Gastritis and Duodenitis ... {M. F.	9	.	.	.	2 7	.
B.33	Ulcer of Stomach and Duodenum ... {M. F.	27	1 1	.	14 1	7 3	.
B.46c	Other Digestive Diseases excluding Diseases of Liver and Gall Bladder {M. F.	8	1 1	.	1 2	3	1
B.34	Appendicitis ... {M. F.	3	.	.	3	.	.
B.35	Intestinal Obstruction and Hernia ... {M. F.	27	2	.	11 2	7 5	1 1
B.36b	Enteritis and Colitis except Diarrhoea of the Newborn {M. F.	8	.	.	1 1	4 2	.
B.37	Cirrhosis of Liver ... {M. F.	8	1	.	1 1	2 3	.
B.38	Nephritis and Nephrosis ... {M. F.	61	.	.	5 6	31 19	3 1
B.39	Hyperplasia of Prostate ... M.	25	1	.	18	6	.
B.40a	Complications of Pregnancy and Childbirth F.	6	.	.	3	3	.
B.40c	Other Complications of the Puerperium F.	2	.	.	1	1	.
B.41	Congenital Malformations ... {M. F.	23	3 1	.	1 3	8 7	2
B.42	Birth Injuries, Postnatal Asphyxia and Atelectasis {M. F.	27	3 1	.	6 4	7 6	.
B.43a	Diarrhoea of Newborn ... {M. F.	6	.	.	1 1	2 2	.
B.43b	Other Infections of the Newborn ... {M. F.	6	.	.	2	4	.
B.44	Other Diseases Peculiar to Early Infancy and Immaturity Unqualified {M. F.	91	2	.	22 20	22 25	7 6
B.45a	Senility without mention of Psychosis {M. F.	598	1	5 3	31 26	260 272	173 173
B.45b	Ill-defined and Unknown Causes ... {M. F.	136	2	.	15 1	64 54	38 26
B.46d	All Other Diseases ... {M. F.	216	4 2	1	32 33	63 81	14 23
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... {M. F.	9	.	.	5 1	3	.
BE.48	All Other Accidents ... {M. F.	70	2 3	.	12 11	26 16	1 2
BE.49	Suicide and Self-inflicted Injury ... {M. F.	5	.	1	.	4	.
BE.50	Homicide and Operations of War ... {M. F.	1	.	.	1	.	.





TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	ALL CAUSES ... .. {M. F.	1,044	36 30	15 11	143 96	358 355	74 89
B.1	Tuberculosis of Respiratory System {M. F.	43	14 12	1	4 2	4 6	
B.2	Tuberculosis, Other Forms ... {M. F.	13	2 6		3	2	
B.3	Syphilis and its Sequelae ... {M. F.	1		1			
B.9	Whooping Cough ... {M. F.	3			1	1 1	
B.12	Acute Poliomyelitis ... {M. F.	2			1 1		
B.14	Measles ... {M. F.	1			1		
B.17b	All other Diseases Classified as Infective and Parasitic {M. F.	2	1		1		
B.18a	Malignant Neoplasms ... {M. F.	92	5 5	1	17 8	34 22	3
B.18b	Neoplasms of Lymphatic and Haematopoietic Tissues {M. F.	1				1	
B.19	Benign and Unspecified Neoplasms ... {M. F.	2	1		1		
B.20	Diabetes Mellitus ... {M. F.	5			1 2	1 1	
B.21	Anaemias ... {M. F.	4			1	3	
B.22	Vascular Lesions affecting Central Nervous System {M. F.	64	1 1	2 1	2 2	29 26	2 1
B.23	Nonmeningococcal Meningitis ... {M. F.	4			2	2	
B.24	Rheumatic Fever ... {M. F.	2	1		1		
B.25	Chronic Rheumatic Heart Disease ... {M. F.	9				3 6	1
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	221	2	7 1	36 26	80 69	5
B.27	Other Diseases of the Heart ... {M. F.	30	1	1	1 2	13 12	2 2
B.28	Hypertension with Heart Disease ... {M. F.	14			1	6 7	
B.29	Hypertension without mention of Heart {M. F.	15				7 8	1
B.46a	Other Circulatory Diseases ... {M. F.	24	1	3	2 4	8 6	
B.30	Influenza ... {M. F.	13			1	4 8	1
B.31	Pneumonia ... {M. F.	33	1	1	4 1	19 7	1 1
B.32	Bronchitis ... {M. F.	22				9 13	2
B.46b	Other Respiratory Diseases ... {M. F.	4		1		3	

Y SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
ND COUNTY BOROUGH.  
AVAN.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
552 492	44 35	5 5	3 6	7 15	18 18	11 22	25 21	44 41	161 118	234 211
22 21	.	.	.	2 5	9 8	3 5	4 2	1 1	3 .	. .
4 9	.	.	1 2	6	1	.	1	1	1	.
1	.	.	.	.	.	.	.	.	.	1
2 1	1 .	1 1	.	.	.	.	.	.	.	.
1 1	.	.	.	1 1	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
1 1	.	.	.	.	1 1	.	.	.	.	.
56 36	.	.	.	.	1 2	1 1	3 3	7 7	29 12	15 11
1	.	.	.	.	.	.	.	1	.	.
2	.	.	.	.	1	.	1	.	.	.
2 3	.	.	.	.	.	.	1	.	1 2	. 1
4	.	.	.	.	.	.	.	1	2	1
34 30	.	.	.	.	1	.	4 1	1 5	8 12	21 11
4	.	1	2	1	.	.	.	.	.	.
2	.	.	1	.	1	.	.	.	.	.
3 6	.	.	.	.	1	2	.	1	2 1	1 1
125 96	.	.	.	1 1	2	1 4	3 6	17 5	50 40	51 40
15 15	.	.	.	.	.	1	2 1	2 3	6 5	5 5
7 7	.	.	.	.	.	.	1	3 1	2 3	1 3
7 8	.	.	.	.	.	.	.	1 1	3 3	3 4
10 14	.	.	.	.	1	3	1	1	2	9 7
5 8	1	.	.	.	.	.	.	1 1	1 2	2 5
25 8	9 3	3 1	.	.	.	.	2	1	4 1	6 3
9 13	1	.	.	1	.	.	1	1	1 5	7 5
3 1	.	.	.	.	.	1	.	1	1	1



TABLE 20 (contd.)—DEATHS IN 1950, (CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.36a	Gastritis and Duodenitis ... {M. F.	6	.	.	.	1 5	.
B.33	Ulcer of Stomach and Duodenum ... {M. F.	5	1	.	2	1 1	.
B.34	Appendicitis ... {M. F.	2	.	.	2	.	.
B.35	Intestinal Obstruction and Hernia ... {M. F.	2	.	.	1	1	.
B.36b	Enteritis and Colitis except Diarrhoea {M. of the Newborn F.	2	.	.	1 1	.	.
B.37	Cirrhosis of Liver ... {M. F.	4	1	.	.	1 2	.
B.38	Nephritis and Nephrosis ... {M. F.	17	.	.	2 2	7 6	1
B.39	Hyperplasia of Prostate ... M.	10	.	.	8	2	.
B.40a	Complications of Pregnancy and F.	2	.	.	1	1	.
B.40c	Childbirth Other Complications of the Puerperium F.	2	.	.	1	1	.
B.41	Congenital Malformations ... {M. F.	6	1	.	.	3 2	.
B.42	Birth Injuries, Postnatal Asphyxia and {M. Atelectasis F.	9	2 1	.	1 2	2 1	.
B.43a	Diarrhoea of Newborn ... {M. F.	3	.	.	1	1 1	.
B.44	Other Diseases Peculiar to Early {M. Infancy and Immaturity Unqualified F.	38	2	.	11 11	6 8	4 3
B.45a	Senility without mention of Psychosis {M. F.	202	.	3 2	20 12	74 91	49 61
B.45b	Ill-defined and Unknown Causes ... {M. F.	27	1	.	2	10 14	8 7
B.46d	All Other Diseases ... {M. F.	63	1 1	1	11 11	14 24	2 5
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... {M. F.	2	.	.	2	.	.
BE.48	All Other Accidents ... {M. F.	16	1	.	4 1	7 3	1
BE.49	Suicide and Self-inflicted Injury ... {M. F.	2	.	.	.	2	.

Y SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
ND COUNTY BOROUGH.

AVAN.

All Ages	AGE AT DEATH									
	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
1	.	.	.	.	.	.	.	.	.	.
5	1	.	.	.	.	.	.	1	1	3
4	.	.	.	.	1	.	1	.	2	.
1	.	.	.	.	.	.	.	.	1	.
2	.	.	.	.	.	2	.	.	.	.
2	1	.	.	.	.	.	.	.	1	.
1	.	.	.	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	1	.
1	.	.	.	.	.	.	.	.	.	.
3	.	.	1	.	.	1	.	1	.	1
9	.	.	.	.	.	.	.	.	.	.
8	.	.	.	.	1	1	1	4	1	7
10	.	.	.	.	.	.	.	1	3	1
2	.	.	.	.	.	2	.	.	.	6
2	.	.	.	.	2	.	.	.	.	.
4	3	.	1	.	.	.	.	.	.	.
2	2	.	.	.	.	.	.	.	.	.
5	5	.	.	.	.	.	.	.	.	.
4	4	.	.	.	.	.	.	.	.	.
2	2	.	.	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
17	17	.	.	.	.	.	.	.	.	.
21	21	.	.	.	.	.	.	.	.	.
97	.	.	.	.	.	.	.	.	.	.
105	.	.	.	.	.	.	.	.	10	87
13	.	.	.	.	.	.	.	.	9	96
14	2	2	.	.	.	.	1	2	9	2
27	.	.	.	.	.	.	.	.	5	4
36	.	.	1	.	1	1	3	4	15	7
						2		6	12	11
2	.	.	.	1	.	.	.	.	1	.
12	3	1	.	2	1	1	1	1	3	.
4	.	.	.	.	.	.	.	.	3	.
2	.	.	.	.	.	1	1	.	.	.



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	ALL CAUSES ... .. {M. F.	1,713	21 22	20 20	144 100	743 643	206 174
B.1	Tuberculosis of Respiratory System {M. F.	63	4 6	3 2	9 10	15 14	2 1
B.2	Tuberculosis, Other Forms ... {M. F.	26	3	1	4 7	5 6	
B.3	Syphilis and its Sequelae ... {M. F.	2			1	1	
B.9	Whooping Cough ... {M. F.	7				5 2	1 1
B.10	Meningococcal Infections ... {M. F.	1			1		
B.12	Acute Poliomyelitis ... {M. F.	2			1	1	
B.17b	All other Diseases Classified as Infec- tive and Parasitic {M. F.	4			1 1	2	
B.18a	Malignant Neoplasms ... {M. F.	170	4 3	1 3	19 11	61 68	2 4
B.18b	Neoplasms of Lymphatic and Haema- topoietic Tissues {M. F.	4		1		2 1	
B.19	Benign and Unspecified Neoplasms ... {M. F.	4	1	1	1	1	
B.20	Diabetes Mellitus ... {M. F.	18			2 2	7 7	1
B.21	Anaemias ... {M. F.	20	1	1	2 2	5 9	
B.22	Vascular Lesions affecting Central Nervous System {M. F.	130	2	1	7 6	50 64	18 11
B.23	Nonmeningococcal Meningitis ... {M. F.	1				1	
B.24	Rheumatic Fever ... {M. F.	4				1 3	
B.25	Chronic Rheumatic Heart Disease ... {M. F.	9				5 4	1
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	292	2 4	12 10	19 14	141 90	16 10
B.27	Other Diseases of the Heart ... {M. F.	90		1	3 5	43 38	10 5
B.28	Hypertension with Heart Disease ... {M. F.	5			1	2 2	
B.29	Hypertension without mention of Heart {M. F.	20	1	1	2	9 7	
B.46a	Other Circulatory Diseases ... {M. F.	24		1	6 1	9 7	1
B.30	Influenza ... {M. F.	26		1		13 12	2 8
B.31	Pneumonia ... {M. F.	63			7 3	32 21	3 3
B.32	Bronchitis ... {M. F.	22			1	13 8	3 3
B.46b	Other Respiratory Diseases ... {M. F.	22	2		1	14 5	

SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
D COUNTY BOROUGH.  
ONEGAL.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
928 785	63 50	15 8	12 8	19 26	18 17	18 30	50 39	96 81	243 173	394 353
31 32	.	1	.	4 11	7 4	2 4	7 6	6 5	4 1	.
12 14	2	.	2	4 4	1 2	2 4	.	1 1	2	.
1 1	.	.	.	.	.	.	1	1	.	.
5 2	2 2	3	.	.	.	.	.	.	.	.
1	.	.	.	.	1	.	.	.	.	.
1 1	.	.	.	1	.	.	.	1	.	.
3 1	1	.	1	.	.	.	1	.	1	.
85 85	.	1	.	.	1	3 3	12 11	15 14	29 29	25 27
3 1	.	.	.	.	.	.	1	.	2	1
4	.	.	.	.	.	1	1	1	1	.
9 9	.	.	1	2 1	1 1	1	.	1 1	1 3	2 3
8 12	.	.	1	.	.	.	1	1 2	4 7	1 2
57 73	1	.	.	.	.	2	2 6	2 13	27 10	25 33
1	1	.	.	.	.	.	.	.	.	.
1 3	.	.	1	.	.	.	1	1 1	.	.
5 4	.	.	2	.	.	1	1	.	1 3	1
174 118	.	.	1	.	1 3	2 2	5 5	24 16	68 34	73 58
46 44	1	.	.	.	.	1 2	2	3 6	14 10	26 25
2 3	.	.	.	.	.	.	.	.	1 2	1 1
12 8	.	.	.	.	.	.	1	2 2	4 3	6 2
16 8	.	.	.	.	.	.	2	1 1	5 2	8 5
13 13	1 3	1	1	1	.	.	1	1	4 1	3 7
39 24	11 4	3 1	1	1	1 1	.	2 1	6 3	6 5	9 8
13 9	1	.	.	.	1	.	1 1	1	2 1	8 6
17 5	.	.	.	1	.	2	1	2	4 1	8 3



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.36a	Gastritis and Duodenitis ... {M. F.	2	.	.	.	2	.
B.33	Ulcer of Stomach and Duodenum ... {M. F.	14	1	.	7	5 1	.
B.46c	Other Digestive Diseases excluding {M. Diseases of Liver and Gall Bladder {F.	6	1	.	1 2	2	.
B.34	Appendicitis ... {M. F.	.	.	.	.	.	.
B.35	Intestinal Obstruction and Hernia ... {M. F.	17	1	.	8 1	3 4	1
B.36b	Enteritis and Colitis except Diarrhoea {M. of the Newborn {F.	4	.	.	.	3 1	.
B.37	Cirrhosis of Liver ... {M. F.	3	.	.	1	1	.
B.38	Nephritis and Nephrosis ... {M. F.	34	.	.	1 3	19 11	3
B.39	Hyperplasia of Prostate ... M.	12	.	.	8	4	.
B.40a	Complications of Pregnancy and F.	3	.	.	2	1	.
B.41	Congenital Malformations ... {M. F.	11	.	.	1 3	3 4	2
B.42	Birth Injuries, Postnatal Asphyxia and {M. Atelectasis {F.	16	.	.	4 2	5 5	.
B.43a	Diarrhoea of Newborn ... {M. F.	2	.	.	.	1 1	.
B.43b	Other Infections of the Newborn ... {M. F.	4	.	.	.	4	.
B.44	Other Diseases Peculiar to Early {M. Infancy and Immaturity Unqualified {F.	37	.	.	6 4	13 14	3 3
B.45a	Senility without mention of Psychosis {M. F.	302	1	.	5 4	148 144	106 94
B.45b	Ill-defined and Unknown Causes ... {M. F.	75	1	.	5 1	41 27	22 14
B.46d	All Other Diseases ... {M. F.	108	2 1	.	8 9	42 46	11 14
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... {M. F.	2	.	.	1 1	.	.
BE.48	All Other Accidents ... {M. F.	29	2	.	3 2	12 10	1
BE.49	Suicide and Self-inflicted Injury ... {M. F.	2	.	.	.	2	.
BE.50	Homicide and Operations of War ... {M. F.	1	.	.	1	.	.

Y SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
ND COUNTY BOROUGH.

ONEGAL.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
2	1	.	.	.	.	.	.	.	1	.
12	.	.	.	1	2	.	.	3	6	.
2	.	.	.	.	.	1	.	.	1	.
1	.	.	.	.	.	.	.	.	.	.
5	.	1	.	2	1	.	1	1	.	.
.	.	.	.	.	.	.	.	.	.	.
12	1	1	1	1	.	.	.	4	4	.
5	.	.	.	1	.	1	.	1	2	.
3	1	.	.	.	.	.	.	.	2	.
1	.	1	.	.	.	.	.	.	.	.
1	.	.	.	.	.	.	.	.	.	.
2	.	.	.	.	.	.	1	1	1	.
20	.	.	.	.	.	.	.	.	.	.
14	.	1	1	.	.	1	3	4	7	6
12	.	.	.	.	.	.	.	1	6	4
3	.	.	.	.	.	.	.	2	3	7
4	.	.	.	1	.	2	.	.	.	.
4	4	.	.	.	.	.	.	.	.	.
7	6	1	.	.	.	.	.	.	.	.
9	9	.	.	.	.	.	.	.	.	.
7	7	.	.	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
4	4	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	.	.
19	19	.	.	.	.	.	.	.	.	.
18	18	.	.	.	.	.	.	.	.	.
153	.	.	.	.	.	.	.	.	11	142
149	.	.	.	.	.	.	.	.	17	132
47	5	.	.	1	1	1	1	6	13	19
28	3	.	.	.	.	1	.	4	7	13
52	1	4	2	3	1	3	2	4	13	19
56	2	3	1	1	2	5	5	6	15	16
.	.	.	.	.	.	.	.	.	.	.
1	.	.	.	.	.	.	.	.	.	.
1	.	.	.	1	.	.	.	1	.	.
15	.	1	1	2	1	.	1	1	3	5
14	.	.	1	.	2	.	.	1	3	7
2	.	.	.	.	.	.	1	1	.	.
.	.	.	.	.	.	.	.	.	.	.
1	.	.	.	.	.	.	.	1	.	.
.	.	.	.	.	.	.	.	.	.	.



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY CO.

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
	ALL CAUSES ... .. {M. F.	730	23 11	12 5	98 80	288 213	44 39
B.1	Tuberculosis of Respiratory System {M. F.	31	9 3	1	2	11 5	.
B.2	Tuberculosis, Other Forms ... {M. F.	8	.	.	2 2	3 1	.
B.12	Acute Polioomyelitis ... {M. F.	1	.	.	.	1	.
B.14	Measles ... {M. F.	1	.	.	.	1	.
B.17b	All other Diseases Classified as Infec- tive and Parasitic {M. F.	2	.	.	1	1	.
B.18a	Malignant Neoplasms ... {M. F.	63	3 2	.	12 9	22 15	1
B.18b	Neoplasms of Lymphatic and Haema- topoietic Tissues {M. F.	1	.	.	.	1	.
B.19	Benign and Unspecified Neoplasms ... {M. F.	1	.	.	1	.	.
B.20	Diabetes Mellitus ... {M. F.	5	.	1	2 1	1	.
B.21	Anaemias ... {M. F.	12	.	.	6 1	4 1	1
B.22	Vascular Lesions affecting Central Nervous System {M. F.	67	1 1	1	5 7	25 27	3 1
B.24	Rheumatic Fever ... {M. F.	1	.	.	1	.	.
B.25	Chronic Rheumatic Heart Disease ... {M. F.	2	.	.	1	1	.
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	153	1	6 3	7 4	82 50	4 5
B.27	Other Diseases of the Heart ... {M. F.	39	1	.	2 5	15 16	4 3
B.28	Hypertension with Heart Disease ... {M. F.	2	.	.	.	1 1	.
B.29	Hypertension without mention of Heart {M. F.	10	1	1	1	5 2	.
B.46a	Other Circulatory Diseases ... {M. F.	4	.	.	2 2	.	.
B.30	Influenza ... {M. F.	10	.	.	.	5 5	1
B.31	Pneumonia ... {M. F.	14	.	.	3 2	6 3	.
B.32	Bronchitis ... {M. F.	25	.	.	.	15 10	3
B.46b	Other Respiratory Diseases ... {M. F.	10	2	.	1 1	5 1	.
B.36a	Gastritis and Duodenitis ... {M. F.	1	.	.	.	1	.
B.33	Ulcer of Stomach and Duodenum ... {M. F.	8	.	.	5 1	1 1	.
B.46c	Other Digestive Diseases excluding Diseases of Liver and Gall Bladder {M. F.	2	1	.	.	1	1

BY SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
AND COUNTY BOROUGH.  
**MONAGHAN.**

## AGE AT DEATH

All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
421 309	23 20	8 1	2 6	12 12	9 3	21 18	26 13	42 36	99 80	179 120
21 10	.	.	.	5 4	4 1	5 2	5 3	1	1	.
5 3	1	.	.	3	1	.	1	.	1	1
1	.	.	.	.	.	.	1	.	.	.
1	.	1	.	.	.	.	.	.	.	.
2	.	.	.	.	.	.	.	1	.	1
37 26	.	.	.	.	1	1 2	3 3	9 5	18 10	6 5
1	.	.	.	.	.	1	.	.	.	.
1	.	.	.	.	1	.	.	.	.	.
4 1	.	.	.	.	.	1	.	.	2	2
10 2	.	.	.	.	.	2	1	2 2	3	2
32 35	.	.	.	.	.	1	2	2 6	12 17	16 11
1	.	.	.	1	.	.	.	.	.	.
2	.	.	.	.	.	1	.	1	.	.
96 57	.	.	.	1	1	1 3	6 4	11 7	31 22	45 21
17 22	.	.	.	1	.	1 2	2	1 5	8 8	5 6
1 1	.	.	.	.	.	.	.	.	1	1
8 2	.	.	.	.	.	2	.	2	1 1	3 1
2 2	.	.	.	1	.	.	.	1	1	1
5 5	2 1	.	1	1	.	.	.	.	1 1	2 1
9 5	2 2	1	.	.	.	.	.	3	2 1	1 2
15 10	.	.	.	.	.	.	.	3 2	3 2	9 6
6 4	1	.	.	.	1	1 1	1	.	1	4
1	.	.	.	.	.	.	.	.	.	1
6 2	.	.	.	1	1	2	1	1	1	1
1 1	1	.	.	.	.	1	.	.	.	.



TABLE 20 (contd.)—DEATHS IN 1950, CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND DEATHS FOR EACH COUNTY

Abbreviated List No.	CAUSES OF DEATH	TOTAL DEATHS	PLACE OF OCCURRENCE				Uncertified Deaths
			General and Special Hospitals	Mental Hospitals	Co. Homes and Hospitals, District Hospitals and Co. Infirmaries	Elsewhere	
B.34	Appendicitis ... .. {M. F.	1	.	.	1	.	.
B.35	Intestinal Obstruction and Hernia ... {M. F.	8	1	.	2 1	3 1	1
B.36b	Enteritis and Colitis except Diarrhoea {M. of the Newborn F.	2	.	.	.	1 1	.
B.37	Cirrhosis of Liver ... .. {M. F.	1	.	.	1	.	.
B.38	Nephritis and Nephrosis ... .. {M. F.	10	.	.	2 1	5 2	.
B.39	Hyperplasia of Prostate ... .. M.	3	1	.	2	.	.
B.40a	Complications of Pregnancy and F. Childbirth	1	.	.	.	1	.
B.41	Congenital Malformations ... .. {M. F.	6	2 1	.	.	2 1	.
B.42	Birth Injuries, Postnatal Asphyxia and {M. Atelectasis F.	2	1	.	1	.	.
B.43a	Diarrhoea of Newborn ... .. {M. F.	1	.	.	1	.	.
B.43b	Other Infections of the Newborn ... {M. F.	2	.	.	2	.	.
B.44	Other Diseases Peculiar to Early {M. Infancy and Immaturity Unqualified F.	16	.	.	5 5	3 3	.
B.45a	Senility without mention of Psychosis {M. F.	94	.	2 1	6 10	38 37	18 18
B.45b	Ill-defined and Unknown Causes ... {M. F.	34	.	.	8	13 13	8 5
B.46d	All Other Diseases ... .. {M. F.	45	1	.	13 13	7 11	1 4
EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents ... .. {M. F.	5	.	.	2	3	.
BE.48	All Other Accidents ... .. {M. F.	25	1 1	.	5 8	7 3	1
BE.49	Suicide and Self-inflicted Injury ... {M. F.	1	.	1	.	.	.

Y SEX AND SHOWING (i) AGE ; (ii) PLACE OF OCCURRENCE ; AND (iii) THE NUMBER OF UNCERTIFIED  
ND COUNTY BOROUGH.  
IONAGHAN.

AGE AT DEATH										
All Ages	Under 1 year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and over
1	.	.	.	.	.	1	.	.	.	.
6	1	1	.	1	.	.	.	.	1	2
2	.	.	.	.	.	1	.	1	.	.
1	1	.	.	.	.	.	.	.	.	1
1	.	.	.	.	.	.	.	.	1	.
7	.	.	.	.	.	.	1	3	.	3
3	.	.	.	.	.	1	.	2	.	.
3	.	.	.	.	.	.	.	.	.	.
1	.	.	.	.	.	1	.	.	.	.
4	3	1	.	.	.	.	.	.	.	.
2	1	1	.	.	.	.	.	.	.	.
2	2	.	.	.	.	.	.	.	.	.
1	1	.	.	.	.	.	.	.	.	.
2	2	.	.	.	.	.	.	.	.	.
8	.	.	.	.	.	.	.	.	.	.
8	.	.	.	.	.	.	.	.	.	.
46	.	.	.	.	.	.	.	.	4	42
48	.	.	.	.	.	.	.	.	5	43
21	1	.	1	1	.	.	1	2	3	12
13	2	.	.	.	.	.	.	.	2	9
21	.	1	.	.	.	2	.	2	4	12
24	1	.	.	1	.	1	1	2	9	9
5	.	.	.	1	1	.	1	.	.	2
13	1	3	1	2	.	1	1	.	1	3
12	1	.	5	.	.	1	.	1	.	4
1	.	.	.	.	.	.	1	.	.	.



TABLE 21.—DEATHS IN 1950 CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED DISTRICTS IN EACH PROVINCE, AND SHOWING THE NUMBERS OF DEATHS AT AND THE

Abbreviated List Number	CAUSES OF DEATH,				Total Aggregate U.D's.	Total Aggregate R.D's.	Aggregate U.D's, Leinster.	Aggregate R.D's, Leinster.	Aggregate U.D's, Munster.	Aggregate R.D's, Munster.	Aggregate U.D's, Connacht.	Aggregate R.D's, Connacht.	Aggregate U.D's, Ulster (pt. of).
B.1	Tuberculosis of Respiratory System	...	{M. F.		467 360	568 481	303 246	194 173	130 93	223 159	20 15	91 92	14 6
B.2	Tuberculosis Other Forms	...	{M. F.		96 102	147 159	64 70	47 48	24 27	53 55	6 2	28 33	2 3
B.3	Syphilis and its Sequelae	...	{M. F.		16 8	15 8	14 7	7 5	1 1	3 2	1 .	3 .	.
B.4	Typhoid Fever	...	{M. F.		2 1	3 2	1 .	1 1	1 1	. .	. .	2 1	.
B.5	Cholera	...	{M. F.		. .	. .	. .	. .	. .	. .	. .	. .	.
B.6	Dysentery, All Forms	...	{M. F.		2 .	1 1	1 .	1 .	1 .	. .	. .	1 .	.
B.7a	Scarlet Fever	...	{M. F.		. 2	3 3	. 2	1 2	. .	1 1	. .	1 .	.
B.7b	Streptococcal Sore Throat	...	{M. F.		. .	1 1	. .	. .	. .	1 .	. .	1 .	.
B.8	Diphtheria	...	{M. F.		1 1	1 2	1 .	1 .	. .	. .	1 .	2 .	.
B.9	Whooping Cough	...	{M. F.		10 15	25 15	5 14	11 7	2 1	3 4	. .	7 1	3 .
B.10	Meningococcal Infections	...	{M. F.		5 6	7 .	5 3	. .	. 2	4 .	. 1	2 .	.
B.11	Plague	...	{M. F.		. .	. .	. .	. .	. .	. .	. .	. .	.
B.12	Acute Poliomyelitis	...	{M. F.		4 7	10 9	3 6	2 2	. 1	5 3	1 .	2 .	.
B.17a	Acute Infectious Encephalitis	...	{M. F.		2 3	. .	1 2	. .	1 1	. .	. .	. .	.
B.13	Smallpox	...	{M. F.		. .	. .	. .	. .	. .	. .	. .	. .	.
B.14	Measles	...	{M. F.		11 13	7 4	9 13	5 3	1 .	1 1	. .	. .	1 .
B.15	Typhus and Other Rickettsial Diseases		{M. F.		. .	. .	. .	. .	. .	. .	. .	. .	.
B.16	Malaria	...	{M. F.		1 .	. .	1 .	. .	. .	. .	. .	. .	.
B.17b	All other Diseases Classified as Infective and Parasitic		{M. F.		16 11	49 25	12 10	15 9	4 1	21 12	. .	7 2	.

IST) AND BY SEX, FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL  
GES UNDER 1, 1 TO 64 YEARS, AND 65 YEARS AND OVER, AND THE NUMBER OF BIRTHS  
OPULATION.

Aggregate R.D.'s, Ulster (pt. of).	Carlow U.D.	Dublin C.B.	Dún Laoghaire Borough	Athy U.D.	Naas U.D.	Kilkenny U.D.	Longford U.D.	Drogheda U.D.	Dundalk U.D.	Kells U.D.	An Uaimh U.D.	Trim U.D.	Birr U.D.	Tullamore U.D.	Athlone U.D.	Enniscorthy U.D.
60 57	4	230 160	15 12	1 2	3	7 4	1 2	3 10	8 9	·	· 2	1	2 3	1 3	5 8	6 5
19 23	1 1	46 47	1 4	1	1	2	1	4 12	3 2	·	·	· 1	· 1	2 1	·	1
2 4	·	10 6	1 1	1	1	1	·	·	·	·	·	·	·	·	·	·
·	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
4 3	·	4 12	·	·	·	·	·	·	1 1	·	·	·	·	·	·	·
1	·	5 3	·	·	·	·	·	·	·	·	·	·	·	·	·	·
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
3 2	·	2 6	·	·	·	·	·	·	·	·	·	·	·	·	·	·
·	·	1 2	·	·	·	·	·	·	·	·	·	·	·	·	·	·
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
1	·	9 11	1	·	·	1	·	·	·	·	·	·	·	·	·	·
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·
6 2	·	11 8	·	1	·	1	·	·	1	·	·	·	·	·	·	·



TABLE 21 (contd.)—DEATHS IN 1950 (CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND  
SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS; AND

[illegible]

Y SEX, FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND  
5 YEARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

Cork C.B.	Fermoy U.D.	Kinsale U.D.	Macroom U.D.	Mallow U.D.	Middleton U.D.	Skibbereen U.D.	Youghal U.D.	Killarney U.D.	Listowel U.D.	Tralee U.D.	Limerick C.B.	Nenagh U.D.	Templemore U.D.	Thurles U.D.	Carrick-on-Suir U.D.	Cashel U.D.
43 26	3	2 1	.	3 1	1	1	3	2 1	3 3	6 3	18 16	4 3	1 2	1 1	2 5	.
5 6	1 3	.	.	.	.	.	.	1 2	.	1 3	2 5	.	.	2	1 1	2
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1	.	.	.	.	.	.	1	1	.	1	.	1	.	.	.	.



TABLE 21 (contd.)—DEATHS IN 1950 CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND BY AGE  
SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS, AND 65 YEARS AND OVER

[illegible]





TABLE 21 (contd.)—DEATHS IN 1950 CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS, AND 65 YEARS AND OVER

Abbreviated List Number	CAUSES OF DEATH.	Total Aggregate U.D's.	Total Aggregate R.D's.	Aggregate U.D's, Leinster.	Aggregate R.D's, Leinster.	Aggregate U.D's, Munster.	Aggregate R.D's, Munster.	Aggregate U.D's, Connacht.	Aggregate R.D's, Connacht.	Aggregate U.D's, Ulster (pt. of).
B.18a	Malignant Neoplasms ... {M. F.	691 738	1,469 1,179	464 530	473 355	181 160	534 411	33 37	297 277	13 11
B.18b	Neoplasms of Lymphatic and Haematopoietic Tissues {M. F.	25 16	58 37	17 11	22 15	5 4	19 9	3 1	13 11	
B.19	Benign and Unspecified Neoplasms ... {M. F.	38 23	47 50	23 12	13 20	10 11	18 18	5 .	9 12	
B.20	Diabetes Mellitus ... {M. F.	24 29	81 86	20 20	21 23	4 7	29 30	2 .	16 20	
B.21	Anaemias ... {M. F.	20 51	102 107	13 34	23 31	5 16	45 38	1 1	13 24	1
B.22	Vascular Lesions affecting Central Nervous System {M. F.	360 528	836 937	246 338	307 303	92 157	262 326	16 25	150 178	6 8
B.23	Nonmeningococcal Meningitis ... {M. F.	22 10	30 38	12 6	15 14	10 3	12 13	1 .	2 7	
B.24	Rheumatic Fever ... {M. F.	10 17	27 19	6 11	8 4	3 5	10 9	1 .	7 3	1 1
B.25	Chronic Rheumatic Heart Disease ... {M. F.	23 23	60 39	13 16	21 5	8 5	19 12	2 .	12 12	2
B.26	Arteriosclerotic and Degenerative Heart Disease {M. F.	1,609 1,703	3,301 2,386	1,033 1,127	1,109 853	477 496	1,207 825	64 66	625 451	35 14
B.27	Other Diseases of the Heart ... {M. F.	186 201	507 425	116 138	156 122	63 49	170 167	5 5	105 64	2 9
B.28	Hypertension with Heart Disease ... {M. F.	85 110	81 76	70 100	26 24	11 9	23 23	3 1	23 18	1
B.29	Hypertension without mention of Heart {M. F.	82 106	141 141	61 77	52 37	12 24	33 47	6 5	32 39	3
B.46a	Other Circulatory Diseases ... {M. F.	102 87	205 135	67 65	73 51	25 15	67 37	7 4	40 26	3 3
B.30	Influenza ... {M. F.	27 56	118 124	18 35	27 39	7 19	41 36	1 .	29 24	2 1
B.31	Pneumonia ... {M. F.	218 202	430 321	150 135	123 98	48 55	150 116	12 10	92 72	8 2
B.32	Bronchitis ... {M. F.	236 197	314 246	165 117	105 76	61 75	113 86	6 1	63 56	4 4
B.46b	Other Respiratory Diseases ... {M. F.	80 89	118 80	56 64	32 27	18 22	40 32	3 2	23 12	3 1
B.36a	Gastritis and Duodenitis ... {M. F.	4 3	20 21	1 3	6 5	2 .	9 7	1 .	3 2	
B.33	Ulcer of Stomach and Duodenum ... {M. F.	51 21	121 32	31 15	37 9	13 5	51 11	3 .	15 8	4 1
B.46c	Other Digestive Diseases excluding Diseases of Liver and Gall Bladder {M. F.	28 22	40 34	19 16	14 8	7 4	17 16	1 2	8 4	1

SEX, FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND YEARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

SEX (pt. of).	Carlow U.D.	Dublin C.B.	Dún Laoghaire Borough	Athy U.D.	Naas U.D.	Kilkenny U.D.	Longford U.D.	Drogheda U.D.	Dundalk U.D.	Kells U.D.	An Uaimh U.D.	Trim U.D.	Birr U.D.	Tullamore U.D.	Athlone U.D.	Enniscorthy U.D.
65 36	1 5	333 376	28 53	2 5	3 3	4 4	5	10 15	20 15	4 2	3 4	1	2 3	2 6	12 9	8 6
4 2	.	13 9	1	.	.	.	.	.	1	.	.	.	2	.	.	1
7	1	18 6	2 2	.	1	.	.	1	1	.	.	.	.	1	1	.
15 13	1	13 16	1	.	.	1	.	.	3 1	.	1	1 1	.	.	.	.
21 14	.	9 22	1 3	.	1	2	.	1 1	1	.	.	.	.	2	1 1	.
17 30	2	163 230	20 29	3	1	5 2	1	5 9	9 9	2 1	2 3	.	5 4	3 4	2 3	1 5
1 4	.	9 4	2	.	.	.	.	2	1	.	.	.	.	.	.	.
2 3	.	3 9	.	.	.	.	.	1	1	.	.	.	.	.	.	.
8 10	.	12 15	1	.	.	.	.	.	.	.	.	.	.	.	.	.
60 57	10 11	740 841	71 98	6 4	6 1	16 14	10 6	30 28	26 31	4 5	11 10	4 1	9 5	2 6	11 13	18 5
76 72	3 8	77 91	5 10	3 2	.	3 3	1	3	6 6	3	2 2	.	1	2	4	1 1
9 11	.	66 93	2 2	.	.	1	1	.	1	.	.	.	1	.	.	.
24 18	.	47 60	4 5	.	.	.	1	2 1	1 1	1	.	.	.	1 2	1	1
25 21	.	42 45	7 8	1	.	3	.	1	.	1 2	2 1	.	1	1	1 1	2
21 25	.	15 26	1 3	.	.	1 1	.	1	1	.	.	.	.	.	1	.
65 35	1	113 101	11 12	3	1 1	1 1	3	2	4 3	.	2	1	.	.	2 2	3
33 28	.	142 98	7 4	.	.	2 2	.	2 1	3 1	.	1	1	.	1	2 1	1 1
23 9	1	38 43	5 4	1	.	2	.	1 1	1 2	1	.	.	.	1	1	1 1
2 7	.	1	.	.	.	.	.	.	1	.	.	.	1	.	1	.
18 4	.	24 12	3 1	.	.	.	.	.	1	.	1 1	.	1	.	1	.
1 6	1	17 13	1	.	1	1	.	.	1	.	.	.	.	.	.	.





EX, FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND YEARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

Fermoy U.D.	Kinsale U.D.	Macroom U.D.	Mallow U.D.	Midleton U.D.	Skibbereen U.D.	Youghal U.D.	Killarney U.D.	Listowel U.D.	Tralce U.D.	Limerick C.B.	Nenagh U.D.	Templemore U.D.
512	45	35	12	11	13	512	512	33	56	2121	33	1
.	.	.	.	.	.	.	.	1	.	2	.	.
1	.	.	1	1	.	.	.	.	.	23	2	.
.	.	.	.	.	1	.	.	1	1	.	.	.
1	.	.	.	.	1	.	.	.	.	5	.	.
12	13	1	2	3	1	6	12	24	66	819	23	.
1	.	.	.	.	.	.	.	.	1	1	.	.
1	.	.	.	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	2	3	.	.
54	27	43	107	49	34	710	134	75	1819	9387	57	55
41	.	1	1	.	1	31	2	11	51	912	11	13
.	.	1	.	.	1	.	.	.	.	52	1	.
.	.	.	.	.	22	1	13	.	22	12	1	.
1	.	2	.	.	1	.	21	.	31	31	.	1
11	.	.	.	.	.	.	.	.	1	16	.	.
1	2	.	23	.	.	11	32	11	23	78	1	.
11	11	1	12	1	.	3	13	2	22	1012	3	12
.	1	1	.	.	12	1	1	11	.	34	.	.
.	.	.	.	.	.	1	1	.	.	.	.	.
.	.	.	.	.	.	.	.	.	3	2	.	1
.	.	.	.	.	.	1	1	.	.	.	.	.



TABLE 21 (contd.)—DEATHS IN 1950 CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) A  
SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS, A

Abbreviated List Number	CAUSES OF DEATH.	Thurles U.D.	Carriek-on-Suir U.D.	Cashel U.D.	Clonmel U.D.	Tipperary U.D.	Dungarvan U.D.	Waterford C.B.
B.18a	Malignant Neoplasms ... {M. F.	4 2	4	6 2	10 9	9 6	5 8	27 18
B.18b	Neoplasms of Lymphatic and {M. Haematopoietic Tissues {F.	.	.	1	.	.	1	.
B.19	Benign and Unspecified Neo- F. plasms	.	1	.	.	.	.	1
B.20	Diabetes Mellitus ... {M. F.	1	.	.	.	1 1	.	2 1
B.21	Anaemias ... {M. F.	.	.	.	.	2	.	2 3
B.22	Vascular Lesions affecting {M. Central Nervous System {F.	2	2 5	1 1	6 5	2 7	1 3	10 16
B.23	Nonmeningococcal Meningitis ... {M. F.	.	.	.	1	.	.	4
B.24	Rheumatic Fever ... {M. F.	.	1 1	.	.	.	.	1
B.25	Chronic Rheumatic Heart {M. Disease {F.	.	.	.	.	.	.	2
B.26	Arteriosclerotic and Degenerative {M. Heart Disease {F.	11 7	10 11	5 6	19 12	13 9	5 10	79 58
B.27	Other Diseases of the Heart ... {M. F.	1	.	1	1 2	3 2	1	5 5
B.28	Hypertension with Heart Disease {M. F.	1	.	.	.	.	.	2 2
B.29	Hypertension without mention {M. of Heart {F.	1	1	.	.	.	.	2
B.46a	Other Circulatory Diseases ... {M. F.	1	1	.	.	.	.	4 1
B.30	Influenza ... {M. F.	.	1	.	1	1 1	.	.
B.31	Pneumonia ... {M. F.	.	2	.	6	2	1	3 4
B.32	Bronchitis ... {M. F.	1	2 2	1	1 2	2	.	2 7
B.46b	Other Respiratory Diseases ... {M. F.	1	1	.	.	.	.	.
B.36a	Gastritis and Duodenitis ... {M. F.	.	.	.	.	.	.	.
B.33	Ulcer of Stomach and Duodenum {M. F.	.	.	1	.	1	.	2 1
B.46c	Other Digestive Diseases ex- {M. cluding Diseases of Liver and {F. Gall Bladder	.	.	.	.	.	1	1

BY SEX, FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND 65 YEARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

Galway U.D.	Ballina U.D.	Castlebar U.D.	Westport U.D.	Sligo U.D.	Cavan U.D.	Bundoran U.D.	Buncrana U.D.	Letterkenny U.D.	Carrickmacross U.D.	Castleblayney U.D.	Clones U.D.	Monaghan U.D.
13 12	2 2	1 2	1 3	9 13	5	2 2	1 1	1 3	1	2 2	1	1 2
1	1	.	.	1	.	.	.	.	.	.	.	.
.	3	1	.	.	.	.	.	.	.	.	.	.
1	.	.	.	1	.	.	.	.	.	.	.	.
1 1	.	.	.	.	.	.	.	.	.	.	.	1
8 13	3 2	1	1 4	4 4	1 1	.	1	1 3	1 1	1	.	3 1
.	.	.	.	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	1	.	.	.	.	1	.
1	.	.	.	1	.	.	.	.	1	1	.	.
26 24	7 5	6 2	3 6	20 24	8 3	5 1	1 2	2	3 1	4 4	5	7 3
1 2	2 1	.	1	1 1	1	1	1 1	2	3	1	.	1
1	1	.	.	1 1	1	.	.	.	.	.	.	.
6 3	.	1	.	.	.	.	.	.	2	.	.	1
5 4	1	.	.	1	1	1 1	1	.	.	1	1	.
.	.	.	.	1	1	.	.	1	.	.	.	.
2 3	1	2	4 3	2 3	2	.	2	2 1	1	.	.	1 1
3	2	1	.	1	1	1	.	1	1	1	.	2 1
2	.	.	.	1	.	3	.	.	.	1	.	.
1	.	.	.	.	.	.	.	.	.	.	.	.
.	1	.	.	1	.	1	.	1	.	1	1	1
.	.	1	1	1	.	.	.	.	.	.	.	1



TABLE 21 (contd.)—DEATHS IN 1950 CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS, AND

Abbreviated List Number	CAUSES OF DEATH.	Total Aggregate U.D's.	Total Aggregate R.D's.	Aggregate U.D's, Leinster.	Aggregate R.D's, Leinster.	Aggregate U.D's, Munster.	Aggregate R.D's, Munster.	Aggregate U.D's, Connacht.	Aggregate R.D's, Connacht.	Aggregate U.D's, Ulster (pt. of).
B.34	Appendicitis ... {M. F.	10 9	35 18	6 5	6 6	3 4	18 7	1	8 5	.
B.35	Intestinal Obstruction and Hernia ... {M. F.	26 34	93 62	18 22	26 20	5 11	27 20	2	21 16	1 1
B.36b	Enteritis and Colitis except Diarrhoea of Newborn {M. F.	73 62	103 72	42 33	38 31	27 28	48 25	3	13 14	1 1
B.37	Cirrhosis of Liver ... {M. F.	14 8	23 16	9 6	9 5	4 2	8 5	.	4 1	1
B.38	Nephritis and Nephrosis ... {M. F.	92 99	255 190	58 68	74 61	29 23	89 61	4 7	57 44	1 1
B.39	Hyperplasia of Prostate ... M.	50	174	23	34	20	58	4	60	3
B.40b	Puerperal Sepsis ... F.	2	2	.	1	1	1	1	.	.
B.40c	Other Complications of the Puerperium F.	7	9	5	1	2	3	.	3	.
B.40a	Complications of Pregnancy and Childbirth F.	21	58	16	19	5	18	.	15	.
B.41	Congenital Malformations ... {M. F.	78 68	127 108	58 50	45 42	11 13	44 37	5 3	30 20	4 2
B.42	Birth Injuries, Postnatal Asphyxia and Atelectasis {M. F.	68 66	105 62	61 56	35 30	5 6	35 15	2 2	19 8	. 2
B.43a	Diarrhoea of the Newborn ... {M. F.	8 5	21 10	4 3	2 2	3 1	16 4	1 1	. 1	.
B.43b	Other Infections of the Newborn ... {M. F.	28 13	43 22	21 9	17 6	5 3	14 9	2 1	8 5	.
B.44	Other Diseases Peculiar to Early Infancy and Immaturity Unqualified {M. F.	203 151	405 292	126 106	155 94	62 33	138 96	10 9	73 58	5 3
B.45a	Senility without mention of Psychosis {M. F.	187 348	2,073 2,126	97 177	405 385	63 129	678 728	17 23	704 730	10 19
B.45b	Ill-defined and Unknown Causes ... {M. F.	171 101	487 349	119 68	153 77	43 28	153 118	7 3	102 101	2 2
B.46d	All Other Diseases ... {M. F.	287 307	714 705	198 197	177 249	70 87	260 219	15 14	181 130	4 9

BY SEX, FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND 65 YEARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

Aggregate R.D.'s, Ulster (pt. of).	Carlow U.D.	Dublin C.B.	Dún Laoghaire Borough	Athy U.D.	Naas U.D.	Kilkenny U.D.	Longford U.D.	Drogheda U.D.	Dundalk U.D.	Kells U.D.	An Uaimh U.D.	Trim U.D.	Birr U.D.	Tullamore U.D.	Athlone U.D.	Enniscorthy U.D.	New Ross U.D.
3	.	4	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
19	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	1	13	3	.	1	.	1	1	1	.	1	.	.	.	.	2	.
4	.	26	2	.	1	1	2	2	2	.	.	.	1	.	.	3	1
2	1	17	2	.	1	1	1	1	2	1	3	.	1	.	.	1	.
2	.	7	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
5	.	6	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
35	.	40	6	2	.	.	.	1	3	.	.	.	2	.	.	1	1
24	1	45	7	.	1	.	.	2	1	.	.	.	1	1	2	.	.
22	1	16	.	.	.	.	.	2	.	.	.	.	2	.	.	.	.
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
6	.	11	.	.	.	.	1	.	2	.	.	.	.	1	.	.	.
8	.	41	3	.	.	3	1	1	1	.	.	.	.	.	1	.	1
9	1	39	.	.	.	1	2	1	1	.	.	.	1	.	.	1	.
16	1	53	4	.	.	1	1	.	.	.	.	.	.	.	.	.	.
9	2	49	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.
3	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
4	.	19	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	.	7	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
39	1	90	7	.	2	4	1	2	5	.	.	.	.	2	.	1	4
44	1	75	2	2	1	2	.	2	9	.	2	.	.	1	2	.	.
286	.	30	3	3	.	5	2	14	8	.	.	.	6	4	2	2	2
283	3	83	10	3	.	7	3	17	10	2	.	1	4	6	4	4	4
79	2	81	4	2	1	3	1	1	6	.	3	.	.	.	2	3	.
53	3	51	2	.	.	.	.	2	.	.	.	.	1	.	2	.	.
96	2	147	6	.	2	7	2	.	14	.	1	.	1	1	3	1	3
107	5	136	16	3	2	6	.	3	7	1	1	1	.	1	3	4	1



TABLE 21 (contd.)—DEATHS IN 1950 CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS, AND

Abbreviated List Number	CAUSES OF DEATH.	Wexford U.D.	Arklow U.D.	Bray U.D.	Wicklow U.D.	Ennis U.D.	Kilrush U.D.	Clonakilty U.D.	Cobh U.D.	Cork C.B.
B.34	Appendicitis ... .. {M. F.	. .	. .	1 .	1 .	. .	. .	. .	. .	1 1
B.35	Intestinal Obstruction and Hernia ... {M. F.	. .	. .	2 .	. .	2 .	. .	. .	. .	1 4
B.36b	Enteritis and Colitis except Diarrhoea {M. of Newborn F.	1 1	. .	. .	. .	1 .	. .	. .	. .	11 9
B.37	Cirrhosis of Liver ... .. {M. F.	. .	. .	. .	. .	1 .	1 .	. .	. .	1 1
B.38	Nephritis and Nephrosis ... .. {M. F.	. 2	1 1	. 2	. 2	1 .	1 .	. 1	. 1	5 6
B.39	Hyperplasia of Prostate ... .. M.	1	1	. .	. .	. .	. .	. .	. .	13
B.40b	Puerperal Sepsis ... .. F.	. .	. .	. .	. .	. .	. .	. .	. .	.
B.40c	Other Complications of the Puerperium F.	. .	. .	. .	. .	. .	. .	. .	. .	1
B.40a	Complications of Pregnancy and F. Childbirth	1	. .	. .	. .	. .	. .	. .	. .	1
B.41	Congenital Malformations {M. F.	4 .	. .	2 2	. 1	1 1	. .	. .	. .	5 4
B.42	Birth Injuries, Postnatal Asphyxia and {M. Atelectasis F.	. .	. .	1 1	. .	. .	. .	. .	. .	2 2
B.43a	Diarrhoea of the Newborn ... {M. F.	. .	. .	. .	. .	. .	. .	. .	. .	1
B.43b	Other Infections of the Newborn ... {M. F.	. 1	. .	. .	1 .	. .	. 1	. .	. .	2 2
B.44	Other Diseases Peculiar to Early {M. Infancy and Immaturity Unqualified F.	2 5	1 .	3 2	1 .	1 .	3 .	. .	1 .	21 8
B.45a	Senility without mention of Psychosis {M. F.	12 10	2 4	2 2	. .	5 4	3 .	1 3	. .	6 25
B.45b	Ill-defined and Unknown Causes ... {M. F.	. 3	5 1	4 2	1 1	2 .	1 .	. .	. 1	11 10
B.46d	All Other Diseases ... .. {M. F.	3 5	1 .	3 1	1 1	1 3	. 1	2 .	4 .	20 27

SEX, FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND YEARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

	Kinsale U.D.	Macroom U.D.	Mallow U.D.	Middleton U.D.	Skibbereen U.D.	Youghal U.D.	Killarney U.D.	Listowel U.D.	Tralee U.D.	Limerick C.B.	Nenagh U.D.	Templemore U.D.
									1 1			
			2	1	1					2		
12			1			2			2 1	6 5		
12					1 1	1			3	6 2	3	
		1			1	1				2		
										1		
										3		
							1	1		4 2		
						1	1	1 1		1		
										1 1		
			1							1		
1		1	1			1		2	5 5	7 3		
6 9	12 12	1	2 4	2 3	1 3	1 12	2 1	1	1 6	6 16	2	
1 1			2 2	3 1		1	1		3 1	9 7	3	
2 1	1	1 3	1 3	1		1	1 4	1 1	2 3	11 19	1 2	



TABLE 21 (contd.)—DEATHS IN 1950 CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS, AND 65 YEARS AND OVER

Abbreviated List Number	CAUSES OF DEATH.	Thurles U.D.	Carrick-on-Suir U.D.	Cashel U.D.	Clonmel U.D.	Tipperary U.D.	Dungarvan U.D.	Waterford C.B.	Ballinasloe U.D.
B.34	Appendicitis ... {M. F.	.	.	.	.	.	.	1 2	.
B.35	Intestinal Obstruction and Hernia {M. F.	1	.	.	1	.	.	1	.
B.36b	Enteritis and Colitis except Diarrhoea of the Newborn {M. F.	1	.	.	.	1 1	1 2	3 3	.
B.37	Cirrhosis of Liver ... {M. F.	1	.	.	.	.	.	1	.
B.38	Nephritis and Nephrosis ... {M. F.	1 1	1	2	.	2	4	2 4	.
B.39	Hyperplasia of Prostate ... M.	.	.	.	.	.	.	2	.
B.40b	Puerperal Sepsis ... F.	.	.	.	.	.	.	1	.
B.40c	Other Complications of the Puerperium F.	.	.	.	.	.	.	.	.
B.40a	Complications of Pregnancy and Childbirth F.	.	.	.	.	.	.	1	.
B.41	Congenital Malformations ... {M. F.	.	1	2	.	.	1	1	.
B.42	Birth Injuries, Postnatal Asphyxia and Atelectasis {M. F.	.	1	.	.	.	.	1	.
B.43a	Diarrhoea of the Newborn ... {M. F.	.	.	.	.	.	.	1	.
B.43b	Other Infections of the Newborn {M. F.	.	.	.	.	.	.	1	.
B.44	Other Diseases Peculiar to Early Infancy and Immaturity Un-qualified {M. F.	2 4	1	1	6 3	2 2	2	8 4	.
B.45a	Senility without mention of Psychosis {M. F.	1 4	4	3	4 8	1	7 5	9 16	.
B.45b	Ill-defined and Unknown Causes {M. F.	1	1	.	2	2	2 1	1	.
B.46d	All Other Diseases ... {M. F.	1	5 1	4 1	2 1	2 1	1	7 14	.

BY SEX, FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND  
5 YEARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

Galway U.D.	Ballina U.D.	Castlebar U.D.	Westport U.D.	Sligo U.D.	Cavan U.D.	Bundoran U.D.	Buncrana U.D.	Letterkenny U.D.	Carriekmaecross U.D.	Castleblayney U.D.	Clones U.D.	Monaghan U.D.
1	.	.	.	.	.	.	.	.	.	.	.	.
.	.	.	.	12	.	.	1	.	1	.	.	.
2	.	.	.	.	.	.	1	.	1	.	.	.
.	.	.	.	.	.	.	.	.	.	1	.	.
1	1 3	1	.	2 12	.	1	.	.	.	.	1	.
2	.	.	.	.	.	.	.	1	2	.	.	.
.	.	.	.	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	.	.	.	.
2 1	.	1	.	2	.	.	1 1	.	1	1	1	1
1 1	1	1	.	.	.	2	.	.	.	.	.	.
1	.	.	.	1	.	.	.	.	.	.	.	.
2	1	.	.	.	.	.	.	.	.	.	.	.
4 3	2	2	.	2 4	1	1	2	.	.	.	1	2 1
6 6	3 3	2 1	3 4	2 6	1 5	.	2 1	3 6	1 2	1	2 2	1 2
1 2	5	1	.	1	.	.	1	.	.	1	1	1
7 5	4 3	1 2	1	1 2	3	1	1	1	3 2	1	.	1



TABLE 21 (contd.)—DEATHS IN 1950 CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND  
SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS, AND

Abbreviated List Number	CAUSES OF DEATH.				Total Aggregate U.D's.	Total Aggregate R.D's.	Aggregate U.D's, Leinster.	Aggregate R.D's, Leinster.	Aggregate U.D's, Munster.	Aggregate R.D's, Munster.
EXTERNAL CAUSES										
BE.47	Motor Vehicle Accidents ...	{ M. F.	49 15	73 13	41 12	32 9	7 2	22 3		
BE.48	All Other Accidents ...	{ M. F.	112 82	267 202	74 55	72 60	28 22	92 63		
BE.49	Suicide and Self-inflicted Injuries ...	{ M. F.	14 4	49 9	9 4	10 3	4 .	19 2		
BE.50	Homicide and Operations of War ...	{ M. F.	5 2	7 2	3 1	3 1	2 1	3 .		
AGES										
	Under 1 year ...	{ M. F.	617 497	1,059 749	422 350	375 267	150 117	369 253		
	1 and under 65 years ...	{ M. F.	2,543 2,175	3,739 3,157	1,702 1,481	1,226 1,053	673 570	1,399 1,096		
	65 years and over ...	{ M. F.	2,869 3,493	9,199 7,644	1,864 2,305	2,640 2,151	795 983	3,138 2,591		
	TOTAL ...	{ M. F.	6,029 6,165	13,997 11,550	3,988 4,136	4,241 3,471	1,618 1,670	4,906 3,940		
	BIRTHS ...	{ M. F.	11,652 10,971	21,215 19,727	8,059 7,532	7,369 6,787	2,872 2,738	6,861 6,477		
	Population according to the Census of Population, 1946	{ M. F.	461,899 542,654	1,032,978 917,576	312,234 369,479	318,748 280,656	114,630 133,731	353,068 315,877		

EX, FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND YEARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

	Aggregate R.D's, Connacht.	Aggregate U.D's, Ulster (pt. of).	Aggregate R.D's, Ulster (pt. of).	Carlow U.D.	Dublin C.B.	Dún Laoghaire Borough	Athy U.D.	Naas U.D.	Kilkenny U.D.
.	12	1	7	.	35	3	.	.	.
.	1	1	.	.	10	1	.	.	.
8	65	2	38	1	56	4	1	1	.
2	52	3	27	.	36	6	.	.	1
1	16	.	4	.	7	.	.	.	1
.	3	.	1	.	3	.	.	.	.
.	.	.	1	.	3	.	.	.	.
.	1	.	.	.	.	.	.	.	.
33	197	12	118	2	321	20	1	4	8
20	134	10	95	5	271	10	2	2	6
118	703	50	411	14	1,273	78	16	13	29
81	625	43	383	18	1,036	86	9	8	17
130	2,191	80	1,230	12	1,293	134	14	4	35
148	1,904	57	998	26	1,651	209	10	6	36
281	3,091	142	1,759	28	2,887	232	31	21	72
249	2,663	110	1,476	49	2,958	305	21	16	59
523	4,504	198	2,481	77	6,115	464	43	24	135
519	4,162	182	2,301	57	5,639	448	42	33	128
,144	232,650	9,891	128,512	3,554	230,923	18,872	1,781	1,942	4,976
,803	207,200	11,641	113,843	3,912	275,128	25,802	1,858	1,832	5,315



TABLE 21 (contd.)—DEATHS IN 1950 CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) A  
SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS, A

Abbreviated List Number	CAUSES OF DEATH	Longford U.D.	Drogheda U.D.	Dundalk U.D.	Kells U.D.	An Uaimh U.D.	Trim U.D.
	EXTERNAL CAUSES						
BE.47	Motor Vehicle Accidents ... { M. F.	.	.	.	.	1	
BE.48	All Other Accidents ... { M. F.	.	1 2	2 1	.	.	
BE.49	Suicide and Self-inflicted Injuries ... { M. F.	.	.	.	.	.	
BE.50	Homicide and Operations of War ... { M. F.	.	.	.	.	.	
	AGES						
	Under 1 year ... { M. F.	6 4	7 10	10 12	.	1 4	
	1 and under 65 years ... { M. F.	13 11	30 39	59 58	8 5	9 11	
	65 years and over ... { M. F.	10 7	54 53	61 53	8 10	18 17	
	TOTAL ... { M. F.	29 22	91 102	130 123	16 15	28 32	
	BIRTHS ... { M. F.	40 44	175 175	219 190	17 31	34 36	
	Population according to the Census of Population, 1946 { M. F.	2,019 2,001	7,588 8,127	9,209 9,353	996 1,147	1,863 2,239	6 7

EX, FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND  
EARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

	Tullamore U.D.	Athlone U.D.	Enniscorthy U.D.	New Ross U.D.	Wexford U.D.	Arklow U.D.	Bray U.D.	Wicklow U.D.	Ennis U.D.	Kilrush U.D.	Clonakilty U.D.	Cobh U.D.
1	1	.	.	.	.	.	.	.	.	.	.	.
1	2	1	1	1	1	.	2	.	1	.	.	2
	.	.	1	.	1	.	6	.	.	.	.	.
	1	.	.	.	.	.	1	.	.	.	.	.
	.	.	.	1	.	.	.	.	.	.	.	.
2	3	3	4	8	7	4	9	2	3	3	1	2
2	1	3	4	1	7	.	4	2	.	1	.	.
11	11	18	16	11	37	16	31	6	17	9	3	14
11	15	25	21	12	36	12	38	11	17	4	1	9
24	10	26	33	22	40	19	30	13	10	7	10	19
13	23	33	16	16	45	22	35	19	18	10	13	30
37	24	47	53	41	84	39	70	21	39	19	14	35
26	39	61	41	29	88	34	77	32	35	15	14	30
27	53	118	75	54	133	61	140	38	85	41	15	65
31	75	117	76	52	129	65	114	30	69	32	14	74
504	2,814	4,213	2,863	2,172	5,825	2,191	4,886	1,392	2,656	1,594	1,247	2,457
20	3,083	4,166	3,157	2,722	6,471	2,724	6,199	1,791	3,215	1,757	1,578	3,162



TABLE 21 (contd.)—DEATHS IN 1950 CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) A  
SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS, A

Abbreviated List Number	CAUSES OF DEATH	Cork C.B.	Fermoy U.D.	Kinsale U.D.	Maerroom U.D.	Mallow U.D.
EXTERNAL CAUSES						
BE.47	Motor Vehicle Accidents ... { M. F.	3 .	. 1	. .	. .	.
BE.48	All Other Accidents ... { M. F.	10 10	. .	. .	1 .	.
BE.49	Suicide and Self-inflicted Injuries ... { M. F.	3 .	. .	. .	. .	.
BE.50	Homicide and Operations of War ... { M. F.	2 1	. .	. .	. .	.
AGES						
	Under 1 year ... { M. F.	53 40	. 5	. .	1 .	.
	1 and under 65 years ... { M. F.	210 173	12 16	13 5	4 4	.
	65 years and over ... { M. F.	240 324	18 17	2 15	7 14	.
	TOTAL ... { M. F.	503 537	30 38	15 20	12 18	.
	BIRTHS ... { M. F.	837 806	40 61	8 17	25 21	.
	Population according to the Census of Population, 1946 { M. F.	34,535 41,060	2,011 2,202	899 1,188	1,018 1,212	2,4 2,7

Y SEX, FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND  
5 YEARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

Midleton U.D.	Skibbereen U.D.	Youghal U.D.	Killarney U.D.	Listowel U.D.	Tralee U.D.	Limerick C.B.	Nenagh U.D.	Templemore U.D.	Thurles U.D.	Carrick-on-Suir U.D.
.	.	.	.	.	.	2	1	.	.	.
.	.	.	.	.	.	1	.	.	.	.
.	.	1	3	.	.	5	.	.	.	1
.	.	.	.	1	.	3	1	.	1	3
.	.	.	.	.	.	1	.	.	.	.
.	.	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	.	.
1	.	3	.	4	10	27	1	.	3	1
.	.	4	3	2	7	21	.	1	5	3
6	5	12	22	10	33	96	19	1	15	13
7	6	4	10	11	22	124	9	7	9	13
7	9	16	21	9	32	127	10	8	10	17
13	13	30	28	13	35	131	15	7	15	26
14	14	31	43	23	75	250	30	9	28	31
20	19	38	41	26	64	276	24	15	29	42
25	21	41	41	30	114	622	48	19	76	59
28	14	47	32	29	97	547	44	20	65	70
1,345	1,052	2,197	2,859	1,539	4,602	19,845	2,130	986	2,807	2,244
1,447	1,311	2,612	3,088	1,772	5,388	23,125	2,386	1,069	3,204	2,615



TABLE 21 (contd.) DEATHS IN 1950 CLASSIFIED BY CAUSE (INTERNATIONAL ABBREVIATED LIST) AND  
SHOWING THE NUMBERS OF DEATHS AT AGES UNDER 1, 1 TO 64 YEARS, AND

Abbreviated List Number	CAUSES OF DEATH		Cashel U.D.	Clonmel U.D.	Tipperary U.D.	Dungarvan U.D.	Waterford C.B.	Ballinasloe U.D.
	EXTERNAL CAUSES							
BE.47	Motor Vehicle Accidents	... { M. F.	.	.	.	.	1	.
BE.48	All other Accidents	... { M. F.	.	1	1	.	3 2	1
BE.49	Suicide and Self-inflicted Injuries	{ M. F.	.	.	.	.	.	.
BE.50	Homicide and Operations of War	{ M. F.	.	.	.	.	.	.
	AGES							
	Under 1 year	... { M. F.	2	10 3	3 4	3 2	18 12	4 4
	1 and under 65 years	... { M. F.	6 6	27 14	20 11	8 13	80 67	10 11
	65 years and over	... { M. F.	17 10	29 31	20 25	20 19	110 112	13 12
	TOTAL	... { M. F.	23 18	66 48	43 40	31 34	214 191	27 27
	BIRTHS	... { M. F.	26 20	140 125	45 59	57 58	337 326	28 31
	Population according to the Census of Population, 1946	{ M. F.	1,389 1,674	4,738 5,119	2,520 2,747	2,551 2,725	12,954 15,315	2,841 2,580

SEX, FOR EACH URBAN DISTRICT AND FOR THE AGGREGATE RURAL DISTRICTS IN EACH PROVINCE, AND YEARS AND OVER, AND THE NUMBER OF BIRTHS AND THE POPULATION.

Galway U.D.	Ballina U.D.	Castlebar U.D.	Westport U.D.	Sligo U.D.	Cavan U.D.	Bundoran U.D.	Buncrana U.D.	Letterkenny U.D.	Carriackmacross U.D.	Castleblayney U.D.	Clones U.D.	Monaghan U.D.
.	.	.	.	.	.	.	.	.	.	.	1	.
.	.	.	.	.	.	.	.	1	.	.	.	.
4	.	.	1	2	.	.	1	.	.	.	1	.
.	1	.	.	1	1	1	.	.	.	1	.	.
.	.	.	.	1	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	.	.	.	.
14	3	5	.	7	1	1	6	.	1	.	.	3
8	4	.	.	4	1	2	2	.	.	1	2	2
44	18	5	4	37	5	3	3	5	10	5	11	8
32	6	3	5	24	8	3	5	7	5	4	4	7
50	22	9	11	25	14	12	7	9	9	8	6	15
53	16	9	16	42	11	5	4	10	7	10	4	6
108	43	19	15	69	20	16	16	14	20	13	17	26
93	26	12	21	70	20	10	11	17	12	15	10	15
221	70	46	27	131	36	17	36	29	22	16	15	27
210	66	38	24	150	37	22	30	22	13	18	15	25
5,647	2,917	2,288	1,458	5,993	1,660	822	1,272	1,378	882	833	1,055	1,989
723	3,128	2,663	1,782	6,927	1,817	1,003	1,457	1,470	1,234	936	1,037	2,687





1950, CLASSIFIED BY SEX, AGE AND CAUSE (DETAILED INTERNATIONAL LIST).

			Total under 4 weeks	MONTHS											Detailed Inter- national List No.
7-13	14-20	21-27		4 weeks and under 2	2 and under 3	3 and under 4	4 and under 5	5 and under 6	6 and under 7	7 and under 8	8 and under 9	9 and under 10	10 and under 11	11 and under 12	
102 86	95 61	82 48	845 623	206 117	151 92	157 95	69 85	49 61	47 41	40 41	35 24	27 28	30 23	20 16	
1	1	1 2	2 4	8 1	6 4	12 4	6 10	1 5	10 5	6 6	3 6	4 4	3 5	4 5	001- 138
.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	002
.	.	.	.	1	.	1	2 4	1	2 2	1 1	2 2	2 1	3 4	1	010
.	.	.	.	.	1	1	.	1	1	.	.	1	2	.	011
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	012
.	.	.	.	.	.	1	.	.	1	1	.	.	1	.	019
.	1	.	2	.	1	.	.	.	1 1	.	.	.	.	.	020
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	045
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	050
.	.	.	.	1 1	1	1	2	.	1	.	.	.	.	.	053
.	.	1 1	1 1	4	4 2	6 3	4 2	1	2 2	1 2	1 2	.	.	2 2	056
.	.	.	.	2	.	.	.	1 1	1	1	.	.	1	1	057
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	080
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	082
1	.	.	1	.	.	1	2	1	1	2 1	2	1 2	1	1 1	085
.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	092
.	.	.	.	.	.	1	1	2	.	.	.	.	.	.	140- 239
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	204
.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	228
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	239
1	1	.	3	.	2 1	2	1	1	.	1	1	.	.	1	240- 289
1	.	.	1	.	2 1	.	1	.	.	1	.	.	.	.	273
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	283
.	1	.	2	.	.	2	.	1	.	.	1	.	.	.	286
1	1	.	2	.	1 1	.	1	.	.	1	1	.	.	.	290- 299
.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	292
1	.	.	1	.	1 1	.	1	.	.	1	1	.	.	.	296











1950, CLASSIFIED BY SEX, AGE AND CAUSE (DETAILED INTERNATIONAL LIST).

			Total under 4 weeks	MONTHS											Detailed Inter- national List No.
				4 weeks and under 2	2 and under 3	3 and under 4	4 and under 5	5 and under 6	6 and under 7	7 and under 8	8 and under 9	9 and under 10	10 and under 11	11 and under 12	
-13	14-20	21-27													
		1	1												517
1			1			2			1	2					522
	1		1			1		1							527
	1	2	4	28	22	33	13	11	7	9	4	1	3	3	530-
1	2	1	5	17	17	19	12	16	6	3	4		4	3	587
	1		1												536
		1	1	1	3										543
	1		1		2		1						1		544
					1			1							544
													1		550
														1	551
			1												560
				1	1	1									561
						1									561
		1	1	1	1	2	1	1		1	1			1	570
				25	17	32	12	8	6	8	3	1	3	2	571
				15	14	15	11	14	6	3	4		2	2	571
						1		1							572
	1		2	1				1							576
1			1	1											578
									1						586
		1	1												587
				1	1	1	1	1	1					1	590-
						1								1	637
				1											590
															591
					1	1									593
							1	1	1						600
					1	1	1	1	1		1				690-
								1	1						716
							1								690
					1						1				692
								1							698
						1			1						701



TABLE 22 (contd.)—INFANT MORTALITY—TOTAL DEATHS UNDER 1 YEAR OF AGE

Detailed Inter- national List No.	CAUSES OF DEATH	Total under 1 year	under 30 mins.	30 mins. and under 1 day	Total under 1 day	DAYS						Total under 7 days
						1 and under 2	2 and under 3	3 and under 4	4 and under 5	5 and under 6	6 and under 7	
704	Pemphigus ... .. {M. F.	1	.	.	.	.	.	.	.	.	.	.
720- 749	XIII. Diseases of the Bones and Organs of Movement {M. F.	1	.	.	.	.	.	.	.	.	.	.
730	Osteomyelitis and Periostitis ... {M. F.	1	.	.	.	.	.	.	.	.	.	.
750- 759	XIV. Congenital Malformations ... {M. F.	170 146	2 9	16 15	18 24	7 11	9 3	7 5	6 2	2 6	3 2	52 53
750	Monstrosity ... .. {M. F.	7 8	.	4 4	4 6	2 1	.	.	.	.	.	6 8
751	Spina Bifida and Meningocele ... {M. F.	29 45	.	.	.	.	1 .	.	2 .	.	1 .	4 14
752	Congenital Hydrocephalus ... {M. F.	20 17	1 .	6 1	7 1	2 1	.	1 1	1 .	.	.	11 4
753	Other Congenital Malformations of Nervous System and Sense Organs {M. F.	1 2	.	.	.	.	1 .	.	.	.	.	1 1
754	Congenital Malformations of Circulatory System {M. F.	66 51	1 .	3 4	4 4	3 6	4 1	4 1	.	2 2	1 2	18 17
755	Cleft Palate and Harelip ... {M. F.	4 2	.	1 .	1 .	.	2 .	.	1 .	.	.	4 .
756	Congenital Malformations of Digestive System {M. F.	37 13	.	.	.	.	1 .	2 2	2 .	.	1 .	6 3
757	Congenital Malformations of Genito-urinary System {M. F.	3 1	.	2 1	2 1	.	.	.	.	.	.	2 1
758	Congenital Malformations of Bone and Joint {M. F.	1	.	.	.	.	.	.	.	.	.	.
759	Other and Unspecified Congenital Malformations, not Elsewhere Classified {M. F.	2 7	.	1 2	.	1 .	.	.	1 .	.	.	5 .
760- 776	XV. Certain Diseases of Early Infancy ... {M. F.	879 619	44 47	161 106	205 153	79 67	78 44	61 37	35 23	22 15	18 11	498 350
760·0	Intracranial and Spinal Injury at Birth, without Mention of Immaturity {M. F.	70 45	3 4	17 9	20 13	11 6	13 3	7 4	1 7	3 3	2 1	57 37
760·5	Intracranial and Spinal Injury at Birth, with Immaturity {M. F.	11 4	.	2 .	2 .	.	4 2	1 .	1 .	.	1 .	9 3
761·0	Other Birth Injury, without Mention of Immaturity {M. F.	11 15	7 3	1 7	8 10	1 .	1 2	.	.	.	1 1	11 14
761·5	Other Birth Injury, with Immaturity ... {M. F.	1 1	.	1 1	1 1	.	.	.	.	.	.	1 1
762·0	Postnatal Asphyxia and Atelectasis, without Mention of Immaturity {M. F.	61 57	3 7	19 16	22 23	9 8	7 4	6 8	6 3	1 1	1 1	52 48
762·5	Postnatal Asphyxia and Atelectasis, with Immaturity {M. F.	19 6	2 1	8 4	10 5	2 1	3 .	1 .	2 .	.	1 .	19 6
763·0	Pneumonia of Newborn, without Mention of Immaturity {M. F.	55 27	.	4 .	4 .	2 2	4 .	3 .	3 1	2 2	.	18 7
763·5	Pneumonia of Newborn, with Immaturity {M. F.	5 2	.	.	.	.	1 1	1 .	.	1 .	.	3 1
764·0	Diarrhoea of Newborn, without Mention of Immaturity {M. F.	27 15	.	1 .	1 .	.	2 .	1 .	.	.	.	2 2
764·5	Diarrhoea of Newborn, with Immaturity {M. F.	2	.	.	.	.	.	.	.	.	.	.
766·0	Pemphigus Neonatorum, without Mention of Immaturity {M. F.	1 1	.	.	.	.	.	.	.	.	.	.
767·0	Umbilical Sepsis, without Mention of Immaturity {M. F.	3	.	.	.	.	.	.	.	1	.	1
768·0	Other Sepsis of Newborn, without Mention of Immaturity {M. F.	6 5	.	.	.	1	.	.	.	.	.	1



1950, CLASSIFIED BY SEX, AGE AND CAUSE (DETAILED INTERNATIONAL LIST).

7-13	14-20	21-27	Total under 4 weeks	MONTHS											Detailed Inter- national List No.
				4 weeks and under 2	2 and under 3	3 and under 4	4 and under 5	5 and under 6	6 and under 7	7 and under 8	8 and under 9	9 and under 10	10 and under 11	11 and under 12	
						1									704
		1	1												720- 749
		1	1												730
11 14	15 9	13 5	91 81	25 22	16 4	14 7	2 11	6 4	4 4	1 6	2 2	4 2	3 3	2	750- 759
			6 8											1	750
2 4	3 5	4 4	13 27	5 8	4 1	4 2	4	1		1	1 1			2	751
1 2	1 1		13 7			2			1 1			2 1	1	1	752
			1 2												753
3 5	7 3	5 1	33 26	7 6	8 1	6 4	1 5	5 2	2 2			2 1	2		754
			4 1												755
5 1	4	3	18 4	12 4	4 1	2 1			1 1					1	756
		1	3 1												757
							1								758
			5	1			2				1				759
79 60	72 43	58 35	707 488	77 48	44 21	19 21	7 14	9 11	4 4	4 4	6 1	1 3	1 3	1	780- 776
9 4	2 2	2	68 45	1		1									760·0
1	1		11 3							1					760·5
1			11 15												761·0
			1 1												761·5
3 1	1	1	55 51	2	3			1 2		1					762·0
			19 6												762·5
9 8	11 5	17 7	55 27												763·0
1		1 1	5 2												763·5
6 1	12 8	7 4	27 15												764·0
1		1	2												764·5
		1	1 1												766·0
	1	1	3												767·0
1	1 1	1 1	3 3	3 1				1							768·0





1950, CLASSIFIED BY SEX, AGE AND CAUSE (DETAILED INTERNATIONAL LIST).

			Total under 4 weeks	MONTHS											Detailed Inter- national List No.
	14-20	21-27		4 weeks and under 2	2 and under 3	3 and under 4	4 and under 5	5 and under 6	6 and under 7	7 and under 8	8 and under 9	9 and under 10	10 and under 11	11 and under 12	
3						1									768.5
			2												769.0
		1	5												769.5
			1												769.9
			2												770.0
1	1		1				1								770.1
3	1	1	12					1							770.5
1			4												770.6
1			2	1											770.7
	1		1												771.0
		1	1												771.5
			1												772.0
			2	4	4		2	2			1	2			773.0
5	12	12	94	45	31	13	5	5	2	3	5		1		773.5
6	10	9	70	22	14	15	11	4	4	1	1		2	1	774
8	7	11	70	9	3	1	1								776
3	4	3	36	8	1			1				1			780-
4	2	2	19	7	1	2			1	1					785
2	1		9	2	1	2									788
6	19	4	220	10	2	1		1	1						795
9	7	4	170	9	4	2	1	1		1					E.800-
8	4	4	24	11	13	12	11	2	4	2		2	4	3	795
3	4	2	18	8	7	8	5	3	2		1		2	1	780
8	3	3	19	8	12	11	10	1	3	2		2	4	3	782
	4	2	12	6	7	8	5	2	1		1		2	1	785
			2				1								788
1			1					1	1						795
			3	2											E.800-
			1					1							E.900
1			1												E.825
1	1	1	2	1	1	1			1						E.910
1			1	2											E.917
3		1	8	2	2	3	4	3		1		1			E.921
			12	2	2	2	4			1					E.922
			1												
				1											
					1										
					1										
						1	1	2							
					1		1								





950, CLASSIFIED BY SEX, AGE AND CAUSE (DETAILED INTERNATIONAL LIST).

			Total under 4 weeks	MONTHS											Detailed Inter- national List No.
	14-20	21-27		4 weeks and under 2	2 and under 3	3 and under 4	4 and under 5	5 and under 6	6 and under 7	7 and under 8	8 and under 9	9 and under 10	10 and under 11	11 and under 12	
3	.	1	1	1	1	2	.	3	.	1	.	.	.	.	E.924
3	.	.	3	1	.	1	2	.	.	.	.	.	.	.	E.925
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	E.926
.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	E.929
.	.	.	6	.	.	.	.	.	.	.	.	.	.	.	E.931
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	E.936
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	E.955
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	E.982
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	E.983
.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	N.800- 999
3	.	1	8	2	2	3	4	3	.	1	.	.	.	.	N.800
.	.	.	12	2	2	2	4	.	.	1	.	1	.	.	N.805
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	N.856
.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	N.874
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	N.933
.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	N.934
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	N.949
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	N.981
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	N.990
.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	N.991
2	.	1	3	1	1	2	1	3	.	1	.	.	.	.	N.994
.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	N.995
.	.	.	7	.	.	.	.	.	.	1	.	.	.	.	N.999
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	



TABLE 23—INFANT MORTALITY—DEATHS OF ILLEGITIMATE CHILDREN UNDER 1 YEAR OF AGE, CLASSIFIED BY SEX, AGE AND CAUSE.

Inter- national List No.	CAUSES OF DEATH	Total under 1 year	Total under 1 day	DAYS			Total under 4 weeks	MONTHS		
				1 and under 7	Total under 7 days	7 and under 28		4 wks. and under 3 mths.	3 and under 6 mths.	6 and under 1 year
010	Tuberculosis of Meninges and Central Nervous System {M. F.	1 .	.	.	.	.	.	.	1	.
001-009, 011-019	Tuberculosis, Other Forms ... {M. F.	2 .	.	.	.	.	.	.	.	.
056	Whooping Cough ... {M. F.	1 1	.	.	.	.	.	.	1	.
030-055, 057-138	Other Infective and Parasitic Diseases {M. F.	1 1	.	.	.	.	.	.	1 1	.
340	Meningitis, except Meningococcal and Tuberculous {M. F.	1 1	.	.	.	.	.	.	1	.
480-483	Influenza ... {M. F.	2 5	.	.	.	.	.	1 3	.	2
490-493	Pneumonia ... {M. F.	3 2	.	.	.	.	.	.	3 2	.
500-502	Bronchitis ... {M. F.	1 .	.	.	.	.	.	.	1	.
470-475, 510-527	Other Diseases of the Respiratory System {M. F.	1 .	.	.	.	.	.	1	.	.
571-572	Enteritis and Colitis except Diarrhoea of the Newborn {M. F.	4 5	.	.	.	.	.	1 2	1 2	.
530-570, 573-587	Other Diseases of the Digestive System {M. F.	1 1	.	.	.	.	.	1	.	1
750-759	Congenital Malformations ... {M. F.	6 10	1 1	2 2	3 3	.	3 7	1 1	1	.
760-761	Injury at Birth ... {M. F.	1 .	.	1	1	.	1	.	.	.
762·0	Postnatal Asphyxia and Atelectasis without Mention of Immaturity {M. F.	2 .	1 .	.	1	1	2	.	.	.
764·0	Diarrhoea of Newborn without Mention of Immaturity {M. F.	1 1	.	1	1	1	1 1	.	.	.
763, 765-768	Other Infections of the Newborn ... {M. F.	2 .	.	1	1	1	2	.	.	.
	Other and Ill-defined Diseases of Early Infancy:—									
769·0-773·0	Without Mention of Immaturity ... {M. F.	16 13	2 .	1 4	3 4	2 2	5 6	7 2	3 4	.
769·5-773·5, 774	With Mention of Immaturity ... {M. F.	5 2	.	2 1	2 1	2	4 1	1 1	.	.
776	Immaturity Unqualified ... {M. F.	8 7	3 .	2 4	5 4	.	5 5	3 1	.	.
E.800-999	Accidental Deaths ... {M. F.	3 5	2 3	1 1	3 4	.	3 5	.	.	.
Residue	Other Causes ... {M. F.	7 4	.	.	1	1	1 1	4 1	2	.
	All Causes ... {M. F.	68 59	9 4	9 15	18 19	8 8	26 27	20 11	14 13	.





TABLE 24—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND COUNTY

Inter- national List No.	CAUSES OF DEATH	TOTAL		LEINSTER		MUNSTER		CONNACHT		ULSTER (part of)	
		under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year
010 ...	Tuberculosis of Meninges and Central Nervous System {M. F.	.	15 15	.	7 7	.	4 6	.	3 2	.	1
001-009, 011-019	Tuberculosis, Other Forms ... {M. F.	.	12 2	.	6	.	2 1	.	2 1	.	2
020-029 ...	Syphilis and its Sequelae ... {M. F.	.	1 2	.	1 2	.	.	.	.	.	.
056 ...	Whooping Cough ... {M. F.	1 1	24 16	1 1	11 12	.	4 2	.	6	.	3 2
030-055, 057-138	Other Infective and Parasitic Dis- eases {M. F.	1 1	16 20	1 1	10 17	.	4 2	.	1	.	1 1
340 ...	Meningitis, except Meningococcal and Tuberculous {M. F.	.	11 15	.	5 8	2	4 4	1	1 3	.	1
330-334, 341-398	Diseases of the Nervous System and Sense Organs {M. F.	.	10 5	.	4 3	.	3	.	2 1	.	1 1
480-483 ...	Influenza ... {M. F.	1 1	12 21	.	2 9	1	3 3	1	3 5	.	4 4
490-493 ...	Pneumonia ... {M. F.	.	204 131	.	100 70	.	52 37	.	30 15	.	22 9
500-502 ...	Bronchitis ... {M. F.	4 1	25 24	2	10 8	1 1	8 14	1	6 1	.	1 1
470-475, 510-527	Other Diseases of Respiratory System {M. F.	.	8 7	.	4 6	.	2 1	.	1	.	1
571-572 ...	Enteritis and Colitis, except Diarrhoea of the Newborn {M. F.	.	118 87	.	54 40	.	54 42	.	8 4	.	2 1
530-570, 573-587	Other Diseases of the Digestive System {M. F.	4 5	16 14	.	9 6	2 2	3 5	1	2 1	1 1	2 2
750-759 ...	Congenital Malformations ... {M. F.	91 81	79 65	44 42	44 36	23 21	21 20	17 12	11 6	7 6	3 3
760-761 ...	Injury at Birth ... {M. F.	91 64	2 1	53 46	.	20 9	2	8 3	.	10 6	.
762 ...	Postnatal Asphyxia and Atelectasis {M. F.	74 57	6 6	38 35	5 4	17 11	1 1	13 6	.	6 5	.
764 ...	Diarrhoea of the Newborn ... {M. F.	29 15	.	6 5	.	19 5	.	1 2	.	3 3	.
763, 765-768	Other Infections of the Newborn {M. F.	67 33	4 2	34 13	4 2	19 12	.	10 6	.	4 2	.
769.0-773.0	Other and Ill-defined Diseases of Early Infancy :— Without Mention of Immaturity ... {M. F.	129 101	119 88	60 44	56 35	46 35	28 23	16 12	26 21	7 10	9 9
769.5-773.5, 774	With Mention of Immaturity ... {M. F.	97 48	26 16	47 20	10 10	33 14	12 4	13 9	2 2	4 5	2
776 ...	Immaturity Unqualified ... {M. F.	220 170	15 18	97 79	10 10	76 50	4 3	25 20	1 3	22 21	.
800-999 ...	Accidental Deaths ... {M. F.	8 12	15 12	4 7	6 5	4 4	4 5	.	1 1	.	4 1
Residue ...	Other Causes ... {M. F.	23 23	93 56	11 10	41 14	8 5	35 26	6 5	13 9	3 3	4 7
	All Causes ... {M. F.	845 623	831 623	398 312	399 305	269 171	250 199	111 78	119 76	67 62	63 43

D UNDER 1 YEAR IN 1950, CLASSIFIED BY SEX AND CAUSE, FOR EACH COUNTY  
ROUGH.

CARLOW COUNTY		DUBLIN COUNTY BOROUGH		DÚN LAOGHAIRE BOROUGH		DUBLIN COUNTY		KILDARE COUNTY		KILKENNY COUNTY		LAOIGHIS COUNTY		Inter-national List No.
4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year		
.	.	4	.	.	.	.	.	1	.	.	.	.	.	010
.	.	5	.	.	.	.	1	.	1	.	.	.	.	001-009, 011-019
.	.	12	.	.	.	.	.	.	.	1	.	.	.	020-029
1	1	2	.	.	.	.	.	2	.	1	.	.	.	056
.	.	9	.	.	.	.	.	.	.	2	.	.	.	030-055, 057-138
.	.	10	.	.	.	.	1	.	.	.	1	.	.	340
1	1	4	.	.	1	.	1	.	.	.	1	.	.	330-334, 341-398
.	.	12	.	.	.	.	2	.	.	.	.	.	.	480-483
.	.	12	.	.	.	.	1	.	.	.	1	.	1	490-493
3	.	19	.	2	.	6	6	.	6	.	6	.	2	500-502
2	.	35	.	3	.	3	3	.	4	.	2	.	3	470-475, 510-527
1	.	12	.	.	.	.	1	.	1	.	.	.	1	571-572
.	2	1	.	1	.	1	.	.	.	.	.	.	.	530-570, 573-587
2	.	18	.	1	.	5	.	4	.	6	.	2	.	550-570, 573-587
2	.	12	.	.	.	1	.	6	.	3	.	.	.	750-759
.	2	3	.	.	.	.	1	.	1	.	1	.	1	760-761
.	.	18	2	1	4	1	5	3	6	.	4	2	.	762
1	1	20	13	.	5	5	.	1	1	1	1	2	4	764
2	.	27	.	3	.	7	.	2	.	3	.	.	.	763, 765-768
2	.	24	1	2	.	7	.	.	.	.	.	1	.	769-0-773-0
1	1	24	1	1	.	2	1	1	.	.	.	1	.	769-5-773-5, 774
.	.	22	.	.	.	2	.	.	.	.	1	.	.	776
.	4	.	.	.	.	.	.	1	.	1	.	.	.	800-999
.	2	.	.	.	.	.	.	.	.	.	.	.	.	Residue
.	16	3	1	1	4	1	2	.	2	.	2	.	.	
.	6	1	.	.	1	1	.	.	1	.	.	.	.	
1	18	10	.	.	5	3	6	5	4	9	4	4	3	
3	11	10	.	.	1	3	4	3	5	4	.	.	.	
1	18	2	1	1	7	1	.	1	4	.	3	.	1	
.	8	3	.	.	2	.	1	.	.	.	3	3	.	
1	38	4	5	.	8	1	4	.	3	.	3	2	.	
.	38	5	2	.	8	.	2	1	3	.	1	3	.	
.	12	22	.	.	1	2	.	.	.	.	.	.	.	
.	1	22	1	.	1	1	.	.	1	.	.	.	.	
2	3	15	.	1	1	4	1	6	.	3	.	2	2	
1	12	5	.	.	.	.	.	1	1	1	2	1	1	
12	168	153	13	7	38	29	17	33	17	32	15	14		
11	139	132	5	5	27	21	10	17	13	19	10	13		



TABLE 24 (contd.)—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND OVER

Inter- national List No.	CAUSES OF DEATH	LONGFORD COUNTY		LOUTH COUNTY		MEATH COUNTY		OFFALY COUNTY		WESTMEATH COUNTY	
		under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year
010 ...	Tuberculosis of Meninges and Central Nervous System ... {M. F.	.	.	.	2 1	.	.	.	.	.	.
001-009, ...	Tuberculosis, Other Forms ... {M.	.	.	.	.	.	.	.	1	.	.
011-019 ...	... {F.	.	.	.	.	.	.	.	.	.	.
020-029 ...	Syphilis and its Sequelae ... {M. F.	.	.	.	.	.	.	1	.	.	.
056 ...	Whooping Cough ... {M. F.	.	.	.	1	.	2	1	.	.	.
030-055, 057-138	Other Infective and Parasitic Diseases {M. F.	.	.	.	.	1	.	.	.	.	1
340 ...	Meningitis, except Meningococcal and Tuberculous {M. F.	.	.	.	1 2	.	.	.	.	.	.
330-334, 341-398	Diseases of the Nervous System and Sense Organs {M. F.	.	.	.	.	.	.	.	.	.	.
480-483 ...	Influenza ... {M. F.	.	1	.	1	.	.	.	1	.	1
490-493 ...	Pneumonia ... {M. F.	.	1 1	.	3 2	.	1 2	.	3 1	.	5 1
500-502 ...	Bronchitis ... {M. F.	.	.	.	2 2	1	1 1	.	1	.	1
470-475, 510-527	Other Diseases of Respiratory System {M. F.	.	.	.	1	.	.	1	.	1	.
571-572 ...	Enteritis and Colitis, except Diarrhoea of the Newborn {M. F.	.	2	.	2 4	.	2 5	.	2 2	.	1
530-570, 573-587	Other Diseases of the Digestive System {M. F.	.	2	.	.	.	.	.	1	.	1
750-759 ...	Congenital Malformations ... {M. F.	1 3	1	3 2	2 1	1	2 6	1 2	2 2	1 1	3
760-761 ...	Injury at Birth ... {M. F.	.	.	1 1	.	1 1	.	2 2	.	2 1	.
762 ...	Postnatal Asphyxia and Atelectasis {M. F.	1	.	1 3	1	1 1	.	2 2	1	3	.
764 ...	Diarrhoea of the Newborn ... {M. F.	.	.	.	.	.	.	.	.	.	.
763, 765-768	Other Infections of the Newborn {M. F.	2	.	1	.	.	.	.	.	3 3	.
769·0-773·0	Other and Ill-defined Diseases of Early Infancy :— Without Mention of Immaturity ... {M. F.	1 2	3 1	3 5	1 1	1 1	4 4	3 2	1 1	3	.
769·5-773·5, 774	With Mention of Immaturity ... {M. F.	.	.	1	1	4 2	.	3 1	.	3 1	.
776 ...	Immaturity Unqualified ... {M. F.	5 1	.	4 8	1	3 1	.	2 3	.	5 1	.
800-999 ...	Accidental Deaths ... {M. F.	1	.	.	1	.	1	.	.	1	.
Residue ...	Other Causes ... {M. F.	.	1	1	2	.	1 1	2	.	1	.
	All Causes ... {M. F.	11 8	8 5	12 22	18 17	13 6	13 21	15 15	13 7	16 14	1

UNDER 1 YEAR IN 1950, CLASSIFIED BY SEX AND CAUSE, FOR EACH COUNTY AND COUNTY BOROUGH.

WEXFORD COUNTY		WICKLOW COUNTY		CLARE COUNTY		CORK COUNTY		CORK COUNTY BOROUGH		KERRY COUNTY		LIMERICK COUNTY BOROUGH		Inter-national List No.
under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	
.	1	.	.	.	1	.	.	.	1	.	.	.	.	010
.	1	.	.	.	.	.	2	.	.	.	4	.	.	001-009, 011-019
1	.	.	.	.	.	.	.	.	.	.	.	.	.	020-029
.	.	.	2	.	.	.	.	.	.	.	.	.	1	056
.	1	.	.	.	1	.	.	.	.	.	.	.	.	030-055, 057-138
.	.	1	.	.	.	.	2	.	1	.	.	.	.	340
.	.	.	1	.	.	1	2	.	1	1	.	.	.	330-334, 341-398
.	.	.	.	.	.	.	1	.	.	.	.	.	.	480-483
.	.	.	.	.	1	.	3	1	.	.	.	.	.	490-493
.	6	.	7	.	6	.	10	.	5	.	9	.	2	500-502
.	6	.	2	.	3	.	10	.	7	.	2	.	2	470-475, 510-527
.	2	1	.	.	2	.	2	.	1	.	.	.	1	571-572
.	.	.	.	.	3	.	8	.	11	.	4	.	5	530-570, 573-587
.	.	.	1	.	1	.	1	.	9	.	4	.	8	750-759
.	7	.	1	.	3	.	8	.	11	.	4	.	5	760-761
.	4	.	.	.	1	.	8	.	9	.	4	.	8	762
.	1	.	.	.	.	.	1	1	.	.	1	.	.	764
6	2	5	2	1	2	8	2	1	3	3	1	2	1	763, 765-768
1	1	1	1	2	1	6	5	2	2	1	1	.	2	769-0-773-0
1	.	2	.	2	.	6	.	1	.	4	1	.	.	769-5-773-5, 774
.	.	3	.	1	.	7	.	1	.	2	.	.	.	776
.	.	2	.	1	.	8	.	1	.	1	.	1	.	800-999
.	.	.	.	.	.	.	.	.	.	.	.	.	.	Residue
1	1	1	4	.	4	3	6	.	3	3	4	1	4	
1	1	1	1	.	2	.	3	.	2	1	1	1	3	
26 17	35 19	26 15	18 9	17 16	24 16	78 43	49 37	27 14	26 26	28 22	25 21	12 4	15 17	



TABLE 24 (contd.)—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND

Inter- national List No.	CAUSES OF DEATH	LIMERICK COUNTY		TIPPERARY COUNTY, N.R.		TIPPERARY COUNTY, S.R.		WATERFORD COUNTY BOROUGH		WATERFORD COUNTY	
		under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year
010 ...	Tuberculosis of Meninges and Central Nervous System {M. F.	.	.	.	.	.	2	.	1	.	.
001-009, 011-019	Tuberculosis, Other Forms ... {M. F.	.	.	.	.	.	.	.	.	.	.
020-029 ...	Syphilis and its Sequelae ... {M. F.	.	.	.	.	.	.	.	.	.	.
056 ...	Whooping Cough ... {M. F.	.	2 1	.	1	.	.	.	.	.	.
030-055 ...	Other Infective and Parasitic Diseases {M. F.	.	1	.	.	.	1	.	.	.	.
340 ...	Meningitis, except Meningococcal and Tuberculous {M. F.	.	1 1	.	.	.	.	.	2	.	.
330-334, 341-398	Diseases of the Nervous System and Sense Organs {M. F.	.	2	.	.	.	.	.	.	.	.
480-483 ...	Influenza ... {M. F.	.	1	.	.	.	.	.	.	.	.
490-493 ...	Pneumonia ... {M. F.	.	7 9	.	3 1	.	8 2	.	1 1	.	1
500-502 ...	Bronchitis ... {M. F.	1	1	1	1 5	.	.	.	3	.	1
470-475, 510-527	Other Diseases of Respiratory System {M. F.	.	.	.	1	.	.	.	.	.	.
571-572 ...	Enteritis and Colitis, except Diarrhoea of the Newborn {M. F.	.	9 6	.	4	.	7 3	.	2 2	.	1 1
530-570, 573-587	Other Diseases of the Digestive System {M. F.	1	2	.	.	.	1	.	.	1	.
750-759 ...	Congenital Malformations ... {M. F.	3 3	4 1	1 2	1 3	4 1	4 4	1	.	3	3 1
760-761 ...	Injury at Birth ... {M. F.	1	.	1 1	.	4 1	.	.	.	1	1
762 ...	Postnatal Asphyxia and Atelectasis {M. F.	2 1	1	1	.	.	.	1	.	1	1
764 ...	Diarrhoea of the Newborn ... {M. F.	6	.	.	.	1 1	.	1	.	.	.
763, 765-768	Other Infections of the Newborn {M. F.	5 2	.	2	.	2	.	1	.	1	.
769-0-773-0	Other and Ill-defined Diseases of Early Infancy :— Without Mention of Immaturity ... {M. F.	11 7	2 7	3 2	1 1	3 6	5 3	.	1	2 3	3 3
769-5-773-5, 774	With Mention of Immaturity ... {M. F.	7 2	1 1	2 1	1	4 2	2	2	2	1	3
776 ...	Immaturity Unqualified ... {M. F.	7 3	.	6 6	.	10 7	1 1	3 4	.	5 1	.
800-999 ...	Accidental Deaths ... {M. F.	2 1	.	1 2	.	.	1	.	1	.	.
Residue ...	Other Causes ... {M. F.	.	6 8	.	3 1	1	3 4	.	1	.	1 2
	All Causes ... {M. F.	45 21	38 37	17 17	16 11	27 20	34 18	8 5	10 7	10 9	13 9



UNDER 1 YEAR IN 1950, CLASSIFIED BY SEX AND CAUSE, FOR EACH COUNTY AND COUNTY BOROUGH.

GALWAY COUNTY		LEITRIM COUNTY		MAYO COUNTY		ROSCOMMON COUNTY		SLIGO COUNTY		CAVAN COUNTY		DONEGAL COUNTY		MONAGHAN COUNTY		Inter-national List No.
under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	
.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	1	010
.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	001-009, 011-019
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	020-029
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	030-039
.	5	.	1	.	.	.	.	.	.	.	1	.	2	.	.	056
.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	060-069
.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	080-089
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	090-099
1	3	.	.	.	.	.	.	.	1	.	.	.	1	.	.	340
.	.	.	.	.	2	.	.	.	.	.	.	.	1	.	.	330-334, 341-398
.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	480-483
.	1	.	.	1	2	.	.	.	.	.	1	.	3	.	2	490-493
.	3	.	.	.	2	.	.	.	.	.	.	.	.	.	1	500-502
.	13	.	2	.	7	.	3	.	5	.	9	.	11	.	2	510-519
.	9	.	.	.	4	.	2	.	.	.	3	.	4	.	2	520-529
.	5	.	.	1	.	.	.	.	1	.	1	.	.	.	.	530-539
.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	540-549
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	550-559
.	5	.	.	.	2	.	1	.	.	.	.	.	1	.	1	560-569
.	3	.	.	.	1	.	.	.	.	.	1	.	.	.	.	570-579
1	1	.	1	.	.	.	.	.	.	.	1	1	.	.	1	580-589
.	.	.	.	.	1	.	.	.	.	.	1	.	1	1	.	590-599
7	2	3	.	4	3	1	2	2	4	3	.	3	1	1	2	750-759
6	4	.	.	3	1	1	.	2	1	2	.	3	3	1	.	760-761
3	.	1	.	2	.	.	.	2	.	3	.	6	.	1	.	762
1	.	.	.	1	.	.	.	1	.	2	.	4	.	.	.	763
3	.	1	.	9	.	.	.	.	.	.	.	3	.	1	.	764
2	.	.	.	3	1	1	.	.	.	2	.	3	.	.	.	765-768
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	769-774
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	775-779
2	.	.	.	.	.	.	.	1	.	2	.	1	.	1	.	780-789
8	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	790-799
.	.	.	.	2	.	.	.	2	.	.	.	.	.	2	.	800-809
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	810-819
5	11	1	1	4	6	3	3	3	5	2	5	3	3	2	1	820-829
2	10	.	2	2	3	6	3	2	3	2	6	7	1	1	2	830-839
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	840-849
6	.	1	.	3	.	2	1	1	1	3	1	1	1	.	.	850-859
6	1	.	.	1	.	1	1	1	.	4	.	1	.	.	.	860-869
15	1	.	.	7	.	1	.	2	.	6	.	11	.	5	.	870-879
7	.	.	1	6	2	3	.	4	.	8	1	8	1	5	.	880-889
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	890-899
.	1	.	.	.	.	1	.	.	1	.	3	.	.	.	1	900-909
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	910-919
2	6	.	1	4	4	.	1	.	1	.	.	3	3	.	1	Residue
2	5	.	.	2	1	1	1	.	2	.	2	2	3	1	2	
50	56	7	6	34	28	7	11	13	18	21	23	36	27	10	13	
31	40	.	4	21	18	14	7	12	7	21	14	29	21	12	8	

TABLE 25—INFANT MORTALITY—DEATHS AT AGES UNDER 4 WEEKS AND 4 WEEKS AND UNDER 1 YEAR IN 1950, CLASSIFIED BY SEX AND CAUSE, FOR THE PRINCIPAL TOWNS, OTHER URBAN DISTRICTS AND RURAL DISTRICTS.

Inter- national List No.	CAUSES OF DEATH	Total		Dublin County Borough and Dún Laoghaire		Other County Boroughs		Remaining Principal Towns*		Other Urban Districts		Rural Districts	
		under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year	under 4 weeks	4 wks. and under 1 year
010	Tuberculosis of Meninges {M. and Central Nervous {F.	.	15	.	4	.	1	.	1	.	1	.	8
	System	.	15	.	5	.	1	.	3	.	1	.	5
001-009, 011-019	Tuberculosis, Other Forms {M. F.	.	12	.	2	.	.	.	.	.	1	.	9
		.	2	.	.	.	.	.	.	.	.	.	2
020-029	Syphilis and its Sequelae {M. F.	.	1	.	.	.	.	.	.	.	.	.	1
		2	2	.	2	.	.	.	.	.	.	2	.
056	Whooping Cough ... {M. F.	1	24	1	2	.	1	.	1	.	1	.	19
		1	16	.	9	.	.	.	.	.	.	1	7
030-055, 057-138	Other Infective and Para- {M. sitic Diseases {F.	1	16	.	10	.	.	.	.	.	1	1	5
		1	20	.	14	.	1	.	.	.	.	1	5
340	Meningitis, except Menin- {M. gococcal and Tuberculous {F.	.	11	.	4	.	2	.	1	.	.	.	4
		4	15	1	2	.	1	.	.	.	2	3	10
330-334, 341-398	Diseases of the Nervous {M. System and Sense Organs {F.	.	10	.	2	.	.	.	.	.	2	.	6
		.	5	.	2	.	.	.	.	.	.	.	3
480-483	Influenza ... {M. F.	1	12	.	.	1	.	.	.	.	.	.	12
		1	21	.	2	.	.	.	1	.	1	1	17
490-493	Pneumonia ... {M. F.	.	204	.	51	.	8	.	9	.	14	.	122
		.	131	.	41	.	10	.	2	.	9	.	69
500-502	Bronchitis ... {M. F.	4	25	.	2	.	2	1	.	1	.	2	21
		1	24	.	2	.	3	.	1	.	3	1	15
470-475, 510-527	Other Diseases of the {M. Respiratory System {F.	.	8	.	2	.	.	.	.	.	.	.	6
		4	7	2	4	.	.	.	1	.	.	2	2
571-572	Enteritis and Colitis, except {M. Diarrhoea of the New- {F.	.	118	.	19	.	18	.	8	.	13	.	60
	born	.	87	.	12	.	19	.	4	.	10	.	42
530-570, 573-587	Other Diseases of the Diges- {M. tive System {F.	4	16	.	3	1	.	.	1	1	1	2	11
		5	14	2	.	.	1	.	.	.	1	3	12
750-759	Congenital Malformations {M. F.	91	79	19	19	3	4	5	8	5	3	59	45
		81	65	20	13	3	4	4	1	8	6	46	41
760-761	Injury at Birth ... {M. F.	91	2	30	.	1	.	2	.	4	.	54	2
		64	1	26	1	3	.	2	.	7	.	26	.
762	Postnatal Asphyxia and {M. Atelectasis {F.	74	6	25	2	2	.	1	.	1	.	45	4
		57	6	22	2	.	.	1	.	1	1	33	3
764	Diarrhoea of the Newborn {M. F.	29	.	4	.	3	.	1	.	.	.	21	.
		15	.	2	.	1	.	2	.	.	.	19	.
763, 765-768	Other infections of the {M. Newborn {F.	67	4	17	3	4	.	2	.	2	.	42	1
		33	2	6	1	2	.	2	.	2	.	21	1
	Other and Ill-defined Diseases of Early Infancy :—												
769·0- 773·0	Without Mention of Imma- {M. turity {F.	129	119	18	10	7	3	4	10	5	8	95	88
		101	88	11	10	4	3	8	4	4	6	74	65
769·5- 773·5, 774	With Mention of Imma- {M. turity {F.	97	26	19	3	12	2	2	3	5	1	59	17
		48	16	8	3	1	.	3	1	3	1	33	11
776	Immaturity Unqualified ... {M. F.	220	15	43	4	12	.	12	2	17	1	136	8
		170	18	40	5	7	.	19	.	9	1	95	12
800-999	Accidental Deaths ... {M. F.	8	15	2	2	.	2	.	.	.	1	6	10
		12	12	2	2	1	2	.	.	1	1	8	7
Residue	Other Causes ... {M. F.	28	93	3	16	1	8	2	6	1	6	21	57
		23	56	2	5	1	5	2	.	2	2	16	44
	All Causes ... {M. F.	845	831	181	160	47	51	32	50	42	54	543	516
		623	623	144	137	23	50	43	18	37	45	376	373

\* See footnote to Table 14





TABLE 26—DEATHS IN 1950, CLASSIFIED BY SEX, AND BY

Inter- national List No. 5th Revision 1938	MALES	FEMALES	Inter- national List No. 5th Revision 1938	MALES	FEMALES	Inter- national List No. 5th Revision 1938	MALES	FEMALES	Inter- national List No. 5th Revision 1938	MALES	FEMALES
001	5	3	034	.	.	067	1	.	100	18	19
002	1	1	035	18	17	068	.	.	101	1	3
003	.	.	036	14	17	069	.	.	102	194	219
004	.	.	037	4	4	070	5	6	103	.	4
005	.	.	038	.	1	071	4	.	104	4	2
006	12	6	039	.	.	072	11	17	105	7	5
007	.	.	040	.	.	073	115	153	106	511	415
008	3	5	041	.	.	074	45	32	107	352	303
009	35	30	042	3	1	075	5	6	108	95	80
010	2	3	043	4	2	076	6	7	109	257	167
011	2	.	044	23	17	077	2	1	110	27	14
012	12	3	045	197	48	078	.	.	111	117	103
013	1,035	841	046	1,211	1,033	079	.	.	112	159	77
014	116	143	047	241	76	080	16	7	113	17	4
015	22	30	048	.	153	081	45	45	114	32	37
016	25	24	049	.	85	082	43	46	115	11	7
017	16	7	050	5	312	083	1,391	1,738	116	1	6
018	3	4	051	179	.	084	37	36	117	175	53
019	1	4	052	64	38	085	63	52	118	53	47
020	12	16	053	61	34	086	90	60	119	206	142
021	3	1	054	23	10	087	111	95	120		
022	45	32	055	192	135	088	1	.	121	45	27
023	.	.	056	19	10	089	7	5	122	104	100
024	18	10	057	66	62	090	13	17	123	23	21
025	.	1	058	43	36	091	18	6	124	36	19
026	.	.	059	75	110	092	565	499	125	24	32
027	3	1	060	.	.	093	3,344	3,197	126	9	36
028	1	.	061	105	116	094	1,269	643	127	26	43
029	.	.	062	2	4	095	615	561	128	14	11
030	31	16	063	7	47	096	3	1	129	11	13
031	.	.	064	6	8	097	188	148	130	60	36
032	11	4	065	3	7	098	59	29	131	236	205
033	152	183	066	10	12	099	21	7	132	180	128

## CAUSE (5th REVISION, 1938, INTERNATIONAL DETAILED LIST).

Inter- national List No. 5th Revision, 1938	MALES	FEMALES	Inter- national List No. 5th Revision, 1938	MALES	FEMALES	Inter- national List No. 5th Revision, 1938	MALES	FEMALES
133	40	17	165	7	4	198	.	.
134	6	3	166			199	45	23
135	41	4	167			200	209	144
136	2	.	168			.	.	.
137	272	.	169	12	2	.	.	.
138	1	.	170	121	28	.	.	.
139	.	14	171	40	11	.	.	.
140	.	1	172	3	.	.	.	.
141	.	1	173	.	.	.	.	.
142	.	3	174	3	.	.	.	.
143	.	7	175	8	1	.	.	.
144	.	14	176	10	2	.	.	.
145	.	1	177	2	.	.	.	.
146	.	27	178	4	3	.	.	.
147	.	13	179	6	2	.	.	.
148	.	7	180	.	.	.	.	.
149	.	25	181	41	65	.	.	.
150	.	.	182	19	15	.	.	.
151	4	2	183	79	22	.	.	.
152	6	8	184	11	.	.	.	.
153	19	19	185	.	.	.	.	.
154	20	6	186	30	6	.	.	.
155	6	3	187	.	.	.	.	.
156	11	4	188	2	1	.	.	.
157	211	178	189	.	2	.	.	.
158	204	148	190	1	.	.	.	.
159	385	280	191	2	.	.	.	.
160	92	62	192	.	.	.	.	.
161	115	93	193	4	.	.	.	.
162	2,520	2,724	194	.	.	.	.	.
163	63	13	195	105	152	.	.	.
164			196	4	.	.	.	.
			197	1	.	.	.	.

TABLE 27—DEATHS IN 1950, CLASSIFIED BY SEX, AND BY CAUSE (6th REVISION, 1948, INTERNATIONAL DETAILED LIST) AND FURTHER CLASSIFIED BY CAUSE (5th REVISION, 1938, INTERNATIONAL DETAILED LIST).

Inter- national List No. (6th Revision, 1948)	Inter- national List No. (5th Revision, 1938)	Males	Females	Inter- national List No. (6th Revision, 1948)	Inter- national List No. (5th Revision, 1938)	Males	Females	Inter- national List No. (6th Revision, 1948)	Inter- national List No. (5th Revision, 1938)	Males	Females
002	013	1,024	836	080	036	14	16	173	048	.	2
003	013	7	2	081	036	.	1	174	048	.	118
007	013	2	1	082	037	2	3	175	049	.	74
008	013	2	2	083	037	2	1	176	049	.	11
010	014	116	143	085	035	18	17	177	051	165	.
011	015	22	30	089	044	.	2	178	051	6	.
012	{ 016 017	25	24	092	{ 125 127	7	8	179	051	8	.
		15	7			5	.	180	052	21	11
013	017	1	.	096	038	.	1	181	052	43	27
014	018	3	4	116	028	1	.	190	053	3	4
015	019	1	4	130	042	3	1		{ 055 045 053	10	.
016	020	12	16	131	043	1	1	191		4	4
017	021	1	.	132	043	1	1			44	30
018	021	2	1	138	044	.	1	192	055	8	4
019	022	45	32	140	045	34	7	193	054	23	10
020	030	3	4	141	045	55	13	194	055	3	11
021	030	1	.	142	055	7	3	195	055	3	1
022	030	15	5	143	045	12	.	196	{ 055 045	19	10
023	030	2	1	144	045	32	6			31	6
024	030	5	2	145	045	12	1	197	055	.	3
025	030	5	1	146	045	3	.	198	{ 055 047	13	7
026	030	.	1	147	047	.	2			3	.
029	030	.	2	148	{ 045 055	14	11	199	{ 055 053	82	78
034	025	.	1			39	9			14	.
040	001	5	3	150	046	73	70				
041	002	1	1	151	046	545	448	200	{ 047 055	12	2
042	177	2	.	152	046	8	13			.	4
045	027	1	1	153	046	258	217	201	044	23	14
046	027	1	.	154	046	149	102	203	055	1	1
048	027	1	.	155	046	14	33	204	074	45	32
050	008	3	5	156	046	94	88	205	043	2	.
051	115	1	1	157	046	63	54	211	056	.	1
052	011	2	.	158	046	7	8	212	056	3	.
053	024	18	10	160	055	7	4	214	056	.	2
055	010	2	3	161	047	48	17	216	056	.	3
056	009	35	30	162	047	30	8	218	056	1	.
057	006	12	6	163	047	140	46	219	056	6	1
061	012	12	3	164	047	8	1	223	056	4	2
070	032	1	1	170	050	5	312	224	056	2	1
072	032	10	2	171	048	.	26	225	056	1	.
074	032	.	1	172	048	.	7	227	056	1	.



TABLE 27 (contd.) DEATHS IN 1950, CLASSIFIED BY SEX, AND BY CAUSE (6th REVISION, 1948, INTERNATIONAL DETAILED LIST) AND FURTHER CLASSIFIED BY CAUSE (5th REVISION, 1938, INTERNATIONAL DETAILED LIST).

Inter- national List No. (6th Revision, 1948)	Inter- national List No. (5th Revision, 1938)	Males	Females	Inter- national List No. (6th Revision, 1948)	Inter- national List No. (5th Revision, 1938)	Males	Females	Inter- national List No. (6th Revision, 1948)	Inter- national List No. (5th Revision, 1938)	Males	Females
228	{ 056 157	1	.	300	084	.	1	393	089	1	1
		.	1	301	084	12	13	400	058	6	6
230	057	11	10	304	162	14	35	401	{ 058 090	31	28 2
231	057	11	5	309	084	7	2			.	.
232	057	.	1	311	084	.	1	410	092	8	4
233	057	.	1	316	084	.	1	411	092	3	2
234	057	.	6	318	084	4	7	412	092	1	.
236	057	5	1	322	077	2	1	413	058	1	.
237	057	34	27	325	084	14	11	414	{ 058 092	3	2 25
238	057	1	2	330	083	37	30			26	
239	057	4	9	331	083	657	793	415	093	14	7
241	112	159	77	332	083	332	434	416	{ 090 092	1	4 2
242	087	1	.	334	{ 083 102	162	196			1	.
250	063	1	9		{ 097	2	3		{ 093	1	.
251	063	.	1			6	9		{ 095	24	16
252	063	4	24	340	{ 081 033	45	45	420	{ 093 094	21	10 621
253	063	2	10			7	3			1,239	
254	063	.	3	341	083	1	1		{ 095	8	7
260	061	105	115	342	080	10	4	421	{ 093 094	.	7 17
270	061	.	1	343	{ 080 082	6	3		{ 092	21	
272	062	2	4			4	11			516	461
273	064	6	8	344	157	4	1		{ 095	8	.
274	065	3	7	345	087	45	28	422	{ 093 095	3,088	2,943
282	067	1	.	350	{ 087 097	46	51			.	18
283	070	5	6			1	.		{ 094	9	5
286	{ 066 071	7 4	10 .	351	{ 082 157	8 1	3 .	430	{ 091 092	18 9	6 5
	200	2	.	352	{ 083 087	187 5	265 5	431	093	23	32
287	066	2	.					432	090	3	2
289	{ 125 066	. 1	1 1	353	085	63	52	433	{ 095 093	245 6	268 9
	133	.	2	355	087	10	3			9	9
290	{ 073 082	75 7	95 5	356	082	21	21	434	{ 090 093	9 4	9 5
				357	082	3	6		{ 095	304	233
291	073	1	4	362	087	.	2		{ 111	4	2
292	073	17	17	364	087	2	3		{ 162	4	6
293	073	22	37	365	066	.	1		{ 200	64	49
294	076	3	2	366	087	1	3				
296	072	11	17	367	087	1	.	440	{ 093	3	6
297	076	2	3	379	088	1	.		{ 095	.	1
298	075	5	6	390	089	.	1		{ 102	.	2
299	076	1	2	391	089	5	3	441	{ 093 102	2	.
				392	089	1	.			.	4

TABLE 27 (contd.)—DEATHS IN 1950, CLASSIFIED BY SEX, AND BY CAUSE (6th REVISION, 1948, INTERNATIONAL DETAILED LIST) AND FURTHER CLASSIFIED BY CAUSE (5th REVISION, 1938, INTERNATIONAL DETAILED LIST).

Inter- national List No. (6th Revision, 1948)	Inter- national List No. (5th Revision, 1938)	Males	Females	Inter- national List No. (6th Revision, 1948)	Inter- national List No. (5th Revision, 1938)	Males	Females	Inter- national List No. (6th Revision, 1948)	Inter- national List No. (5th Revision, 1938)	Males	Females
442	{ 093	1	2	468	101	1	3	541	117	61	16
	{ 131	4	10	470	115	2	.	542	117	3	.
443	{ 093	114	126	473	115	1	.	543	118	24	24
	{ 095	18	12	474	105	2	3	544	118	2	2
	{ 102	24	23	475	104	3	2	545	118	10	6
444	{ 132	.	10	480	033	28	24	550	121	32	23
	{ 083	8	10	481	033	110	149	551	121	7	1
	{ 093	8	6	482	033	5	6	552	121	1	.
	{ 097	1	.	483	033	2	1	553	121	5	3
	{ 102	139	161	490	103	95	80	560	{ 122	5	3
	{ 131	7	2	491	107	321	289		{ 157	1	.
445	{ 131	3	4	492	109	12	7	561	122	40	30
	{ 102	19	15	493	109	220	147	570	{ 099	14	.
446	{ 131	9	8	500	106	70	92		{ 122	56	63
	{ 132	6	8	501	{ 106	212	185		{ 123	3	.
	{ 133	1	.		{ 093	15	15	571	119	163	116
447	{ 083	3	1	502	{ 093	42	29	572	{ 120	15	9
	{ 093	2	.		{ 106	211	122	.	{ 123	3	11
	{ 097	7	10	510	115	2	2	573	120	2	4
	{ 102	10	11	511	115	1	1	574	123	1	.
	{ 131	.	1	513	104	1	.	575	123	3	.
450	{ 083	4	8	516	105	1	.	576	{ 122	2	.
	{ 092	1	.	517	{ 105	4	2		{ 129	11	13
	{ 095	8	6		{ 115	.	2	577	122	1	4
	{ 097	173	129	518	110	10	3	578	{ 120	1	.
	{ 099	4	.	519	110	17	11		{ 123	13	9
	{ 131	5	.	520	114	.	1	580	125	5	7
	{ 132	5	2	521	114	6	4	581	{ 124	36	19
452	096	3	1	522	{ 111	88	84		{ 125	1	5
453	099	1	1		{ 114	.	10	583	125	5	6
454	099	.	2	523	114	1	.	584	126	9	20
455	098	59	29	525	114	10	3	585	{ 127	14	26
456	099	2	2	526	{ 106	18	16		{ 126	.	16
460	100	5	9		{ 114	9	8	586	127	7	17
461	100	1	.	527	{ 111	2	3	587	128	14	11
462	100	1	.		{ 113	17	4	590	{ 130	43	35
463	100	1	2		{ 114	3	10		{ 131	1	1
464	100	6	7	533	115	.	1	591	{ 130	16	1
465	111	23	14	536	115	3	.		{ 131	1	2
466	{ 100	4	1	537	115	1	.		{ 133	1	1
	{ 099	.	2	539	116	1	6	592	{ 131	168	161
467	103	.	4	540	117	111	37		{ 132	18	19



TABLE 27 (contd.) DEATHS IN 1950, CLASSIFIED BY SEX, AND BY CAUSE (6th REVISION, 1948, INTERNATIONAL DETAILED LIST) AND FURTHER CLASSIFIED BY CAUSE (5th REVISION, 1938, INTERNATIONAL DETAILED LIST).

International List No. (6th Revision, 1948)	Inter- national List No. (5th Revision, 1938)	Males	Females	Inter- national List No. (6th Revision, 1948)	Inter- national List No. (5th Revision, 1938)	Males	Females	Inter- national List No. (6th Revision, 1948)	Inter- national List No. (5th Revision, 1938)	Males	Females
593	{ 132	93	66	682	147	.	1	761	{ 159	1	3
	{ 130	1	.	684	147	.	8	.	{ 160	11	13
	{ 131	4	2	685	148	.	2	762	{ 159	17	9
594	132	1	1	686	148	.	3		{ 161	63	54
600	133	22	8	687	149	.	1	763	{ 107	31	14
601	133	6	1	688	149	.	1		{ 109	25	13
602	134	4	3	690	151	4	2		{ 159	4	2
603	133	8	3	692	152	6	5	764	119	24	13
604	134	2	.	693	152	.	3	766	161	1	1
605	135	21	4	698	153	.	2	767	161	3	.
606	135	2	.	701	153	3	2	768	{ 159	1	.
608	136	1	.	703	153	2	.		{ 161	6	5
609	136	1	.	704	153	2	1	769	{ 159	3	4
610	137	224	.	705	153	2	5		{ 161	2	2
611	137	22	.	706	153	1	1	770	{ 161	29	14
612	137	26	.	715	153	9	8		{ 159	1	3
615	138	1	.	720	156	5	1	771	{ 159	3	2
621	139	.	1	722	059	33	63		{ 161	5	10
626	139	.	2	723	059	6	9	772	{ 119	1	.
631	{ 123	.	1	724	059	1	1		{ 158	8	12
	{ 139	.	1	725	059	11	8	773	{ 158	196	136
633	139	.	6	726	059	1	1		{ 159	89	55
635	139	.	1	727	{ 058 059	2	.		{ 161	5	3
637	139	.	3			23	28	774	159	31	14
642	{ 144	.	14					776	159	235	188
	{ 148	.	2	730	154	20	6	780	086	86	58
643	143	.	3	731	155	4	1	782	{ 200	84	32
644	143	.	4	733	155	2	2		{ 199	33	18
645	142	.	3	738	156	.	1		{ 162	243	223
646	145	.	1	744	156	6	1	783	114	3	1
648	149	.	1	745	156	.	1	784	118	17	15
651	140	.	1	750	157	8	8	785	{ 125	6	5
652	141	.	1	751	157	32	49		{ 161	1	4
670	146	.	10	752	157	23	19				
671	{ 146	.	3	753	157	3	1	786	{ 135	18	.
	{ 149	.	4	754	157	83	66		{ 133	1	2
672	146	.	14	755	157	4	2	788	{ 086	4	2
674	149	.	2	756	157	41	13		{ 200	1	2
675	149	.	2	757	157	7	3	789	133	1	.
677	149	.	3	758	157	1	2	790	200	8	6
678	149	.	11	759	157	3	10	792	{ 131	34	14
681	147	.	4	760	160	81	49		{ 132	56	22



TABLE 27 (contd.)—DEATHS IN 1950, CLASSIFIED BY SEX, AND BY CAUSE (6th REVISION, 1948, INTERNATIONAL DETAILED LIST) AND FURTHER CLASSIFIED BY CAUSE (5th REVISION, 1938, INTERNATIONAL DETAILED LIST).

Inter- national List No. (6th Revision, 1948)	Inter- national List No. (5th Revision, 1938)	Males	Females	Inter- national List No. (6th Revision, 1948)	Inter- national List No. (5th Revision, 1938)	Males	Females	Inter- national List No. (6th Revision, 1948)	Inter- national List No. (5th Revision, 1938)	Males	Females
794	{ 132	1	.	883	179	3	.	928	{ 175	1	.
	{ 162	2,259	2,460	886	179	1	.		{ 188	2	1
	{ 200	.	14	888	179	1	.	929	183	79	22
795	{ 200	50	41	890	178	2	.	931	191	2	.
	{ 199	12	5	892	178	2	3	932	190	1	.
800	169	2	1	900	{ 186	4	2	933	{ 189	.	2
801	169	1	.		{ 195	2	1		{ 195	1	2
802	169	9	1	901	186	1	.	936	195	55	91
811	170	1	.	902	{ 175	2	.	945	195	1	.
812	170	71	15		{ 186	15	4	946	195	.	1
813	170	10	3		{ 195	2	2	954	195	2	3
814	170	3	.	903	{ 175	.	1	955	195	1	.
815	170	1	.		{ 195	9	20	965	195	1	.
816	170	7	1	904	{ 186	7	.	970	163	1	.
819	170	3	1		{ 195	24	25	971	163	2	2
820	170	.	1	910	{ 174	3	.	972	163	1	1
821	170	4	2		{ 175	2	.	973	163	.	1
824	170	5	2		{ 186	3	.	974	164	27	1
825	170	7	2		{ 195	3	.	975	164	14	7
830	170	5	1	911	175	2	.	976	164	5	.
831	170	1	.	912	176	10	2	977	164	10	.
835	{ 170	3	.	914	193	4	.	978	164	2	1
	{ 175	1	.	916	181	17	27	979	164	1	.
842	171	3	2	917	181	24	38	980	165	1	.
843	171	13	6	919	{ 184	11	.	981	166	1	.
844	171	3	.		{ 195	1	.	982	166	2	.
845	171	21	3	921	182	4	4	983	166	3	4
855	172	1	.	922	182	2	2	990	196	1	.
857	172	2	.	923	182	2	1	993	196	1	.
874	179	.	1	924	182	10	7	998	196	1	.
877	179	.	1	925	182	1	1	999	{ 196	1	.
881	179	1	.	926	195	3	7		{ 197	1	.

TABLE 28—DEATHS REGISTERED IN EACH COUNTY AND COUNTY BOROUGH, CLASSIFIED BY TIME BETWEEN DATE OF DEATH AND DATE OF REGISTRATION.

COUNTY OR COUNTY BOROUGH	TIME BETWEEN DEATH AND REGISTRATION						Total
	under 6 days	6 days and under 15 days	15 days and under 1 month	1 month and under 3 months	3 months and under 6 months	6 months and under 1 year	
Carlow County ... ..	147	185	79	32	11	11	465
Dublin County Borough ... ..	5,214	1,110	321	142	37	29	6,853
Dun Laoghaire Borough ... ..	250	121	36	9	4	3	423
Dublin County ... ..	537	206	70	41	7	3	864
Kildare County ... ..	277	175	76	78	20	11	637
Kilkenny County ... ..	246	321	112	99	37	26	841
Laoighis County ... ..	228	218	82	86	21	15	650
Longford County ... ..	79	168	104	97	11	10	469
Louth County ... ..	338	286	117	70	14	11	836
Meath County ... ..	206	307	137	98	14	12	774
Offaly County ... ..	167	244	105	68	20	7	611
Westmeath County ... ..	246	245	141	82	11	9	734
Wexford County ... ..	337	441	213	170	39	34	1,234
Wicklow County ... ..	268	264	106	63	20	7	728
Clare County ... ..	237	347	237	229	31	20	1,101
Cork County Borough ... ..	490	321	109	76	7	6	1,009
Cork County ... ..	1,337	1,289	606	344	65	42	3,683
Kerry County ... ..	566	576	262	210	28	23	1,665
Limerick County Borough ... ..	106	204	107	62	13	5	497
Limerick County ... ..	270	503	295	173	24	25	1,290
Tipperary, N.R. ... ..	189	237	126	101	21	13	687
Tipperary, S.R. ... ..	326	343	198	131	32	22	1,055
Waterford County Borough ... ..	284	152	40	18	2	1	497
Waterford County ... ..	181	216	68	66	5	11	547
Galway County ... ..	307	597	467	420	137	69	1,997
Leitrim County ... ..	72	163	121	139	33	17	545
Mayo County ... ..	281	507	408	516	117	45	1,874
Roscommon County ... ..	191	339	214	157	35	17	953
Sligo County ... ..	147	295	200	138	24	15	819
Cavan County ... ..	154	351	261	152	34	25	977
Donegal County ... ..	361	675	341	261	36	16	1,690
Monaghan County ... ..	120	226	199	162	17	12	736
<b>Total ...</b>	<b>14,159</b>	<b>11,632</b>	<b>5,958</b>	<b>4,493</b>	<b>927</b>	<b>572</b>	<b>37,741</b>

TABLE 29 —DEATHS REGISTERED IN EACH COUNTY AND COUNTY BOROUGH, CLASSIFIED BY TIME BETWEEN DATE OF DEATH AND DATE OF REGISTRATION, PER 1,000 DEATHS REGISTERED.

COUNTY OR COUNTY BOROUGH	TIME BETWEEN DEATH AND REGISTRATION						Total
	Under 6 days	6 days and under 15 days	15 days and under 1 month	1 month and under 3 months	3 months and under 6 months	6 months and under 1 year	
Carlow County ... ..	316·1	397·8	169·9	68·8	23·7	23·7	1,000
Dublin County Borough ... ..	760·8	162·0	46·9	20·7	5·4	4·2	1,000
Dún Laoghaire Borough ... ..	591·0	286·0	85·1	21·3	9·5	7·1	1,000
Dublin County ... ..	621·5	238·4	81·0	47·5	8·1	3·5	1,000
Kildare County ... ..	434·9	274·7	119·3	122·4	31·4	17·3	1,000
Kilkenny County ... ..	292·5	381·7	133·2	117·7	44·0	30·9	1,000
Laoighis County ... ..	350·8	335·4	126·1	132·3	32·3	23·1	1,000
Longford County ... ..	168·4	358·2	221·8	206·8	23·5	21·3	1,000
Louth County ... ..	404·3	342·1	140·0	83·7	16·7	13·2	1,000
Meath County ... ..	266·2	396·6	177·0	126·6	18·1	15·5	1,000
Offaly County ... ..	273·3	399·3	171·9	111·3	32·7	11·5	1,000
Westmeath County ... ..	335·1	333·8	192·1	111·7	15·0	12·3	1,000
Wexford County ... ..	273·1	357·4	172·6	137·8	31·6	27·5	1,000
Wicklow County ... ..	368·1	362·7	145·6	86·5	27·5	9·6	1,000
Clare County ... ..	215·2	315·2	215·3	208·0	28·1	18·2	1,000
Cork County Borough ... ..	485·6	318·2	108·0	75·3	6·9	6·0	1,000
Cork County ... ..	363·0	350·0	164·5	93·4	17·7	11·4	1,000
Kerry County ... ..	339·9	346·0	157·4	126·1	16·8	13·8	1,000
Limerick County Borough ... ..	213·3	410·5	215·3	124·7	26·1	10·1	1,000
Limerick County ... ..	209·3	389·9	228·7	134·1	18·6	19·4	1,000
Tipperary, N.R. ... ..	275·1	345·0	183·4	147·0	30·6	18·9	1,000
Tipperary, S.R. ... ..	309·0	325·1	187·7	127·0	30·3	20·9	1,000
Waterford County Borough ... ..	571·4	305·9	80·5	36·2	4·0	2·0	1,000
Waterford County ... ..	330·9	394·9	124·3	120·7	9·1	20·1	1,000
Galway County ... ..	153·7	298·9	233·9	210·3	68·6	34·6	1,000
Leitrim County ... ..	132·1	299·1	222·0	255·0	60·6	31·2	1,000
Mayo County ... ..	150·0	270·5	217·7	275·4	62·4	24·0	1,000
Roscommon County ... ..	200·4	355·7	224·6	164·8	36·7	17·8	1,000
Sligo County ... ..	179·5	360·2	244·2	168·5	29·3	18·3	1,000
Cavan County ... ..	157·6	359·3	267·1	155·6	34·8	25·6	1,000
Donegal County ... ..	213·6	399·4	201·8	154·4	21·3	9·5	1,000
Monaghan County ... ..	163·0	307·1	270·4	220·1	23·1	16·3	1,000
Total ... ..	375·2	308·2	157·9	119·0	24·6	15·1	1,000



TABLE 30.

## SUMMARY OF CASES OF INFECTIOUS DISEASES NOTIFIED TO THE DEPARTMENT OF HEALTH DURING THE YEAR 1950.

This Summary has been prepared from the Department's Weekly Returns, but adjustments have been made in respect of any corrections of these returns received after their issue.

The letters in the last column denote the following diseases:—A. Acute Anterior Poliomyelitis, B. Cerebro-spinal Fever, C. Encephalitis Lethargica, D. Diarrhoea and Enteritis, E. Paratyphoid A, F. Paratyphoid B, G. Trachoma, H. Erysipelas, J. Ophthalmia Neonatorum, K. Pemphigus Neonatorum, L. Undulant Fever, M. Continued Fever, N. Dysentery (Bacillary), O. Dysentery (Amoebic), P. Malaria, Q. Membranous Croup, R. Puerperal Pyrexia, S. Influenzal Pneumonia, T. Puerperal Sepsis, U. Scabies, V. Infective Hepatitis, W. Streptococcal Sore Throat, X. Tinea Capitis, Y. Rubella, Z(2) Salmonella Infection, Z(3) Weil's Disease.

## COUNTY BOROUGHES.

County Boroughs	Typhus	Typhoid	Diphtheria	Scarlet fever	Measles	Whooping cough	OTHER DISEASES
Cork ... ..	.	.	18	35	62	22	A.4. B.2. D.75. H.28. L.1. N.3. R.1. U.33. W.1.
Dublin ... ..	.	4	4	1,686	2,768	1,894	A.51. B.32. C.3. D.625. F.1. G.8. H.181. J.4. K.1. L.3. N.9. S.1. T.2. U.422. V.78. W.5,333. X.18. Y.46. Z(1).18. Z(2).11.
Limerick ... ..	.	.	11	18	99	22	D.11. H.3. P.1. U.8. W.1.
Waterford ... ..	.	1	1	20	8	1	A.3. D.35. H.3. N.4. U.9. W.3. Z(1).1.
Totals ... ..	.	5	34	1,759	2,937	1,939	A.58. B.34. C.3. D.746. F.1. G.8. H.215. J.4. K.1. L.4. N.16. P.1. R.1. S.1. T.2. U.472. V.78. W.5,338. X.18. Y.46. Z(1).19. Z(2).11.

## URBAN DISTRICTS.

County	Urban District	Typhus	Typhoid	Diphtheria	Scarlet fever	Measles	Whooping cough	OTHER DISEASES
Carlow ...	Carlow ...	.	.	.	18	.	2	B.1. D.5. K.1.
Cavan ...	Belturbet ...	.	.	.	.	.	.	
	Cavan ...	.	.	.	1	1	2	H.2. U.2. W.11. X.1.
	Cootehill ...	.	.	.	.	.	2	H.1.
Clare ...	Ennis ...	.	.	2	82	1	.	
	Kilrush ...	.	.	.	.	.	.	
Cork ...	Clonakilty ...	.	.	.	.	.	.	
	Cobh ...	.	.	.	.	.	.	
	Fermoy ...	.	.	.	1	.	.	D.1. H.1.
	Kinsale ...	.	.	.	1	.	.	
	Macroom ...	.	.	.	.	.	.	D.1.
	Mallow ...	.	.	.	.	.	.	B.2.
	Midleton ...	.	.	.	.	15	.	D.3. U.1.
	Skibbereen ...	.	.	.	.	.	.	
	Youghal ...	.	.	.	25	6	.	
Donegal ...	Buncrana ...	.	.	8	40	3	.	
	Bundoran ...	.	.	.	1	.	.	
	Letterkenny ...	.	.	.	21	1	.	W.2.
Dublin ...	Dún Laoghaire ...	.	.	1	228	415	54	A.6. D.73. F.2. H.6. L.1. P.1. U.22. V.7. W.220. X.4. Y.11. Z(1).3.
Galway ...	Ballinasloe ...	.	5	.	1	.	.	A.2. D.2. H.1. U.10. W.1.
	Galway ...	.	1	2	15	9	1	A.1. B.1. D.13. H.3. U.7. V.11. W.4.
Kerry ...	Killarney ...	.	1	.	.	2	.	W.2.
	Listowel ...	.	.	.	5	.	.	
	Tralee ...	.	.	.	1	.	.	A.1. B.1. W.1.
Kildare ...	Athy ...	.	.	.	.	1	2	V.1. W.3.
	Naas ...	.	.	.	.	1	17	H.5. U.3.

TABLE 30—*contd.*—URBAN DISTRICTS.

County	Urban District	Typhus	Typhoid	Diph- theria	Scarlet fever	Measles	Whoop- ing cough	OTHER DISEASES
Kilkenny	Kilkenny	.	1	.	18	43	2	D.2. F.4. H.2. P.1. U.2. X.1.
Longford	Longford	.	.	.	7	3	.	D.6. H.1. W.13.
Louth	Drogheda	.	.	1	19	20	7	A.2. H.2. U.1.
	Dundalk	.	7	10	28	.	1	A.5. H.1.
Mayo	Ballina	.	.	1	8	.	.	B.1. U.1. W.1.
	Castlebar	.	.	.	.	.	.	.
	Westport	.	.	.	.	.	.	.
Meath	An Uaimh	.	.	.	13	49	2	D.2. U.3. W.1.
	Ceannanus Mor	.	.	.	1	2	.	D.1.
	Trim	.	.	.	.	.	.	.
Monaghan	Carrickmacross	.	.	.	3	3	.	A.1.
	Castleblayney	.	.	.	.	.	.	.
	Clones	.	.	.	6	.	.	.
	Monaghan	.	.	1	.	.	.	.
Offaly	Birr	.	.	.	.	1	6	U.3. W.2.
	Tullamore	.	.	.	7	33	1	D.4. J.1. K.1. N.3. U.7. W.8.
Sligo	Sligo	.	.	10	12	5	.	D.6. H.1. U.7. W.11.
Tipperary N.R.	Nenagh	.	.	.	6	38	.	A.2. H.1. V.3. W.2.
	Templemore	.	.	.	1	13	.	.
	Thurles	.	6	.	1	.	.	D.1.
Tipperary S.R.	Carrick-on-Suir	.	.	.	1	2	.	A.2. W.1.
	Cashel	.	.	.	25	5	2	.
	Clonmel	.	.	.	29	73	4	A.3. V.1. W.5.
	Tipperary	.	.	.	5	.	44	.
Waterford	Dungarvan	.	.	2	.	15	4	A.1. D.2. U.1. W.5.
Westmeath	Athlone	.	.	.	2	.	.	U.4.
Wexford	Enniscorthy	.	.	.	3	.	.	A.2.
	New Ross	.	.	1	13	3	35	A.1. C.1. H.2. U.2.
	Wexford	.	.	3	1	4	.	D.2. F.1. H.1. W.1.
Wicklow	Arklow	.	.	.	20	.	.	W.1.
	Bray	.	.	.	8	45	43	A.2. D.14. H.3. P.1. N.1. U.26. V.1. W.9. Y.1. Z.(1).2.
	Wicklow	.	.	.	29	56	.	D.3. H.2. P.1. W.36.
	TOTAL	.	21	42	706	868	231	A.31. B.6. C.1. D.141. F.7. H.35. J.1. K.2. L.1. N.4. P.4. U.102. V.24. W.340. X.6. Y.12. Z(1)5.

TABLE 30—*contd.*—RURAL DISTRICTS.

County	Rural District	Typhus	Typhoid	Diph- theria	Scarlet fever	Measles	Whoop- ing cough	OTHER DISEASES
Carlow	Carlow	.	.	.	34	114	16	F.1. H.2. V.7. W.5.
	Carlow No. 2.	.	.	.	.	.	.	A.1.
	Idrone	.	.	.	4	.	.	H.1. W.1.
Cavan	Bailieboro'	.	.	2	1	49	7	B.2. F.2. V.1.
	Bawnboy	.	.	.	.	7	6	H.1.
	Castlerahan	.	.	.	.	9	4	B.1. W.2.
	Cavan	.	.	.	1	12	22	B.1. H.1. T.2. V.4. W.12. X.2.
	Enniskillen No. 2	.	2	.	.	.	.	.
	Mullaghoran	.	.	.	.	.	.	.
Clare	Ballyvaughan	.	.	1	.	.	.	.
	Corofin	.	.	1	1	1	.	.
	Ennis	.	1	.	9	.	.	A.2. V.1.
	Ennistymon	.	.	1	.	.	.	A.1.
	Killadysert	.	.	.	4	3	.	W.1.
	Kilrush	.	.	.	2	1	3	.
	Meelick	.	.	.	.	.	.	.
	Scariff	.	1	1	1	.	.	A.1.
	Tulla	.	.	.	.	1	4	.



TABLE 30—*contd.*—RURAL DISTRICTS.

County	Rural District	Typhus	Typhoid	Diph- theria	Scarlet fever	Measles	Whoop- ing cough	OTHER DISEASES
Cork ...	Bandon ...	.	.	.	.	46	.	D.1.
	Bantry ...	.	.	.	.	2	.	A.1. D.1.
	Castletown ...	.	.	.	.	17	.	D.4.
	Clonakilty ...	.	.	.	.	8	.	
	Cork ...	.	.	1	28	147	13	A.1. B.1. D.45. H.8. N.12. V.2. W.4. Z(3).1.
	Dunmanway ...	.	1	.	3	17	.	A.1. Z(3).1.
	Fermoy ...	.	.	1	5	2	4	A.3.
	Kanturk ...	.	.	2	5	.	9	
	Kinsale ...	.	.	.	.	20	.	D.2. H.1.
	Macroon ...	.	.	.	7	17	.	C.1. H.1. Z(3).2.
	Mallow ...	.	.	.	3	2	1	A.1. B.1.
	Midleton ...	.	.	.	2	10	.	A.1. D.7. H.3.
	Millstreet ...	.	.	.	.	.	.	A.1.
	Mitchelstown No. 1	.	.	.	4	.	.	T.1.
	Rathluire ...	.	.	.	.	.	.	
	Skibbereen ...	.	.	.	.	3	.	
	Schull ...	.	.	.	.	.	.	
	Youghal No. 1 ...	.	.	.	8	7	.	
Donegal	Ballyshannon ...	.	.	.	.	.	.	
	Donegal ...	.	1	.	8	1	26	A.1. F.1.
	Dunfanaghy ...	.	.	.	27	.	10	A.1. B.1.
	Glenties ...	.	.	.	9	8	17	A.3. B.1. D.1. H.3. R.1. V.2. W.1.
	Inishowen ...	.	7	3	47	161	32	A.3. H.4. T.1. V.1.
	Letterkenny ...	.	.	1	24	172	49	A.2. B.1. H.1. W.7.
	Milford ...	.	.	.	4	.	10	A.2. B.2. C.1. D.1. V.2. W.1.
	Stranorlar ...	.	2	1	23	126	36	A.1. V.13. W.9.
Dublin	Balrothery ...	.	1	.	7	180	46	A.1. D.8. H.4. V.2. W.90. Y.1. Z(1).2.
	Cill Droichead No. 2 ...	.	.	1	22	98	3	D.3. H.1. R.1. W.11.
	Dublin Nth. ...	.	.	.	73	61	37	A.5. D.10. G.1. H.3. V.2. W.65. Y.5.
	Dublin Sth. ...	.	.	.	94	180	172	A.5. D.27. H.7. N.2. T.2. V.4. W.189. X.1. Y.6. Z(1).5.
	Rathdown No. 1	.	.	2	66	63	50	A.2. B.1. D.2. H.3. L.1. T.1. V.3. W.56. X.1. Y.3. Z(1).5. Z(2).1.
Galway	Ballinasloe ...	.	.	.	.	.	.	A.1. B.2.
	Clifden ...	.	1	1	2	1	.	H.1. W.3.
	Galway ...	.	.	1	7	1	.	D.4. V.1. W.3.
	Glenamaddy ...	.	.	.	3	1	.	
	Gort ...	.	.	.	9	22	1	D.1.
	Loughrea ...	.	1	.	3	17	6	A.2. D.3. W.4.
	Mountbellew ...	.	.	.	.	.	.	D.2.
	Oughterard ...	.	1	.	2	1	.	A.1. B.1. D.1. W.2.
	Portumna ...	.	.	.	.	28	8	D.1. H.2. W.3.
	Tuam ...	.	1	3	1	.	.	D.1.
Kerry	Caherciveen ...	.	.	.	.	.	.	D.2. H.1. K.1. V.2. W.3. X.2.
	Dingle ...	.	1	.	.	2	13	A.3. D.1. H.1. V.3. W.2. X.1.
	Kenmare ...	.	.	1	2	.	1	B.1. D.2. W.1.
	Killarney ...	.	2	.	5	1	.	A.2. B.1. F.1. Z(3).1.
	Listowel ...	.	.	1	5	4	7	A.2. H.3. W.1. Z(3).1.
	Tralee ...	.	3	.	3	.	.	B.1. V.1. W.2. Z(3).2.
Kildare	Athy No. 1 ...	.	.	.	.	109	28	V.2. W.19. X.1.
	Cill Droichead No. 1 ...	.	.	.	2	3	.	H.1. W.1.
	Edenderry No. 2	.	.	.	2	.	.	
	Nás na Riogh No. 1 ...	.	1	.	15	9	6	L.1. J.1. V.2. W.1.
		.	.	.	.	.	.	
Kilkenny	Callan ...	.	.	.	8	4	.	A.1. B.1. W.3.
	Carrick-on-Suir No. 3 ...	.	.	1	1	1	.	
	Castlecomer ...	.	.	1	10	1	71	
	Ida ...	.	.	.	1	8	2	W.2.
	Kilkenny ...	.	.	.	4	38	47	F.9. H.2. V.1. W.1. X.2. Y.1.
	Thomastown ...	.	.	.	5	.	.	W.2.
	Urlingford No. 1	.	.	.	7	.	.	A.1.
	Waterford No. 2	.	.	.	1	89	50	A.1. L.1. W.2.
Laoighis	Abbeyleix ...	.	.	1	33	9	.	A.2. N.2. W.3.
	Athy No. 2 ...	.	.	1	1	.	5	B.1. D.1.
	Mountmellick ...	.	.	1	10	80	2	A.1. B.1. H.2. L.1. W.13.
	Roscrea No. 3 ...	.	.	.	.	.	.	
	Slievemargy ...	.	.	.	1	2	.	Y.71.



TABLE 30—*contd.*—RURAL DISTRICTS.

County	Rural District	Typhus	Typhoid	Diph- theria	Scarlet fever	Measles	Whoop- ing cough	OTHER DISEASES
Leitrim	Ballinamore	.	.	.	.	.	.	
	Carrick-on-Shannon No. 1	.	.	.	6	4	3	
	Kinlough	.	.	.	.	.	.	
	Manorhamilton	.	.	.	1	5	.	C.2. A.3.
	Mohill	.	.	.	.	.	.	
Limerick	Croom	.	.	.	10	2	3	H.1.
	Glin	.	.	1	.	1	1	D.1.
	Kilmallock	.	.	1	12	3	4	H.1.
	Limerick No. 1.	.	.	.	3	2	23	A.1. H.1.
	Mitchelstown No. 2	.	.	.	.	.	.	A.1. D.3.
	Newcastle	.	.	.	2	1	11	A.3. D.2. H.2.
	Rathkeale	.	.	2	9	.	.	D.2.
Longford	Tipperary No. 2	.	.	.	1	1	1	T.1.
	Ballymahon	.	.	.	1	1	.	D.1. H.4. T.1. V.1. W.4.
	Granard No. 1	.	1	.	2	42	1	B.1. D.13. H.2. V.1. W.5 Z(1).1.
	Longford	.	.	.	1	10	4	D.2. H.5. V.1. W.15.
Louth	Ardee No. 1	.	1	.	1	.	.	H.1. N.1.
	Dundalk	.	.	1	3	.	1	A.1. H.1. W.1. Z(3).1.
	Louth	.	.	.	1	.	6	D.1. T.1.
Mayo	Ballina	.	.	.	13	.	.	A.2. B.1. D.2.
	Ballinrobe	.	.	.	1	.	.	
	Belmullet	.	11	.	.	23	.	B.1.
	Castlebar	.	.	.	.	.	.	A.1.
	Claremorris	.	.	.	2	.	1	
	Swinford	.	.	.	7	6	.	
	Westport	.	.	.	31	.	25	F.2.
Meath	Ardee No. 2	.	.	.	1	5	.	B.1. D.1.
	Ceannanus Mor	.	.	.	.	19	8	D.1. W.2.
	Dunshaughlin	.	.	.	6	137	152	D.2. H.2. W.3.
	Meath	.	.	1	1	3	.	A.1. D.3. W.1.
	Navan	.	.	.	3	156	12	B.1. D.1. X.1.
	Oldcastle	.	.	.	5	5	.	
	Trim	.	.	1	1	20	1	A.1. W.1.
Monaghan	Carrickmacross	.	.	.	4	60	3	H.1.
	Castleblayney	.	.	.	.	1	1	
	Clones No. 1	.	.	.	1	.	4	B.1. H.2.
	Monaghan	.	.	.	.	.	.	A.1. H.1.
Offaly	Birr	.	.	.	2	2	6	A.1. D.5. H.2. N.1. V.1. W.9.
	Edenderry No. 1.	.	.	.	1	1	.	A.1. D.3. H.1. T.1. W.6.
	Roscrea No. 2	.	.	.	6	2	1	
	Tullamore	.	.	.	7	21	.	D.4. N.1. V.3. W.6.
Roscommon	Athlone No. 2	.	.	.	.	2	.	B.1. V.1.
	Boyle No. 1	.	.	.	4	1	1	W.1.
	Carrick-on-Shannon No. 2	.	.	.	3	1	.	A.3.
	Castlereagh	.	1	1	41	12	.	A.1. B.1. H.4.
	Roscommon	.	2	.	52	14	3	A.4. B.1. D.6. H.2. W.11. Z(1).1.
Sligo	Coolavin	.	.	.	.	.	.	B.1.
	Dromore West	.	.	.	.	11	.	H.1.
	Sligo	.	4	2	18	1	.	B.1. D.1. H.1. W.1.
	Tobercurry	.	.	.	.	2	.	A.1.
Tipperary N.R.	Borrisokane	.	.	.	5	2	4	A.2. H.1. V.4. W.3.
	Nenagh	.	.	1	4	33	5	A.2. H.1. T.2. V.22. W.1. Z(3).1.
	Roscrea No. 1	.	.	2	5	12	1	D.2.
	Thurles	.	4	.	11	25	.	V.2.
Tipperary S.R.	Carrick-on-Suir No. 1	.	.	.	1	21	.	A.3. D.1.
	Cashel	.	.	1	23	9	1	D.1. H.1. J.1. W.1.
	Clogheen	.	.	1	22	4	.	G.1. H.2.
	Clonmel No. 1	.	.	.	3	15	10	A.1.
	Slievardagh	.	.	1	50	2	88	D.14. H.3. S.1. V.1. X.5. Y.4.
	Tipperary No. 1	.	.	1	18	.	6	H.3.
Waterford	Carrick-on-Suir No. 2	.	.	.	.	75	4	A.2. H.1. W.1. Y.2.
	Clonmel No. 2	.	.	.	.	53	13	A.1. X.1.
	Dungarvan	.	.	.	.	13	.	A.2. B.1. X.1.
	Kilmacthomas	.	.	1	.	64	25	B.1. D.8. H.2. T.1. W.23. X.7.
	Lismore	.	.	.	2	20	3	A.4. D.7. X.1. Z(1).62.
	Waterford No. 1	.	.	.	1	30	1	A.1. D.3. H.2. W.2.
	Youghal No. 2	.	.	.	9	35	.	D.1. W.4.



TABLE 30—*contd.*—RURAL DISTRICTS.

County	Rural District	Typhus	Typhoid	Diphtheria	Scarlet fever	Measles	Whooping cough	OTHER DISEASES
Westmeath ...	Athlone No. 1. ...	.	.	.	.	1	10	G.1.
	Ballymore ...	.	.	.	.	.	.	
	Coole ...	.	.	.	.	.	.	
	Delvin ...	.	.	.	1	1	50	
	Mullingar ...	.	3	2	17	30	36	B.1. H.5. V.2.
Wexford ...	Enniscorthy ...	.	1	1	27	.	.	A.5. W.1. X.1.
	Gorey ...	.	.	1	34	11	11	B.1.
	New Ross ...	.	2	2	14	27	26	H.1. W.1.
	Wexford ...	.	.	4	7	4	25	A.2. H.1.
Wicklow ...	Baltinglass ...	.	.	1	24	13	11	D.1.
	Rathdown No. 2 ...	.	.	.	3	3	2	H.1. W.2. Z(1).4.
	Rathdrum ...	.	.	1	16	144	10	A.4. D.1. H.3. L.1. V.1.
	Shillelagh ...	.	.	.	2	1	.	W.55. W.1. Z(1).4.
	TOTAL ...	.	57	60	1,231	3,201	1,442	A.112. B.35. C.4. D.224. F.16. G.3. H.119. J.2. L.5. N.21. R.3. S.1. T.15. V.97. W.686. X.27. Y.93. Z(1).84. Z(2).1. Z(3).10

SUMMARY, 1950.

	Typhus	Typhoid	Diphtheria	Scarlet fever	Measles	Whooping cough	OTHER DISEASES
COUNTY BOROUGHS ... ..	.	5	34	1,759	2,937	1,939	A.58. B.34. C.3. D.746. F.1. G.8. H.215. J.4. K.1. L.4. N.16. P.1. R.1. S.1. T.2. U.472. V.78. W.5,338. X.18. Y.46. Z(1).19. Z(2).11.
URBAN DISTRICTS ... ..	.	21	42	706	868	231	A.31. B.6. C.1. D.141. F.7. H.35. J.1. K.2. L.1. N.4. P.4. T.4. U.102. V.24. W.340. X.6. Y.12. Z(1).5.
RURAL DISTRICTS ... ..	.	57	60	1,231	3,201	1,442	A.112. B.35. C.4. D.224. F.16. G.3. H.119. J.2. L.5. N.21. R.3. S.1. T.15. V.97. W.686. X.27. Y.93. Z(1).84. Z(2).1. Z(3).10.
TOTAL ... ..	.	83	136	3,696	7,006	3,612	A.201. B.75. C.8. D.1,111. F.24. G.11. H.369. J.7. K.3. L.10. N.41. P.5. R.4. S.2. T.21. U.574. V.199. W.6,346. X.51. Y.151. Z(1).108. Z(2).12. Z(3).10.



